

# QUALIFIED PRODUCTS LIST (QPL)

---

**213.02.16 BACKFLOW PREVENTER COVERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
V.I.T. Products Incorporated	Model, SBBC-50 or 60 Alhpi		5/26/1998	R002

---

**213.02.18 FILTRATION SYSTEMS TYPE C**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Amiad Filtration System	Filtration Systems		9/30/1996	R003

---

**213.03.05 IRRIGATION PIPE JOINT COMPOUNDS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RectorSeal	RectorSeal No.5		8/2/1999	R209

---

**214.02.01 TYPE C MAILBOX SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Traffic & Parking Control Company Incorporated	V-LOC Mailbox Support System		11/4/1997	R004
S-Square Tube Products	NEX Mailbox Support System	Type C mailbox support system	3/29/2004	R433

---

**401.02.03a            HERBICIDES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
El Dupont de Nemours & Company	Hyvar X 80 W	Application Rate: 2.8 kg/hectare 15 lbs. Per Acre	8/2/1993	R007
Dow AgroSciences	Spike 80 W	Application rate: 1.8 kg/hectare 10 lbs/acre	8/1/1993	R006
MANA, Control Solutions Incorporated	Pramitol 25E	Application rate: 38L/hectare 25Gal/acre	8/1/1993	R005

---

**401.03.02            ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Chem Mark Corporation	Black Magic "13"		4/26/2000	R259
ZEP Manufacturing Company	Zep E2008 (XT-3199)		12/3/2002	R360
Chemco Chemical	TR2000 (Slick)		4/22/2004	R437
Rhomar Industries	Enviro-Slide Ultra		4/26/2000	R258
Chem Mark Corporation	Black Magic "For Rubber"		5/8/2000	R260
Chem Mark Corporation	Thermal-Slide		4/26/2000	R261

---

**401.03.02 ASPHALT RELEASE AGENTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Compound Technologies Incorporated	SPX-7	Dilution rates: 1:5 (water) for SuperPave mix designs; 1:20 (water) for conventional mix designs	4/27/2000	R262

---

**409.03.09 OPTIONAL PCCP CRACK SEALERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Percol Polymerics Incorporated	Crack Sealant		7/9/1992	R232
Watson Bowman Acme Corporation	Crack Sealer ULV-2 Part		7/27/1999	R231

---

**409.03.10 EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Vexcon Chemical Incorporated	Certi-Vex Envioassist	Application rate:4.9 m2/1 to 200 ft2/gal	8/2/1999	R213
Master Builders Incorporated	Confilm	Application rate:4.9 m2/l( 200ft2/gal) to (9.8 m2/l) 400 ft2/gal	8/2/1999	R212
WR Meadows	Sealtight Evapre	Application rate: 1gal/to 9gal water	8/1/1999	R214
Kaufman Products	VaporAid 060		8/2/1999	R211
Dayton Superior Corporation	SureFilm J-74	Finishing Aid(4.9 m2/1) 200 ft2/gal to (9.8 m2/1) 400 ft2/gal	8/2/1999	R210

---

---

**409.03.10            EVAPORATIVE RETARDER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Construction Supply Incorporated	Atlas Finish-Film		1/29/2003	R386

---

**496.02.01            AGGREGATES FOR POLYMER CONCRETE PREBAGGED**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
RMC Lone Star	Aggregate		1/26/1997	R013
Manufacturers Mineral Company	Aggregate		1/26/1997	R012

---

**502.02.04            CONCRETE STAIN**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
United Coatings	Canyon Tone Stain		4/12/2005	R466
TEX COTE	Rainstopper Silicone-Acrylic Concrete Stain		4/12/2005	R467

---

**502.03.02            RETARDANTS FOR FORMED EXPOSED AGGREGATE FINISH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Fosroc Incorporated	Preco Tuf-cote, Preco Hi-V		8/17/1999	R216

---

**502.03.13(i)      PREFORMED JOINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
TechStar Incorporated	W-Seal		5/3/1999	R150
E-poxy Engineered Material LLC	Evazote 380 ESP		5/3/1999	R008
R.J.Watson Incorporated	Silicoflex		12/7/2000	R278
Illbruck Incorporated	Will-Seal 600		6/4/2002	R340
Watson Bowman Acme Corporation	JENNE Structural & Sealing joint		5/3/1999	R011
Polytite Manufacturing Corporation	Polytite N		5/3/1999	R010
Capital Services Incorporated	Evazote		5/23/1999	R182

---

**502.03.13(j)      ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
D.S. Brown Company	Matrix 502		6/5/1997	R217
Wyoming Equipment Sales	A.P.J. Asphalt Plug Joint System		12/1/2005	R477

---

**502.03.13(j) ASPHALTIC PLUG BRIDGE EXPANSION JOINT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dynamic Surface Applications Ltd	Thorma Joint System		9/19/2002	R353

---

**502.03.13(k) EXPANSION JOINT (SPECIAL)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
SSI (Silicone Specialtes Incorporated)	XJS Expansion Joint System	This is a general QPL only. Systems on this list will be selected for use based on project specifics. This product permitted	4/22/2002	R228

---

**502.03.13(l) EXPANSION JOINT SEALANT**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Watson Bowman Acme Corporation	WABO Two part silicone sealant		4/22/2002	R335
Dow Corning	902 RCS		4/22/2002	R334

---

**502.03.22 JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
W.R. Meadows Incorporated	CR-90		9/8/1998	R021
Meggison Ent. Incorporated	Megaseal Type 1323		9/8/1998	R020
Crafco Incorporated	CRAFCO Asphalt Rubber Type 1, 2 or 4	Depends on climate zone	1/7/1998	R017

---

**502.03.22                    JOINT SEALER ALONG EDGES OF CONCRETE BARRIER RAIL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Maxwell Products Incorporated	Elastoflex 44M or Elastoflex 56		1/6/1998	R019
Henry Company	World Class A		9/8/1998	R022
Koch Materials Company	Koch 9000		1/6/1998	R018

---

**505.02.01                    EPOXY COATING FOR STEEL REINFORCING BARS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
International Paint Coombes Equipment	Interpon HD-33 and HD-34 Fusion Bond		1/1/1996	R031
Seibert Powder Coatings USA Incorporated	Pow Dax E-90 No. 1295		1/1/1996	R039
Mobil/Exxon Lubricants	Mobilox 1004-R-2 (Mobilgreases)		1/1/1996	R033
Akzo Nobel	Bars Resicoat 500607		1/1/1996	R024
El Dupont de Nemours & Company	Flintflex 531-6080, 531-6085, 531-6086		1/1/1996	R028
The Valspar Corporation	Lilly "Greenbar" #720A009		1/1/1996	R032

---

**505.02.01 EPOXY COATING FOR STEEL REINFORCING BARS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dupont Powder Coatings USA Incorporated	Nap-Gard 7-2719		1/18/2001	R284
Akzo Nobel	Corflex CF 4650 (Green)		1/1/1996	R029
Devoe/Fuller-O'Brien Paint	EL-704-P-9		1/1/1996	R030
3M Austin Center Corrosion Protection Production	Scotch Kote 413		1/1/1996	R023

---

**605.02.01 POLYETHYLENE END SECTIONS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hancor Incorporated	Hi-Q Flared End Section		10/28/1995	R041
Advanced Drainage Systems Incorporated	ADS End Section		10/28/1995	R040

---

**609.02.01a FAST-SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Concrete Systems Incorporated	American Highway Patch II		9/30/1996	R043
US Concrete Products	HP Concrete		10/22/2004	R457

---

**609.02.01a**      **FAST-SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Harris Specialty Chemicals, ThorRoc Division	ThorRoc 10-60 Rapid Mortar		9/30/1996	R048
Dayton Superior	HD50		9/30/1996	R046
CTS Cement Manufacturing Company	Rapid Set D.O.T. Repair Mix		1/27/1994	R045
Tamms Industries	Speed Crete Green Line	Conforms with ASTM C-928	11/8/2005	R479
Tamms Industries	Speed Crete 2028	Conforms with ASTM C-928	11/8/2005	R480
Tamms Industries	Express Repair	Conforms with ASTM C-928	11/8/2005	R481
High Performance Concrete Repair Materials Incorporated	High Performance Concrete Mix		1/3/2002	R319
5 Star Products Incorporated	Highway Patch & Structural Concrete		9/30/1996	R042
Euclid Chemical Company	Eucospeed M.P.		9/30/1996	R047
Burke Company	928 Fast Patch		9/30/1996	R044

---

**609.02.01a FAST-SETTING CONCRETE PRODUCTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Master Builders Incorporated	SET 45 (CT)		9/30/1996	R050
Master Builders Incorporated	Emaco S66 CI		1/3/2002	R372

---

**609.02.01b STORMWATER TREATMENT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
CSR HydroConduit	Stormceptor	This is the general QPL only. The unit will be selected based on the specific project requirements	4/22/2001	R290
Vortechics Incorporated	Vortechs	This is the general QPL only. The unit will be selected based on the specific project requirements	7/23/2003	R401
Stormwater Management Incorporated	StormFilter	This is the general QPL only. The unit will be selected based on the specific project requirements	2/19/2001	R286
CDS Technologies	CDS	This is the general QPL only. The unit will be selected based on the specific project requirements	2/19/2001	R287
BaySaver	BaySaver	This is the general QPL only. The unit will be selected based on the specific project requirements	2/19/2001	R288
Stormdrain Solutions	Inceptor	This is the general QPL only. System will be selected based on project-specific requirements	7/26/2002	R343

**609.02.01c****TRENCH DRAIN SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
ZURN Industries Incorporated	Z-882 (12" wide)	This is the general QPL only. System will be selected based on project-specific requirements	3/28/2003	R389
Gamble Associates	EconoDrain	This is the general QPL only. System will be selected based on project-specific requirements	4/6/2004	R436
Gamble Associates	MiltiDrain	This is the general QPL only. System will be selected based on project-specific requirements	4/6/2004	R435
ABT Incorporated	Interceptor A-67	This is the general QPL only. System will be selected based on project-specific requirements	1/17/2003	R377
ABT Incorporated	Polydrain	This is the general QPL only. System will be selected based on project-specific requirements	1/17/2003	R378
ACO Polymer Products Incorporated	K100 S, FF300, S100K	This is the general QPL only. System will be selected based on project-specific requirements	1/17/2003	R379
ACO Polymer Products Incorporated	K300S, FG200	This is the general QPL only. System will be selected based on project-specific requirements	1/17/2003	R380
ZURN Industries Incorporated	Z-886 (6" wide)	This is the general QPL only. System will be selected based on project-specific requirements	3/28/2003	R388
Strongwell	Polycast 700 series frames (application load class F)	This is the general QPL only. System will be selected based on project-specific requirements	4/29/2005	R470
Strongwell	Polycast 900 series grates (removable)	This is the general QPL only. System will be selected based on project-specific requirements	1/13/2005	R460

---

**609.02.01c TRENCH DRAIN SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Strongwell	Polycast 3000 series	This is the general QPL only. System will be selected based on project-specific requirements	1/13/2005	R461

---

**610.02.01 CELLULAR EROSION CONTROL MATS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Armortec	Armorflex	This is the general QPL only. System will be selected based on project-specific requirements	1/28/2002	R326
Petrattech	Petraflex	This is the general QPL only. System will be selected based on project-specific requirements	1/28/2002	R327

---

**613.02.01 DETECTABLE WARNINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Endicott Clay Products Company	Handicap detectable warnings pavers	Concrete paver	3/26/2004	R430
Pavestone	ADA Compliant Detectable Warning Paver	Concrete paver	5/13/2004	R440
Whitacre-Greer	ADA Pavers	Concrete paver	3/26/2004	R432
TRANSPPO Industries Incorporated	Step-Safe	Concrete panel	3/26/2004	R429
N-Direct Distribution	CASTinTACT	Concrete panel	3/26/2004	R431

---

**616.02.01 PLASTIC FENCE FABRIC MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Plastic Safety Systems Incorporated	All Purpose Safety Fence		10/10/1999	R220
Tensar Company, Construction Products Group	Safety Grid		10/10/1999	R221
Conwed Plastics	Safety Fence		10/10/1999	R219

---

**618.02.01 FLARED GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Road Systems Incorporated	FLEAT-350	TL-3	1/11/1999	R055
Syro Incorporated	SRT 350	TL-3	6/9/2004	R442

---

**618.02.01a TANGENTIAL GUARDRAIL TERMINAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Trinity Industries Incorporated	ET-PLUS	TL-3 Metal or wood posts are allowed for use with this guardrail terminal.	4/27/2000	R230
Road Systems Incorporated	SKT 350	TL-3	2/8/1998	R181
Syro Incorporated	CAT-350	TL-3 For median areas only with bi-directional traffic	3/30/1997	R056

---

**618.02.01b GUARDRAIL OFFSET BLOCKS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Trinity Industries Incorporated	KING Block	Used on W-beam guardrail with steel posts	11/30/2001	R317
Imperial Laminators	Glue-laminated offset block	Use for W-beam and Tri-beam guardrails	3/10/2004	R426
Trinity Industries Incorporated	KING-KING Block	Used with steel post Tri-beam guardrails	5/13/2005	R471

---

**619.02.01 FLEXIBLE GUIDE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Three D Traffic Works Incorporated	TD5500		10/13/2004	R451
Safe-Hit	Metal Base 248-GP3	Minimum Embedment Depth: 430 mm (17 inches)	11/4/1998	R065
Carsonite International	CGDU	Minimum Embedment Depth: 450mm ( 18 inches)	11/4/1998	R060

---

**619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Flexstake Incorporated	T2 Object Marker		6/1/1994	R067
Safe-Hit	K-Marker Identification		11/4/1998	R068

---

**619.02.01a FLEXIBLE TYPE 2 OBJECT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carsonite International	Island Sentry SMD-615 Surface Mounted K-Marker		8/1/1989	R066
Safe-Hit	Dura-Post Type 2 /K-Marker	Minimum Embedment Depth: 450mm (18 inches)	11/4/1998	R069
Three D Traffic Works Incorporated	TD5315 ChannelGARD K Marker	Type 2	6/29/2005	R472

---

**619.03.01 PRISMATIC ACRYLIC REFLECTORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
AKT Corporation	AKT No. 18 Center-Mounted Reflector		5/5/1998	R070
Vega Molded Products Incorporated	Center-Mounted Delineator Reflector		5/5/1998	R071

---

**623.01.01 DYNAMIC MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Daktronics Incorporated	Dynamic Message Sign	Type 1 and Type 2	9/14/2004	R447
Skyline Products Incorporated	Skyline Products 2070 Lite Controller	Type 1 and Type 2	12/1/2005	R482

---

**623.02.08 SERVICE PEDESTALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Tesco Controls Incorporated	Service Pedestals		9/5/2000	R269
MILBANK Manufacturing Company	Service Pedestals		11/19/2002	R359
Pacific Utilities Products	Service Pedestals		11/19/2002	R358
Myers Power Products	Service Pedestals		9/5/2000	R270

---

**623.02.11 ALUMINUM POLES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Valmont Lexington	Aluminum poles (Model Number 291060105T4 w/MD1532P60)		8/2/1995	R072

---

**623.02.12c HIGH MAST HEAD FRAME ASSEMBLIES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Eagle High Mast Lighting Company	High Mast Assembly (Bottom Latching)		12/30/2003	R419
Holophane Corporation	LD-5 series (Bottom Latching)		12/30/2003	R417
Carolina High Mast	426 series (Botom Latching)		12/30/2003	R418

---

**623.02.16 CONDUIT DUCT SEALING COMPOUND**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
NSI Industries Incorporated	Conduit Duct Sealing Compound		8/10/1998	R073

---

**623.02.29 EMERGENCY VEHICLE OPTICAL DETECTOR SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Tomar	Tomar Strobecom II system: Strobecom II models 2070 OSP, 2080 OSP, 2140 OSP and Card racks; Strobecom II Optical	Do not mix components, it must be a complete system	9/27/2001	R309
3M Safety & Security Division	3M Opticom Priority Control System: Discimonator models 252,452 and 752; Chassis model 560; Optical Detector model 711,721, 722.	Do not mix components, it must be a complete system	9/27/2001	R307

---

**623.02.30a VEHICLE DETECTORS (PIEZOELECTRIC SENSORS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Diamond Traffic Products	Brass Linguine Class 1		10/31/2001	R312
Peek Traffic	Brass Linguine Class 1		10/31/2001	R313
Measurement Specialties Incorporated	Roadtrax BL Sensor Brass Linguine Class 1		5/26/1999	R183

---

**623.02.30e OPTIONAL VEHICLE DETECTOR SEALANTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Durant Paints Incorporated	Stat-A-Flex Polyester	Polyester Material	8/5/1998	R077

---

**623.02.30e**      **OPTIONAL VEHICLE DETECTOR SEALANTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Bondo Corporation	Bondo P-606		12/2/2003	R413
3M Safety & Security Division	3-M Loop Detector Sealant	Rubberized Material	8/5/1998	R075
Crafco Incorporated	Hot Melt Thermoplastic	Rubberized Asphalt Material	8/5/1998	R076
Rosenblatt & Associates	Permanent Sealer 974 or Pro-Seal 6006	Sealer 974 - Nitrile Rubber Material, Pro-Seal 6006 - Polyester Material	8/5/1998	R079
Quikrete of Northern California Incorporated, Harker & Harker Incorporated	Quikrete (Sackrete) special (loop mix) blacktop	Asphaltic Concrete	1/1/2001	R283
Reed and Graham Company	Overkote	Asphaltic Emulsion Material	8/5/1998	R078

---

**623.03.01**      **TRAFFIC SIGNALS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dialight Corporation	LED 12" Signal heads, Pedestrian signal heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R330
GELcore	LED 12" Signal heads, Pedestrian signal heads	All models including Duraled. All models for solid balls. Arrow must be solid.	3/26/2002	R331

---

**623.03.15 SIGN LIGHTING FIXTURES**

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date*      *ID Number*

---

Holophane Corporation                      Panel-Vue series sign lighting                      1/17/2003                      R382

---

Allied Lighting Systems                      MSR series sign lighting                      1/17/2003                      R383

---

---

**623.03.22 LUMINAIRE RETRIEVAL SYSTEM**

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date*      *ID Number*

---

Lumi Trak Incorporated                      Lumi Trak                      11/19/2002                      R357

---

---

**623.05.26 RED LIGHT DETECTORS**

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date*      *ID Number*

---

McCain Traffic Supply                      Red Light Detector                      7/16/2003                      R399

---

Synchronex                      Red Light Detector                      7/16/2003                      R400

---

---

**624.03.03 REFLECTIVE SHEETING FOR FLAGGER PADDLES**

*Mfr Name / Address*                      *Product Name*                      *Remarks*                      *Carded Date*      *ID Number*

---

Reflexite North America                      Reflexite AP1000                      4/8/1999                      R185

---

Avery Dennison                      Avery Dennison T-6500 Series                      4/8/1999                      R187

---

---

**624.03.03 REFLECTIVE SHEETING FOR FLAGGER PADDLES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control, Materials Division	3M Diamond Grade-LDP (3970)		4/8/1999	R186

---

**625.02.01 CONSTRUCTION FLEXIBLE POSTS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Filtrona Extrusion, Davidson Traffic Control Products	Flexi-Guide 300 UR	Surface Mounted	10/14/1999	R222
Bent Manufacturing Company	MF-180-36 Masterflex		6/15/1998	R080
Carsonite International	SDCF-436, SMDW-36" & Super-Duck Channelizer		6/15/1998	R081
Flexstake Incorporated	Flexstake SM 703		6/15/1998	R082
Safe-Hit	36" Dura Post		6/15/1998	R085
Western Highway Products	Repo 36-RPB		6/15/1998	R086
Safe-Hit	SH 236SMAD-OS (Post) SHSMB-1-BL (Base)		6/15/1998	R084

---

**625.02.02 REFLECTIVE MARKERS ON PORTABLE PRECAST CONCRETE BARRIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Filtrona Extrusion, Davidson Traffic Control Products	PCBM-12		12/17/1997	R015
Three D Traffic Works Incorporated	TD 9400 series		12/3/2002	R362
Astro Optics	FB-33 or Flexi- Tab Marker		2/2/1993	R014
Duraflex Corporation	FLEXX 2020 W/75 mm x75mm Reflective Sheeting		12/17/1997	R016
Three D Traffic Works Incorporated	TD 9300 series		12/3/2002	R361

---

**625.02.02a BARRIER MARKER DRUMS ON CONCRETE BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Beebe Inc./Stinson Equipment Ltd	Saddlemarker Drums (Stock No. 0B3WOO)		12/17/1997	R101

---

**625.02.03 CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Signalisation-Ver-Mac Incorporated	Northern light PCMS		2/22/1998	R095
Addco Manufacturing Company Incorporated	Sign Dot-sign DH 1000		2/22/1998	R087

**625.02.03****CHANGEABLE MESSAGE SIGNS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Electronic Sign, Spokane Industrial Park	Guardian Solar Powered PCMS		2/22/1998	R088
American Signal Company Incorporated	CMS-T331, CMS-T320, CMS-T300		2/22/1998	R089
U.S. Traffic Corporation	Sunray Solar 340, 345, or 380, or Nighthawk 340, or 345		2/22/1998	R092
International Traffic Control Products	TS 100		2/22/1998	R093
National Signal	CMS-330 ER200 ER-200T		4/10/2000	R224
Solar Technology Incorporated	Silent Messenger Solar Powered		2/22/1998	R096
Precision Solar Control Incorporated	Solar Powered Message Board/Center		2/22/1998	R094
Wanco Incorporated	WTLMB-S-LL(A)		8/5/2002	R348
Crown Construction Equipment	CMS80FM	Solar Powered- Full Matrix Portable Changeable Message Sign	10/13/2004	R450
American Signal Company Incorporated	CMS-GP-465		8/5/2002	R349

---

**625.02.04                      TEMPORARY IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Barrier Systems Incorporated	ABSORB 350TM Crash Cushion	TL-3 only; Only use a nine - element design (min) with attachment/transition assembly.	4/10/2001	R289
Roadway Safety Service Incorporated	Fitch Inertial Barrier System		4/14/1999	R106
Energy Absorption Systems Incorporated	Engergite III Module		9/3/1998	R102
Roadway Safety Service Incorporated	React 350 Crash Cushion		9/3/1998	R105
Traffix Devices Incorporated	Big Sandy Sand Barrel Attenuator Temporary Impact Attenuator	Contractor will follow the manufacture installation directions, certify variable sand levels, and ensure weather tight	3/22/2000	R107
Energy Absorption Systems Incorporated	N-E-A-T- System or Quadguard		5/19/1996	R103
Traffix Devices Incorporated	Big Sandy, Model 48247-SPI		10/30/2002	R356

---

**625.02.05                      TRUCK MOUNTED ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Energy Absorption Systems Incorporated	SAFE-STOP TMA	Required Truck Weight 7300 to 12,000 kg (16,096 to 26,460 lbs.)	10/14/1999	R223
Syro Incorporated	MPS 350 III	Required Truck Weight 6350 to 10,900 kg (16,090 to 19,845 lbs.)	9/3/1998	R109

---

**625.02.05 TRUCK MOUNTED ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Traffix Devices Incorporated	Scorpion C 10,000	TL-3 Required truck weight 9,000 kg (19,842 lb)	7/26/2000	R263

---

**625.02.06 WATER FILLED BARRIER RAILS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Rhino Safety Barriers LLC	Rhino Safety Barrier the "350 kit" with installation, including side panels, steel reinforced connecting pins and	Use Deflection up to 13ft (4m); Fill each panel with 92.5 Gal (350L) of water (+/-1Gal(3.8L); For speeds less than or equal 45	3/10/2004	R427
Energy Absorption Systems Incorporated	Triton Barrier	(White colored 6.5 ft sections) For speeds less than or equal 45 mph; Use 30 m (100 ft) minimum for LON.	3/30/1997	R110
Armorcast Products Company Incorporated	Guardian Safety Barrier w/ 350 Highway Kit	(Opaque ivory colored 1.8m sections) with required minimum length of 60.4m; For speeds less than or equal 45 mph.	9/3/1998	R111

---

**625.02.07 PORTABLE BEACON LIGHT SYSTEM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
K & K Systems Incorporated	Safety Beacon Light		6/1/1999	R207

---

**625.03.03 SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dicke Tool Company	DL1003W, DF3000S, DF3003W, DF3003S, DF3000WQ	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specific by the FHWA letter of acceptance.	2/27/2000	R238
Traffix Devices Incorporated	Little Buster Dual Spring Folding Sign Stand	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specific by the FHWA letter of acceptance.	4/3/2000	R247

**625.03.03****SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Traffix Devices Incorporated	Big Buster Dual Spring Folding Leg Sign Stand	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/3/2000	R246
Marketing Displays International	4815RB, 4818, 4812, 4850RB, 4860KA, 4884CS, 4814CS, 4814K-Windmaster	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specified by the FHWA	4/4/2000	R245
Eastern Metals/USA Sign	C-802, C-842, C-832 Sign Stands	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/4/2000	R244
Eastern Metals/USA Sign	C-102, C-132, C-142 High-Performance Compact Stands	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/4/2000	R243
Eastern Metals/USA Sign	X-501, X-550, X-551	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/4/2000	R242
Eastern Metals/USA Sign	X-600 Interstate Stands with Full Size Coil Spring	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/4/2000	R241
Eastern Metals/USA Sign	C-902, C-942 Super-Flex Compact Stand with Fiberglass Leaf Spring	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/4/2000	R240
Eastern Metals/USA Sign	C-200, C-202, C-242, C-232 Super-Flex Compact Stand with Fiberglass Leaf Spring	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/4/2000	R239
Traffix Devices Incorporated	Econo Buster Sign Stand	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	4/3/2000	R248
Dicke Tool Company	UF2000	Reflective sheeting must conform to section 716.Dibond substrate is allowed only with stands specifi ec by the FHWA letter of acceptance.	7/14/2000	R255

---

**625.03.03 SIGN SUPPORT SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Korman Signs Incorporated	SS548CE,SS548C,SS548AE,SS548A,SS548E, SS548, SS548UCRA	Reflective sheeting must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA	1/24/2003	R385
Korman Signs Incorporated	SS1,SS548UC,SS548UCA,SS560UC A,SS548UCR,SS560A,SS560,SS548CAE,SS548CA	Reflective sheeting must conform to section 716.Alpolic sign substrate is allowed only with stands specified by the FHWA	1/24/2003	R384

---

**625.03.04 BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Filtrona Extrusion, Davidson Traffic Control Products	Type III B Barricades	Without signs or lights only. Cannot be used in a configuration that is wider than was tested.	7/14/2000	R254
Traffix Devices Incorporated	Type I Economy Plastic Folding barricade with sand-filled panels and with light.		4/3/2000	R253
Bent Manufacturing Company	Type I and II Plastic Panel "Waffle" & Steel Legged Barricades	With or without lights.	3/9/2000	R251
Bent Manufacturing Company	Type I and II Wood & Steel Legged Barricades	With or without lights.	3/9/2000	R250
Plastic Safety Systems Incorporated	PST-III (Type III-B barricade)		3/19/2004	R428
Bent Manufacturing Company	Type III B Plywood Panel Barricades	No rigid signs allowed with or without lights.	2/28/2000	R249
Three D Traffic Works Incorporated	Type I & II Barricades, 24" wide		10/31/2000	R276

**625.03.04****BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Three D Traffic Works Incorporated	TD 2400 Works All Plastic Type III B		12/3/2002	R364
Bent Manufacturing Company	Type I and II All Plastic "Universal" Baricades	With or without lights.	3/9/2000	R252
Three D Traffic Works Incorporated	TD2500	Barricade Type III	10/13/2004	R454
Three D Traffic Works Incorporated	TD 2150 Works Barricade	Barricade Type I and Type II	7/5/2005	R475
Three D Traffic Works Incorporated	TD 3000 A-Frame Barricade Type I		12/3/2002	R365
Plastic Safety Systems Incorporated	Anchor Barricade	Type III - B barricade	4/11/2005	R465
Three D Traffic Works Incorporated	TD 2550 Works Barricade	Barricade Type III	7/5/2005	R473
Three D Traffic Works Incorporated	TD2200	Barricade Type I and Type II	10/13/2004	R452
Three D Traffic Works Incorporated	TD2250	Barricade Type I and Type II	10/13/2004	R455
Three D Traffic Works Incorporated	TD 2650 Works Barricade	Barricade Type III	7/5/2005	R474

---

**625.03.04 BARRICADES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Three D Traffic Works Incorporated	TD2300	Barricade Type I and Type II	10/13/2004	R456
Three D Traffic Works Incorporated	TD2600	Barricade Type III	10/13/2004	R453

---

**627.02.01 PROTECTIVE OVERLAY FILM**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control, Materials Division	Series 1150		5/11/1995	R112
Avery Dennison	OL-1000		9/28/2000	R271
Nippon Carbide	EF-40801( F-CAL)		5/17/1995	R113
TradeWinds International Incorporated	Krystal Kote CTF		8/21/2001	R305

---

**630.02.01 MODULAR UNITS HEADLIGHT GLARE SCREENS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Safe-Hit	Glare Screen System			R117
Flexstake Incorporated	Glare Screens		7/31/1996	R115

---

**630.02.01            MODULAR UNITS HEADLIGHT GLARE SCREENS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Safe-Hit	Dura-Screen			R118
Carsonite International	Modular Guidance System		10/20/1996	R114

---

**632.03.05            RETROREFLECTOMETERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Traffic Safety Systems Incorporated	EcoDyn		12/26/1999	R169
Mirolux Products Incorporated	Mirolux Plus		12/26/1999	R229
Flint Trading Incorporated	LTL 2000		12/26/1999	R227
Advanced Retro Technology Incorporated	MX30		12/26/1999	R226
Flint Trading Incorporated	LTL-X-30-meter		8/9/2004	R445
Roadware Corporation Incorporated	Laserlux		12/26/1999	R171

**633.02.01****PERMANENT NON-REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Novabrite LLC	ADOT-W and ADOT-Y	100 mm (4") Round	3/20/2002	R329
APEX Universal Incorporated	Ceramic and Model 929 (ABS)	100mm (4") Round	6/1/1999	R194
Highway Ceramics Incorporated	Ceramic	100mm (4") Round	6/1/1999	R196
Hi-Way Safety Incorporated	Model P20-2000W & 2001Y (ABS)	100mm (4") Round	6/1/1999	R204
Interstate Sales	Diamond Back (ABS & Polypropylene)	100mm (4") Round	6/1/1999	R193
Road Creations	Model RCB4NR (Acrylic)	100mm (4") Round	6/1/1999	R205
Three D Traffic Works Incorporated	TD 10000 series	100mm (4") Round	12/3/2002	R363
Glowlite Incorporated	Type AY/4" (yellow) and Type A"4" (white)	100 mm (4") Round	3/7/2005	R463
Novabrite LLC	Cdot (white) and Cdot -Y (yellow)	100mm (4") Round	2/17/2004	R423
Alpine Products	D-DOT (ABS)	100mm (4") Round	6/2/1999	R203

---

**633.02.02 PERMANENT REFLECTIVE PAVEMENT MARKERS (ABRASION RESISTANT)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated	Model 921AR	100mm x 100 mm (4" x 4")	3/25/2001	R285
Avery Dennison	Model C88	100mm x 100 mm (4" x 4")	3/27/2002	R332
Ray-O-Lite	Model AA, ARC	100mm x 100 mm (4" x 4")	6/1/1999	R197
Avery Dennison	Model 911	100mm x 100 mm (4" x 4")	6/1/1999	R200
Avery Dennison	Model 953	70mm x 114 mm (2.75" x 4.5")	6/1/1999	R206
3M Traffic Control, Materials Division	Series 290	89mm x 100 mm (3.6" x 4")	6/1/1999	R201

---

**633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ray-O-Lite	Model 2004 ARC	51mm x 100 mm (2 " x 4 ")	6/1/1999	R198
Avery Dennison	Model 948	58mm x 119 mm (2.3" x 4.7")	6/1/1999	R202
Avery Dennison	Model 944 SB	51mm x 100 mm (2 " x 4 ")	6/1/1999	R199

---

**633.02.03 RECESSED REFLECTIVE PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ray-O-Lite	Model 2002	58mm x 117 mm (2.3" x 4.6")	6/1/1999	R198

---

**633.02.04 ADHESIVE FOR PAVEMENT MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Henry Company	Dotstick bituminous marker adhesive		9/29/2003	R412
Crafco Incorporated	Hot-applied flexible pavement marker adhesive (No. 34269 or 34270)		6/16/1998	R119
Flint Trading Incorporated	Bundy 12cm x 12cm Pad (5" x 5 in.) pad	White Color on Plantmix & Black Color on PCCP	6/15/1998	R120
Gulf States Asphalt Company Incorporated	Bituminous marker adhesive		6/15/1998	R121
Avery Dennison	Bituminous adhesive for pavement markers (No. 836098)		6/15/1998	R122

---

**633.02.05 TEMPORARY REFLECTIVE LANE LINE MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
APEX Universal Incorporated	Model 924 Longterm (raised pavement marker)	Temp. Markers w/632 Epoxy	9/19/1993	R123
Filtrona Extrusion, Davidson Traffic Control Products	TOM or RPM Temporary overlay (raised pavement marker)		10/13/1993	R125

---

**633.02.05            TEMPORARY REFLECTIVE LANE LINE MARKERS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Texas Industries LLC	Chip Seal Road Marker	Temp. Markers w/632 Epoxy	6/15/1998	R128
Filtrona Extrusion, Davidson Traffic Control Products	Chip Seal Marker - TRPM, High Heat	Temp. Markers for Chip Seals	2/23/1993	R124
Filtrona Extrusion, Davidson Traffic Control Products	Halftrack Model 26	Work Zone Pavement Markers	2/20/2000	R257
Filtrona Extrusion, Davidson Traffic Control Products	Halftrack Model 25	Work Zone Pavement Markers	2/20/2000	R256

---

**634.03.03a            HOT-APPLIED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Crown Technology LLC	Tuffline Alkyd		1/17/2003	R381

---

**634.03.03b            PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Ennis Paint Incorporated	ThermaLine		12/22/1999	R225
Flint Trading Incorporated	Premark 20/20 Flex	Can be applied without pre-heating of road surface	6/1/1999	R191
Ennis Paint Incorporated	Flame Tape		6/13/2001	R301

---

**634.03.03b            PREFORMED THERMOPLASTIC PAVEMENT MARKINGS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Zumar Industries Incorporated	Hot Tape		2/24/2004	R192
Flint Trading Incorporated	Premark 20/20 Flex Plus	Can be applied without preheating of road surface	10/25/2001	R311

---

**635.02.01            TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control, Materials Division	Series 620 Scotch-Lane		8/1/1999	R132
Garlock Rubber Technologies, A Division of BFGoodrich	Series 2000		6/15/1999	R184
Brite Line Technologies	Series 100 Removable		6/15/1999	R135
PB Laminations Incorporated	Aztec III Removable		6/15/1999	R136
Trelleborg Industri AB	R-140 Series (RW-140 and RY-140)		8/24/2001	R306
Swarco Industries	Director-2 Detour grade		6/15/1999	R137
3M Traffic Control, Materials Division	Stamark wet reflective removable tape series 750		5/21/2003	R390

**635.02.01            TEMPORARY PAVEMENT STRIPING TAPE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Advance Traffic Markings	ATM-200 Removable		6/15/1999	R134

**637.02.01            OPTIONAL DUST PALATIVE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Arrow Magnolia International LP	Road Boss	Previously known as a product from Chemco Chemical's called Soil Tite	10/26/2005	R441
<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Midwest Industrial Supply Incorporated	EnviroKleen	Application Rate: Initial Treatment: 50-120 sq ft/gal Maintenance App: 120-500 sq ft/gal	1/4/2001	R281
Soil Stabilization Products Company Incorporated	Envirotac II	Application and dilution rates follow manufacturer's instructions	1/3/2002	R321
Western Emusions Incorporated	Dust Control-50	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is	8/26/2003	R402
EnviroTech Services Incorporated	Lignin (Ammonium Lignosulfonate)	Surface preparation is required according to manufacturers instructions. Soil clay content at the surface on which product is	8/26/2003	R403
Soil Stabilization Products Company Incorporated	Road OYL	Application and dilution rates follow manufacturer's instructions	1/3/2002	R322
Fluid Tech Incorporated, HAZCO Division	Trans/Seal I	Application and dilution rates follow manufacturer's instructions	1/3/2002	R320

**637.02.01****OPTIONAL DUST PALATIVE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Alon Asphalt Bakersfield	TOPEIN Emulsion	Application and dilution rates follow manufacturer's instructions	2/28/2002	R328
Soil Stabilization Products Company Incorporated	Soil Seal	Application Rate: 50 GPA	6/25/1998	R161
Terra Novo	EarthGuard	Application and dilution rates follow manufacturer's instructions	11/2/2001	R314
Midwest Industrial Supply Incorporated	Soil-Sement	Application Rate: Light Traffic: (550 to 80 sq ft/gal) Medium Traffic: (35 to 65 sq ft/gal) Heavy Traffic: (25 to 40 sq ft/gal)	1/17/2000	R235
Hercules Seal Coat Manufacturing Incorporated	Hercules Soiloc-D (1 liter/15 liter Water Dilution)	Application Rate of Diluted Mixture: 0.35m <sup>2</sup> /L (14sq.ft./gal.)	5/2/1999	R160
ECO Polymers Incorporated	ECO-CF - Soil Binder	Application Rate of Diluted Mixture: 3.7 m <sup>2</sup> /L (150 sq.ft./gal)	5/2/1999	R139
Fischbach	Terravest	Application and dilution rate follow manufacturer's instructions.	6/25/1998	R180
Chemco Chemical	Soil-Tite	Application and dilution rates follow manufacturer's instructions	12/4/2003	R414
Soil-Tech	Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant land application only.	12/10/2003	R416
G.M. Boston Company	PX-300	Application and dilution rate: 20 gal of water/1 gal of product per 200 square feet of area	6/10/2003	R324

---

**637.02.01            OPTIONAL DUST PALATIVE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Soil Works LLC	Soiltac	Application and dilution rates follow manufacturer's instructions	9/20/2004	R448
Enviroad	Earthbind 100	Can be used only for traffic and staging areas, cannot be used on vacant lands; buffer zone is required, product cannot be used	3/17/2003	R387
American Refining Group Incorporated	PennzSupres D (80% Water Dilution)	Application Rate: 0.9.m2/L (36 sq.ft./Gal.) (Apply twice). Can be used in travel-ways only, application is restricted from	5/2/1999	R140

---

**637.02.02            SILT FENCE**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Triangular Silt Dike Company Incorporated	Triangular Silt Dike		6/25/1998	R164
WebTec Incorporated	TerraTex SC		6/25/1998	R165

---

**637.02.05            ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Foss Environmental & Infrastructure	StreamGuard Catch Basin		6/25/1998	R100
Dandy Products Incorporated	Beaver Dam		6/25/1998	R099
Dandy Products Incorporated	Dandy Bag		6/25/1998	R098

---

**637.02.05 ROADWAY INLET PROTECTION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Silt-Saver Incorporated	Silt-Saver		12/6/2002	R366
ACF Environmental	Siltsach		6/25/1998	R166

---

**640.02.03a MSE WALLS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hilfiker Retaining Walls	Reinforced Soil Embankment Wall		9/8/1998	R141
Reinforced Earth Company	MSE Walls		9/8/1998	R142
SSL LLC	MSE Plus™	Modified panels required. W24 longitudinal wire not permitted.	2/9/2000	R215
Tensor Earth Technologies Incorporated, Lakeside Center	ARES Retaining Precast Wall System	Permitted only when specified in the contract documents as an acceptable product.	6/14/1999	R188
L.B. Foster Company	MSE Walls		9/8/1998	R143

---

**640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reinforced Earth Company	Large MSE wall panel - 1.5 m (5') x 3.0 m (10')	Large panels allowed only when noted on the plans	2/28/2001	R291

---

**640.02.03b MSE WALLS (LARGE SIZE 5' x 10' PANELS)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
SSL LLC	Large MSE wall panel - 1.5 m (5') x 3.0 m (10')	Maximum wire size used with this MSE system is limited to W 20. Large panels allowed only when noted on the plans	8/26/2002	R351
L.B. Foster Company	Large MSE wall panel - 1.5 m (5') x 3.0 m (10')	Large panels allowed only when noted on the plans	8/26/2002	R350

---

**640.02.03c SOUNDWALL SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Port-O-Wall Systems LLC	Port-O-Wall	This is the general QPL only. The system will be selected based on specific project requirements.	10/24/2001	R310
CYRO Industries	PARAGLAS Soundstop Ready-Fit Noise Barrier Panel	Product approved for general QPL only; will be selected based on specific project requirements; permitted only when specified in	8/27/2004	R446
QUILITE International LLC	QUILITE Noise Barrier	This is the general QPL only. The system will be selected based on specific project requirements.	2/9/2005	R462

---

**640.02.04 MODULAR BLOCK RETAINING WALL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Reinforced Earth Company	Pyramid	Permitted only when the contract documents specify a Modular Block Retaining Wall	5/15/2002	R233
Keystone Retaining Wall System	Keysystem 1	Permitted only when the contract documents specify a Modular Block Retaining Wall	5/15/2002	R168
Tensar Earth Technologies Incorporated, Lakeside Center	Mesa	Permitted only when the contract documents specify a Modular Block Retaining Wall	5/15/2002	R337

**641.02.01****IMPACT ATTENUATORS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Trinity Industries Incorporated	FASTRACC	TL-3 "Concrete Foundation Required"	9/9/2003	R404
Syro Incorporated	Attenuating Device - Adiem	TL-3	9/3/1998	R147
Trinity Industries Incorporated	WIDETRACC	TL-3 "Concrete Foundation Required"	9/9/2003	R405
Energy Absorption Systems Incorporated	Quad-Guard Standard	TL-3,TL-2 and TL-1 "Concrete Foundation Required"	4/27/1998	R144
Energy Absorption Systems Incorporated	Quad-Guard Wide (69/90)	TL-3,TL-2 and TL-1 "Concrete Foundation Required"	4/27/1998	R264
Energy Absorption Systems Incorporated	React 350	TL-3 and TL-2 "Concrete Foundation Required"	9/3/1998	R145
Energy Absorption Systems Incorporated	Quad-Guard Elite	TL-3,TL-2 and TL-1 "Concrete Foundation Required"	7/20/1999	R208
Syro Incorporated	TRACC-Trinity	TL-3 "Concrete Foundation Required"	9/3/1998	R146

**707.03.04****JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
The D.S.Brown Company	DSB 900 SL		4/5/2005	R464

---

**707.03.04 JOINT SEALER FOR WEAKENED PLANE JOINTS IN PCCP**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Pecora Corporation	Pecora 300		9/14/2001	R308
Tremco Incorporated	Spectrum 900 SL		5/31/2002	R339
Crafco Incorporated	903-SL		10/7/1993	R148
Dow Corning	890-SL		3/20/1997	R149
Bondaflex Technologies	BONDAFLEX SIL 728 SL		8/5/2005	R476

---

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Carboline Protective Coatings	Top Coat: Carbothane 134 HS (formerly Carboline 134HS) - Aliphatic Acrylic Polyurethane	Part A-Resin; Part B-Urethane Converter 900; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or	8/20/1997	R151
International Paint Inc., 6001 Antoine Drive	Shop Coat: Interzinc 22HS;First Field Coat:Interguard 475HS;Top Coat:Interthane 990HS		6/4/2003	R392
Carboline Protective Coatings	Top Coat: Carbothane 134 HG - Aliphatic Acrylic Polyurethane	Part A-Resin; Part B-Urethane Converter 811; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or	8/20/1997	R151
Carboline Protective Coatings	First Field Coat: Carboguard 893 (formerly Carboline 893) - Cycloaliphatic Amine Epoxy	Part A-Resin; Part B-Catalyst (hardener); 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or	8/20/1997	R151

**714.03.01 COATING SYSTEMS FOR BRIDGES**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Sherwin-Williams Company	Shop Coat: Zinc Clad II B69V3/B69D11; First Field Coat: Primer B67series/B67V5; Top Coat:Shertane 2K urethane		6/2/2003	R391
Carboline Protective Coatings	Shop Coat: Carbozinc 11 Inorganic Zinc	Part A-Base; Part B-Zinc Filler; 1st Field Coat:Carboguard 893;Top Coat:Carbothane 134HS or 134HG	8/20/1997	R151

**716.03.01 REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Avery Dennison	T-5500A	For permanent and temporary traffic control devices (Type III)	9/15/2003	R406
Nippon Carbide	Nikkalite Brand 92847 Crystal Grade Fluorescent Orange Sheeting	NDOT Type X	4/29/2005	R469
3M Traffic Control, Materials Division	Series 334/336	For barricades only (Type IV)	12/1/2004	R459
Avery Dennison	Series T-7500	NDOT Type IX	5/30/2002	R338
3M Traffic Control, Materials Division	Series 3930	For permanent traffic signs and temporary traffic control devices (Type IV)	12/1/2004	R458
Avery Dennison	S-9000C Cone Collar	For reboundable traffic cones only, Type III	2/2/2004	R420
3M Traffic Control, Materials Division	Diamond Grade fluorescent VIP series 3983	For permanent traffic signs (NDOT Type X)	7/23/2001	R303

**716.03.01****REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Avery Dennison	Series T-7000	For permanent traffic signs	7/10/2001	R302
Avery Dennison	Series W-6100	For reboundable channelizer drums only (Type III)	10/23/2000	R300
Avery Dennison	Series W-7514	For rigid signs only (NDOT Type X)	8/19/2000	R299
Avery Dennison	Series T-6500	For delineators and permanent signs only (Type III)	8/21/2000	R298
Reflexite North America	AP 1000	For delineators, safety fencing and glare screens only (Type V)	8/21/2000	R297
Reflexite North America,	Conformalight	For delineators, cones only (Type V)	8/21/2000	R296
Reflexite North America	Marathon	For roll-up signs only (NDOT Type VI)	9/19/2000	R295
3M Traffic Control, Materials Division	RS-24	For roll-up signs only (NDOT Type VI)	9/19/2000	R294
3M Traffic Control, Materials Division	High Intensity Series #3810	For reboundable plastic drums only (Type III)	8/21/2000	R293
3M Traffic Control, Materials Division	Fluorescent Diamond Grade Sheeting, Series 3924	For rigid signs only (NDOT Type X)	8/21/2000	R292

---

**716.03.01 REFLECTIVE SHEETING**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control, Materials Division	VIP Diamond Grade, Series #3990	NDOT Type IX	8/16/2000	R272
3M Traffic Control, Materials Division	High Intensity Series #3870	For permanent traffic signs	8/16/2000	R273
Nippon Carbide	Nikkalite ULGH	For permanent traffic signs	8/16/2000	R275

---

**726.03.04 MULCH**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Hamilton Manufacturing Incorporated	Nature's Own		6/25/1998	R172
Central Fiber Corporation	Second Nature Paper Fiber Hydrose		6/25/1998	R170

---

**726.03.05 TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Central Fiber Corporation	TacPac GT		6/25/1998	R174
Driwater, Incorporated	Driwater Hydro Mix	Note: Surfaces subject to spill can be slippery	1/3/2001	R280
Chemstar Products Company	StarTak 100		6/25/1998	R175

---

**726.03.05 TACKIFIER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Fischbach	Terravest K		6/25/1998	R177
Eastern Products	Ecotak OP		6/25/1998	R176

---

**726.03.13 SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
American Refining Group Incorporated	PennzSuppress D		6/25/1998	R138
Terra Novo	EarthGuard Fiber Matrix	Blending, mixing and application method must follow manufacturer's instructions. Should be only used in areas that	11/2/2001	R315
Arrow Magnolia International LP	Road Boss	Previously known as a product from Chemco Chemical's called Soil Tite	10/26/2005	R441
Hercules Seal Coat Manufacturing Incorporated	Hercules Soil LocE		6/25/1998	R178
Midwest Industrial Supply Incorporated	Soil Sement	Application and dilution rates follow manufacturer's instructions; used in areas that will not be disturbed by vehicle or foot traffic;	4/18/2005	R468
Soil Solutions	Plas-Bond	Should be only used in areas that will not be disturbed by vehicle or foot traffic	11/13/2000	R277
Soil Tech Company	Plas-Tex	Should be only used in areas that will not be disturbed by vehicle or foot traffic	6/25/1998	R179

**726.03.13****SOIL STABILIZER**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
G.M. Boston Company	PX-300	Application and dilution rate: 10 gal of water/1gal of product per 100 square feet of area	6/10/2003	R393
Sequoia Pacific Research Company	SoilBIND	Application and dilution rates follow manufacturer's instructions. Used in areas that will not be disturbed by vehicle or foot traffic.	6/23/2003	R394
Alon Asphalt Bakersfield	Topein S	Use of product requires site preparation, blading and windrowing. Application rate according to manufacturers	2/24/2004	R425
Soil Works LLC	Soiltac	Application and dilution rates follow manufacturer's instructions	9/20/2004	R449
Soil-Tech	Poly-Tex	Application and dilution rates follow manufacturer's instructions; vacant lan application only.	12/10/2003	R415
Fluid Tech Incorporated, HAZCO Division	Trans/Seal I	Application and dilution rates follow manufacturer's instructions	1/3/2002	R323
Aqua Shed Technologies Incorporated	Terravest K		6/25/1998	R173

**728.03.02****EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Powers Fasteners Incorporated (Rawl)	Power-Fast (Foil-Fast) Epoxy injection gel adhesive anchoring system	Type I, II, IV and V, Grade 3, Classes B, C.	1/4/1998	R234
Unitex Corporation	Pro-poxy 300 Fast	Type I and II, Grade 3, Class B, C	1/4/1998	R163

**728.03.02****EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Atlas Construction Supply, Incorporated	Atlas Epoxy Bonder	Type I, II, IV and V, Grade 2, Classes B, C	4/29/2004	R438
Symons Corporation	ResCon 304	Type I, II, IV and V, Grade 3, Class A	1/14/2003	R373
Adhesives Technology Corporation	HS-200	Type I, II, IV and V, Grade 3, Class A	1/14/2003	R374
Simpson Strong-Tie	Epoxy-Tie SET Adhesive	Type I, II, IV and V, Grade 3, Classes B, C, D	1/4/1998	R167
Dayton Superior	Superior Sure Anchor I (J-51)	Type I, II, IV and V, Grade 3, Class A	1/14/2003	R376
Unitex Corporation	Epoxy Resin Adhesive Pro-poxy 200	Type I and II, Grade 2, Classes B, C	1/4/1998	R237
W.R. Meadows Incorporated	Rezi-Weld 1000	Type I, II, IV and V, Grade 2, Classes B, C	2/19/2004	R424
Unitex Corporation	Pro-Poxy 300	Type I, II, IV and V, Grade 3, Class A	1/14/2003	R375
Adhesives Technology Corporation	Ultrabond 1100	Type I, II, IV and V, Grade 2, Class C	1/10/2002	R325
Simpson Strong-Tie	Epoxy-Tie Resin Adhesive ET22	Type I, II, IV and V, Grade 3, Classes B, C.	1/4/1998	R236

---

**728.03.02 EPOXY ANCHORING SYSTEMS**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Covert Operations	CIA-GEL 7000 Epoxy Anchors	Type I and IV, Grade 3, Classes B, C, D	8/8/2000	R267
Tamms Industries	DURALCRETE	Type I and Type II	11/8/2005	R478
Hilti Incorporated	HIT RE 500	Type IV, Grade 3, Classes A, B, C	1/2/2002	R318
ITW Ramset/Red Head	Ceramic 6	Type 4, Grade 3, Classes B, C	5/14/2002	R336

---

**729.02.03 EPOXY PAINT FORMULATION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Poly-Carb Incorporated	Mark-55.2 NV and Mark-55.4		10/24/1997	R131
Epoplex	Epoplex LS60 (white) and LF60 (non-lead yellow)	LS 60LF Yellow paint contains organic yellow pigment	12/11/2002	R368
Epoplex	Epoplex LS50 and LS60		10/24/1997	R130
Innovative Performance Systems	HPS-3		7/25/2002	R342
Poly-Carb Incorporated	Mark-55.3 (white, yellow, organic)		5/11/2004	R439

---

**729.02.03 EPOXY PAINT FORMULATION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Colorado Paint Company	RockHard		3/20/2000	R218
Epoplex	Epoplex LS50 (white) and LF50 (non-lead yellow)	LS 50LF Yellow paint contains organic yellow pigment	12/11/2002	R369
Innovative Performance System	HPS-3 (white) and HPS-3 (non-lead yellow)	HPS-3 Yellow paint contains organic yellow pigment	8/28/2002	R352
Colorado Paint Company	Rockhard (white) and Rockhard 1186 LF (non-lead yellow)	Rockhard Yellow paint contains organic yellow pigment	12/11/2002	R367

---

**729.02.03d POLYUREA PAINT FORMULATION**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control, Materials Division	LPM 1200		7/16/2003	R398
Innovative Performance Systems	HPS-5	Note: This sytem includes Part A - Black	7/16/2003	R397
Epoplex	LS 90	Note: This sytem includes Part A - Black	7/16/2003	R396

---

**729.03.05a RAPID DRY WATERBORNE PAINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Chemical Company	DT 250NA	Use for Type I water borne paint	7/19/2002	R189

---

**729.03.05a          RAPID DRY WATERBORNE PAINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Dow Chemical Company	DT400NA	Use for Type II water borne paint	7/19/2002	R341
Rohm and Haas	Rhoplex Fastrack 3427	Use for Type I water borne paint	5/20/1999	R190
Rohm and Haas	Rhoplex Fastrack HD21	Use for Type II water borne paint	11/30/2001	R316

---

**729.03.05b          RAPID DRY WATERBORNE PAINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Sherwin-Williams Company	BP 19421 (white) and BP19422 (yellow)	Type II	7/9/2003	R395
Ennis Paint Incorporated	982831 NVW-HD21-M-1 (White) and 982832 NVY-HD21-M-1 (Yellow)	Type II (Rohm & Haas Rhoplex Fastrack HD-21A)	4/1/2004	R434
Pervo Paint	Pervo Stripe Product 6000 (White) and 6003 (Yellow)	Type I	7/30/2002	R344
Pervo Pain	Pervo Plastic 6050 (White) and 6053 (Yellow)	Type II	7/30/2002	R345
TMT-Pathway Coatings	2771A9 (white) and 2772A9 (yellow)	Type II	12/11/2002	R371
Ennis Paint Incorporated	NVW-21-M-2 (White) and NVY-21-M-2 (Yellow)	Type I	7/30/2002	R346

---

**729.03.05b RAPID DRY WATERBORNE PAINT MATERIAL**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	--------------------	------------------

---

TMT-Pathway Coatings	2714A9 (white) and 2715A9 (yellow)	Type I	12/11/2002	R370
----------------------	------------------------------------	--------	------------	------

---

Ennis Paint Incorporated	NVW-40-M2 (White) and NVY-40-M2 (Yellow)	Type II	7/30/2002	R347
--------------------------	--	---------	-----------	------

---

---

**731.03.01 PAVEMENT REINFORCING FABRIC**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	--------------------	------------------

---

California Paving Fabrics Incorporated	GlasGrid 8501	The complete road system	10/18/2002	R354
--	---------------	--------------------------	------------	------

---

California Paving Fabrics Incorporated	GlasGrid 8502	The detail repair system	10/18/2002	R355
--	---------------	--------------------------	------------	------

---

---

**732.03.01 PAVEMENT MARKING TAPE (TYPE 1)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
---------------------------	---------------------	----------------	--------------------	------------------

---

Advance Traffic Markings	Series 300 Tape		9/19/2003	R410
--------------------------	-----------------	--	-----------	------

---

3M Traffic Control, Materials Division	Stamark Tape Series 5730		9/19/2003	R407
--	--------------------------	--	-----------	------

---

Swarco Industries	Director 60	Type I	2/17/2004	R421
-------------------	-------------	--------	-----------	------

---

---

**732.03.02 PAVEMENT MARKING TAPE (TYPE 2)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
Swarco Industries	Director 35	Type II	2/17/2004	R422
Advance Traffic Markings	Series 400 Tape		9/19/2003	R411
3M Traffic Control, Materials Division	Stamark Intersection Grade Tape Series 420		9/19/2003	R408

---

**732.03.03 PAVEMENT MARKING TAPE (TYPE 4)**

<i>Mfr Name / Address</i>	<i>Product Name</i>	<i>Remarks</i>	<i>Carded Date</i>	<i>ID Number</i>
3M Traffic Control, Materials Division	Stamark Tape Series A380I		9/19/2003	R409

## **QPL DB1 NOTES**

**November 8, 2005**

Contractors are required to use actual dated QPL specified and listed in the contract Special Provisions under the "Notice to Contractors." This dated QPL is distributed to the contractors along with contract documentation.

The QPL is compiled by the NDOT Research Division. Products will remain on the QPL as long as their performance is satisfactory; poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. Any modification of material, composition or configuration of a product or change in manufacturer's name and address should be conveyed to the NDOT Research Division in a timely manner. Failure to disclose this information may result in suspension of approval and/or removal also from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department nor does it imply a commitment to purchase, recommend, or specify the product in the future. Testing and certification of specific products remains in effect regardless of the status shown in this list.

If you have any questions regarding QPL and/or product evaluation process, contact Reed Gibby, Research Coordinator, via email at [agibby@dot.state.nv.us](mailto:agibby@dot.state.nv.us) or by telephone at (775) 888-7803.