



QUALIFIED
PRODUCTS
LIST

April 2, 2026



QUALIFIED PRODUCTS LIST (QPL)

Table of Contents

Spec #	Spec Description	Page #
213.02.17	BACKFLOW PREVENTER COVERS	6
214.02.01	MAILBOX SUPPORT SYSTEMS (TYPE C)	6
401.03.02	ASPHALT RELEASE AGENTS	6-8
406.02.01	PRIME COAT MATERIAL	8-9
408.02.05	ALL WEATHER ASPHALT COLD PATCH	9-10
496.02.02	OVERLAY SYSTEM (POLYESTER)	10
497.02.04	ADHESIVES FOR MULTILAYER OVERLAYS	10-11
497.02.05	AGGREGATES FOR MULTILAYER OVERLAYS	11-12
502.02.04b	CONCRETE PAINT	12
502.03.13b	PREFORMED JOINT FILLERS	12-14
502.03.13c	ASPHALTIC PLUG EXPANSION JOINTS	14
502.03.13d	EXPANSION JOINT SEALANT	15
502.03.13e	EXPANSION JOINT (SPECIAL)	15
502.03.19	FINE SURFACE FINISH (BONDED GROUT)	15-16
502.03.22	JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)	16-17
505.02.01	EPOXY COATINGS (FOR STEEL REINFORCING BARS)	17
600.02.01	TRENCH DRAINS	18
609.02.01	FAST SETTING CONCRETE PRODUCTS (NON-STRUCTURAL)	18-25
610.03.06	ARTICULATED CONCRETE BLOCK	25-26
613.02.01	DETECTABLE WARNINGS (ADA TILE)	26-27
616.02.01	PLASTIC FENCE FABRIC	27
616.03.01	FENCE POST BAG MIX CONCRETE	27-28
618.02.01	GUARDRAIL OFFSET BLOCKS	28-29
618.02.01a	GUARDRAIL TERMINAL	29-30
619.02.01a	GUIDEPOSTS (FLEXIBLE)	30-33
619.02.01b	OBJECT MARKERS (FLEXIBLE, TYPE 2)	33-34
623.02.08	SERVICE PEDESTALS	35
623.02.12c	HIGH MAST HEAD FRAME ASSEMBLY	35
623.02.16	DUCT SEALING COMPOUND	35

623.02.30e	LOOP DETECTOR SEALANT	35-36
623.02.37	DYNAMIC MESSAGE SIGNS	36
623.03.01	TRAFFIC SIGNALS	37
623.03.15	SIGN LIGHTING FIXTURES	37
623.03.22	LUMINAIRE RETRIEVAL SYSTEM	37
623.05.26	RED LIGHT DETECTORS	37
625.02.02	MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)	37-39
625.02.03	CHANGEABLE MESSAGE SIGNS	39
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	39-40
625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)	41
625.02.06	ALTERNATIVE PORTABLE BARRIER RAIL	41-42
625.02.07	PORTABLE BEACON LIGHT SYSTEM	42
625.03.03	SIGN SUPPORT SYSTEM	43-45
625.03.04	BARRICADES	45-46
627.02.01	THERMOPLASTIC SIGN PANELS	46
630.02.01	HEADLIGHT GLARE SCREENS	47
632.03.05	RETROREFLECTOMETERS	47-48
633.02.01	PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)	48-49
633.02.02	PAVEMENT MARKERS (REFLECTIVE, PERMANENT)	49-50
633.02.03	PAVEMENT MARKERS (REFLECTIVE, RECESSED)	50
633.02.04	PAVEMENT MARKERS ADHESIVE	51
633.02.05	LANE LINE MARKERS (REFLECTIVE, TEMPORARY)	51-52
635.02.01	PAVEMENT STRIPING TAPE (TEMPORARY)	52-53
641.02.01	IMPACT ATTENUATORS	53-54
641.02.01a	IMPACT ATTENUATORS (LOW MAINTENANCE)	54
642.02.02	CONCRETE PANEL WALL SYSTEMS	54-55
642.02.03	SEGMENTAL BLOCK WALL SYSTEMS	55
646.02.02	CRACK SEALANTS	56
646.02.04	SHEET MEMBRANE	57
646.02.05	LIQUID MEMBRANE	57
702.03.01c	CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)	57-58
702.03.01d	CURING COMPOUND (WHITE PIGMENTED, WAX BASE)	59-60
702.03.04	CURING COMPOUND (BRIDGE DECK)	60

702.03.05	POZZOLANS	61-63
707.03.04	JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)	63-64
714.03.01b	COATING SYSTEMS FOR BRIDGES	64
716.03.01a	REFLECTIVE SHEETING (TYPE IV)	64-66
716.03.01b	REFLECTIVE SHEETING (TYPE V)	67
716.03.01c	REFLECTIVE SHEETING (TYPE VI)	67-68
716.03.01d	REFLECTIVE SHEETING (TYPE IX)	68
716.03.01e	REFLECTIVE SHEETING (TYPE XI)	68-69
728.03.02	EPOXY RESIN ADHESIVE FOR BONDING	69-74
729.03.03	PAINT MARKING MATERIAL – EPOXY	74-75
729.03.04a	PAINT MARKING MATERIAL – RAPID DRY WATERBORNE PAINT (ACRYLIC EMULSION)	75
729.03.04b	PAINT MARKING MATERIAL – RAPID DRY WATERBORNE PAINT (TYPE I, TEMPORARY STRIPING FORMULATIONS)	76
729.03.04c	PAINT MARKING MATERIAL – RAPID DRY WATERBORNE PAINT (TYPE II, PERMANENT STRIPING FORMULATION)	76-77
729.03.05	PAINT MARKING MATERIAL – POLYUREA	77
732.03.01	PAVEMENT MARKING TAPE (TYPE I)	78
732.03.02	PAVEMENT MARKING TAPE (TYPE II)	78-79
732.03.03	PAVEMENT MARKING TAPE (TYPE IV)	79
732.03.04a	PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)	80
732.03.04b	PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)	80-81

Archived Editions of the QPL:

Past editions of the NDOT QPL have been removed from the Research Section webpages. If you need to obtain one, please use the list of archived QPLs at the back of this document to identify the exact edition(s) you require. Send your request to the Product Evaluation Coordinator at alandrith@dot.nv.gov.

QPL Category Notes:

- 497.02.04 *ADHESIVES FOR MULTILAYER OVERLAYS category acceptance criteria have been modified to allow consideration of completed NTPEP HFTO field testing under equivalent winter conditions.*
- 702.03.05 *POZZOLANS category acceptance criteria have been modified to now only require a 1-gallon sample for verification testing.*

General Notices:

NDOT is currently seeking applications for product evaluation in the following QPL categories:

214.02.01	MAILBOX SUPPORT SYSTEMS
496.02.01	OVERLAY SYSTEM (POLYESTER)
497.02.04	ADHESIVES FOR MULTILAYER OVERLAYS
497.02.05	AGGREGATES FOR MULTILAYER OVERLAYS
502.02.04b	CONCRETE PAINT
613.02.01	DETECTABLE WARNINGS (ADA TILE)
623.02.016	DUCT SEALING COMPOUND
625.02.03	CHANGEABLE MESSAGE SIGNS
627.02.01	THERMOPLASTIC SIGN PANELS
646.02.04	SHEET MEMBRANE
646.02.05	LIQUID MEMBRANE

If you represent a product that meets the acceptance criteria for evaluation by NDOT, please consider submitting an application for product evaluation at <https://www.dot.nv.gov/doing-business/about-ndot/ndot-divisions/planning/research/product-evaluation>.

MASH Changes to QPL:

12/31/19 NDOT has removed all non-MASH-16 compliant products from the following eight QPL categories:

<u>Category Number</u>	<u>Category Description</u>	<u>Category Number</u>	<u>Category Description</u>
214.02.01	MAILBOX SUPPORT SYSTEMS	625.02.05	IMPACT ATTENUATOR (TRUCK MOUNTED)
618.02.01a	GUARDRAIL TERMINAL	625.02.06	ALTERNATIVE PORTABLE BARRIER RAIL
625.02.03	CHANGEABLE MESSAGE SIGNS	625.03.03	SIGN SUPPORT SYSTEM
625.02.04	IMPACT ATTENUATOR (TEMPORARY)	625.03.04	BARRICADES

Products in the above eight categories on the active QPL just prior to the 12/31/19 deadline date may not be purchased new after that date, but can continue to be used throughout their normal service life. MASH-16 compliant devices presented to NDOT through its product evaluation program <https://www.dot.nv.gov/doing-business/about-ndot/ndot-divisions/planning/research/product-evaluation> will be considered for inclusion on future QPLs.

If you have any questions related to NDOT's MASH-16 compliance plan or questions regarding the status of any previously removed safety-related QPL products, please contact Tim Rudnick at 775-888-7598 or trudnick@dot.nv.gov.

NEVADA DEPARTMENT OF TRANSPORTATION

QUALIFIED PRODUCTS LIST (QPL)

213.02.17 BACKFLOW PREVENTER COVERS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Strongbox, LLC Mike Williams 8989 Tyler Blvd. Mentor OH 44060 sales@strongbox.com	Phone: (880) 729-1314 Cell: Fax: (760) 480-0211 www.strongbox.com	SBBC-60 ALHP	BABA Compliant: unkn approved 6 /14/2006
Strongbox, LLC Mike Williams 8989 Tyler Blvd. Mentor OH 44060 sales@strongbox.com	Phone: (880) 729-1314 Cell: Fax: (760) 480-0211 www.strongbox.com	SBBC-60 ALHP I	BABA Compliant: unkn approved 6 /14/2006

214.02.01 MAILBOX SUPPORT SYSTEMS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
No Vendors at this time *** *** *** ** ***	Phone: *** Cell: Fax:	MASH-16 crash testing standards are in effect for this category on 12/31/19. Awaiting submission of qualifying products from Industry to repopulate category.	BABA Compliant: unkn approved 12/31/2019

401.03.02 ASPHALT RELEASE AGENTS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Arrow-Magnolia International, Inc. Curtis Shaw 2646 Rodney Lane Dallas TX 75229 cshaw@arrowmagnolia.com	Phone: (800) 527-2101 Cell: (214) 415-3984 Fax: (972) 247-7111 www.arrowmagnolia.com	Super Slick Asphalt Release Agent	Dilution rate is 10:1. NTPEP test on file ARA-2024-01-001. Expires on 3/12/30 BABA Compliant: EXEMPT approved 7 /12/2006
BG Chemical Mike Blanco 2007 Industrial Blvd., Suite A Rockwall TX 75087 mblanco@bgchemical.com	Phone: (214) 826-6822 Cell: (832) 236-8018 Fax: (214) 826-7290 bgchemical.com	Loose Juice	Dilution rate is 10:1. NTPEP test on file ARA-2022-01-010. Expires 3/12/28 BABA Compliant: EXEMPT approved 3 /11/2021
BG Chemical LP Mike Blanco 2007 Industrial Blvd., Suite A Rockwall TX 75087 mblanco@bgchemical.com	Phone: (214) 826-6822 Cell: (832) 236-8018 Fax: (214) 826-7290 www.bgchemical.com	GreenGuard	Dilution rate is 10:1. PEAS test on file ARA-2022-01-001. Expires 3/12/28 BABA Compliant: EXEMPT approved 9 /19/2024

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

401.03.02 ASPHALT RELEASE AGENTS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Brody Chemical Richard Wagner 6125 W. Double Eagle Circle Salt Lake City UT 84118 richard@brodychemical.com	Phone: (801) 963-2436 Cell: (800) 488-2436 Fax: (801) 963-2437 www.brodychemical.com	Top Shelf Asphalt Release Dilution ratio is 5:1 for polymer and 10:1 for Hot Mix Asphalt (HMA). NTPEP test on file ARA-2024-01-003. Expires 3/12/31	BABA Compliant: EXEMPT approved 9/19/2024
ChemStation Rich Garcia 1448 N. Shaw Rd. Stockton CA 95215 rgarcia@chemstation.com	Phone: (209) 616-8005 Cell: (209) 943-7478 Fax: www.chemstation.com	22172 Ratio 3:1 NTPEP test on file ARA-2022-01-007. Expires 03/12/2028	BABA Compliant: EXEMPT approved 9/11/2025
ChemStation of Nevada Mark Stipek 4430 Mitchell Street North Las Vegas NV 89081 mstipek@chemstation.com	Phone: (702) 604-8477 Cell: (702) 771-3455 Fax: (702) 360-6588 chemstation.com	41470C Dilution rate is 4:1. NTPEP test on file ARA-2020-01-020. Expires 3/12/2026	BABA Compliant: EXEMPT approved 6/11/2020
Chemtek, Inc Joshua Rigsbee P.O. Box 14481 Research Triangle Park NC 27709 sales@pavepro.com	Phone: (919) 724-5390 Cell: Fax:	BA-30 Ready to use. NTPEP test on file ARA-2022-01-009. Expires 3/12/28	BABA Compliant: EXEMPT approved 12/14/2022
Chemtek, Inc Joshua Rigsbee 324 Blackwell St, Ste 1204 Durham NC 27701 registrations@chemtek.us	Phone: (800) 672-8536 Cell: (888) 389-3189 Fax: www.pavepro.com	PavePro Blue No dilution needed. NTPEP test on file ARA-2024-01-006. Expires on 3/12/30	BABA Compliant: EXEMPT approved 3/13/2025
Emulso Bill Morgan 2750 Kenmore Ave Tonawanda NY 14150 bmorgan@emulso.com	Phone: (716) 854-2889 Cell: Fax: www.emulso.com	AR-92 Dilution rate: 1 part AR-92 to 40 parts water. NTPEP test on file ARA-2023-01-009. Expires 3/12/29	BABA Compliant: EXEMPT approved 3/20/2024
Lubrication Technologies, Inc. Scott Hommerding 900 Mendelssohn Ave. N Golden Valley MN 55427 scotthom@lubetech.com	Phone: (763) 746-1426 Cell: Fax: lubetech.com	Lube-Tech Endurance HD Asphalt Release Agent Dilution rate is 10:1. NTPEP test on file ARA-2022-01-004. Expires 3/12/28	BABA Compliant: EXEMPT approved 9/19/2022
Meyer Laboratory, LLC Gary Brandt 2401 NW Jefferson St. Blue Springs MO 64015 gbrandt@meyerlab.com	Phone: (816) 228-4433 Cell: Fax: (816) 229-4604 www.meyerlab.com	Avalanche 2022 Ready to use. NTPEP test on file ARA-2022-01-002. Expires 3/12/28	BABA Compliant: EXEMPT approved 9/19/2022

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

401.03.02 ASPHALT RELEASE AGENTS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Meyer Laboratory, LLC Gary Brandt 2401 NW Jefferson St. Blue Springs MO 64015 gbrandt@meyerlab.com	Phone: (816) 228-4433 Cell: Fax: (816) 229-4604 www.meyerlab.com	Super Slider Dilution ratio is 10:1. NTPEP test on file ARA-2023-01-007. Expires 03/12/2029	BABA Compliant: EXEMPT approved 9/19/2024
SoySolv Biosolvents, LLC Kyle Kure P.O. Box 470233 Cleveland OH 44114 kyle.kure@soysolv.com	Phone: (440) 785-7090 Cell: Fax: www.soysolv.com	TackSolv Dilution rate is 30:1. NTPEP test on file ARA-2021-01-001. Expires 3/12/27	BABA Compliant: EXEMPT approved 6/15/2022
Tec Team LLC Karen Price 1009 Misty Mountain Rd, Ste. 1404 Lynchburg VA 24502 karenp@tecteamllc.com	Phone: (800) 700-2530 Cell: (434) 477-0311 Fax: tecteamllc.com	Tec-Shield RTU Ready to use product NTPEP test on file ARA-2023-01-016. Expires 3/12/29	BABA Compliant: EXEMPT approved 3/20/2024
Zep, Inc Dawn Ballauf 600 Galleria Parkway SE, Suite 1500 Atlanta GA 30339 zep.asphalt@zep.com	Phone: (404) 516-8200 Cell: (404) 516-8200 Fax: https://zep.com/	No. 1 Asphalt Release Agent Dilution Rate is 5:1 NTPEP test on file ARA-2024-01-009. Expire 3/12/30.	BABA Compliant: EXEMPT approved 6/8/2023
Zep, Inc Dawn Ballauf 600 Galleria Pkwy SE, STE 1500 Atlanta GA 30339 zep.asphalt@zep.com	Phone: (404) 516-8200 Cell: (404) 516-8200 Fax: www.zep.com	Zep Pinnacle Dilution ratio is 5:1 NTPEP test on file ARA-2025-01-003. Expires 3/12/31	BABA Compliant: EXEMPT approved 3/20/2024
Zep, Inc. Dawn Ballauf 600 Galleria Pkwy SE Ste. 1500 Atlanta GA 30339 zep.asphalt@zep.com	Phone: (404) 516-8200 Cell: (404) 516-8200 Fax: www.zep.com	BMF Dilution rate is 5:1. NTPEP test on file ARA-2024-01-011. Expires 3/12/30	BABA Compliant: EXEMPT approved 6/15/2016

406.02.01 PRIME COAT MATERIAL

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Centennial Asphalt Co. Edgard Hitti 1201 China Grade Loop Bakersfield CA 93388 edgard.hitti@gcinc.com	Phone: (661) 591-6901 Cell: Fax: www.zep.com	Topein-S Dilute 1 part Topein-S with 3 parts water, apply 0.25 gal per sq yd and allow to break, then apply 0.15 gal per sq yd and allow to cure for 24 hours. Adjust at Resident Engineer's direction to prevent puddling or runoff.	BABA Compliant: unkn approved 9/11/2012
Enviroad, LLC Liam Tindall 2601 N. Newark Street Portland OR 97217 liam@enviroad.com	Phone: (503) 595-2651 Cell: (503) 313-8714 Fax: (503) 279-2621 www.enviroad.com	Earthbind Prime (aka EB-Prime) Application rate of 0.50 gal/sq yd at a dilution ratio of 4:1 or 0.60 gal/sq yd at a dilution ratio of 5:1.	BABA Compliant: unkn approved 6/15/2022

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

406.02.01 PRIME COAT MATERIAL

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Ergon Asphalt & Emulsions, Inc. Mo Rahman 3901 W. Ponderosa Way Las Vegas NV 89118-3018 mo.rahman@ergon.com	Phone: (480) 252-4602 Cell: Fax: ergonasphalt.com	ePrime	Typ. sent ready to use. Appl. rates: 0.20 gal/yd ² Prime Coat; 0.15 gal/yd ² Curing Seal. If shipped as concentrate, dilute 1 part concentrate to 2 parts water. Prior to dilution, concentrate shall have a minimum 57% residue when tested to Nev. T759.
			BABA Compliant: YES approved 9/11/2012
Southwest Liquid Asphalt & Emulsions Gene Chrisenbery 3750 N. Bruce Street North Las Vegas NV 89030 gene.swa@outlook.com	Phone: (435) 659-1984 Cell: Fax:	Asphalt Emulsion Prime (AEP)	approved for a standard application rate of 0.25 gal per square yard.
			BABA Compliant: YES approved 7/22/2019

408.02.05 ALL WEATHER ASPHALT COLD PATCH

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Cold Mix Manufacturing Corporation Dario Amicucci 65 Edison Avenue Mount Vernon NY 10550 info@greenpatch.com	Phone: (718) 463-1444 Cell: (718) 463-1444 Fax: (718) 463-0292 www.greenpatch.com	GreenPatch	
			BABA Compliant: EXEMPT approved 9/19/2022
Crafco, Inc. Angie Hoaglin 6165 W. Detroit Street Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 418-9902 Cell: Fax: (480) 961-0513 www.crafco.com	HP All Season Cold Patch PN 34977ER	
			BABA Compliant: EXEMPT approved 10/13/2011
Perma-Patch, LLC Jeff Sallus 6123 Oakleaf Ave. Baltimore MD 21515 jsallus@permapatch.com	Phone: (800) 847-5744 Cell: (719) 231-2475 Fax: (410) 764-7137 www.permapatch.com	Perma-Patch	
			BABA Compliant: EXEMPT approved 1/11/2022
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com	Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864 www.seaboardasphalt.com	Bond-X Green High Performance Cold Mix	
			BABA Compliant: EXEMPT approved 9/3/2014
Seaboard Asphalt Products Company Shawn Campbell 3601 Fairfield Road Baltimore MD 21226 sales@seaboardasphalt.com	Phone: (410) 355-0330 Cell: (800) 536-0332 Fax: (410) 355-5864 www.seaboardasphalt.com	Seaboard Bond-X High Performance Cold Mix	
			BABA Compliant: EXEMPT approved 10/13/2011
SpecChem Mike LeMark 1511 Baltimore Ave. Kansas City MO 64108 mlemark@specchemllc.com	Phone: (816) 986-5600 Cell: (562) 489-9607 Fax: (816) 561-4029 specchemllc.com	Max-A-Patch ACP	Additional phone number 913-713-2242
			BABA Compliant: EXEMPT approved 12/3/2020

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

408.02.05 ALL WEATHER ASPHALT COLD PATCH

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
The EZ Street Tom Francione 13611 S. Dixie Hwy., Ste. 430 Miami FL 33176 tom@ez.st www.ezstreetasphalt.com	Phone: (305) 663-3090 Cell: Fax: (305) 663-0832	EZ Street Asphalt	BABA Compliant: EXEMPT approved 9 /19/2022
The Quikrete Companies dba QPR Susan Holder 7322 Bonnyshire Dr. Chattanooga TN 37416 susan.holder@quikrete.com www.qprusa.com	Phone: (423) 553-6877 Cell: (901) 317-5243 Fax:	QPR	BABA Compliant: EXEMPT approved 9 /19/2022
Unique Paving Materials Corporation Frank "Skip" Rodick 3993 East 93rd Street Cleveland OH 44105 srodick@uniquepavingmaterials.com www.uniquepavingmaterials.com	Phone: (800) 441-4880 Cell: (216) 533-2230 Fax: (216) 341-8514	UPM High Performance Cold Mix	BABA Compliant: EXEMPT approved 10/13/2011

496.02.02 OVERLAY SYSTEM (POLYESTER)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net www.kwikbondpolymers.com	Phone: (858) 442-8185 Cell: Fax: (858) 571-5043	PPC-1121	BABA Compliant: unkn approved 3 /13/2012

497.02.04 ADHESIVES FOR MULTILAYER OVERLAYS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Cornerstone Construction Material Emma Thompson 1150 SE Hamblen Road Lee's Summit MO 64081 ethompson@ccmaterial.com www.fastracproducts.com	Phone: (816) 380-1082 Cell: Fax:	FasTrac CE330 Epoxy Binder	BABA Compliant: YES approved 6 /8 /2023
E-Bond Epoxies Incorporated Blake Wareham 501 NE 33rd St. Fort Lauderdale FL 33334 blake@ebondepoxies.com www.ebondepoxies.com	Phone: (954) 566-6555 Cell: Fax: (858) 571-5043	E-Bond 526	BABA Compliant: YES approved 8 /29/2009
E-Chem, LLC Renee Thomas 4102 El Rey Road SE Albuquerque NM 87105 rthomas@meridianadhesives.com https://meridianadhesives.com/echem/	Phone: (505) 217-2121 Cell: (954) 789-4764 Fax: (505) 217-3721	EPX50-OVERLAY FAST	BABA Compliant: YES approved 12/17/2018

497.02.04 ADHESIVES FOR MULTILAYER OVERLAYS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
E-Chem, LLC Renee Thomas 4102 El Rey Road SE Albuquerque NM 87105 rthomas@meridianadhesives.com	Phone: (505) 217-2121 Cell: (954) 789-4764 Fax: (505) 217-3721 https://meridianadhesives.com/echem/	EPX50-SC	BABA Compliant: YES approved 6/8/2023
Kwik Bond Polymers Gregg Freeman 923 Teal Drive Benicia CA 94510 gregg@kwikbondpolymers.com	Phone: (720) 626-6643 Cell: (866) 434-1772 Fax: (707) 746-7981 www.kwikbondpolymers.com	KBP Epoxy LM	BABA Compliant: unkn approved 6/15/2022
Kwik Bond Polymers, LLC Steve Frank 3491 Old Cobble Court San Diego CA 92111 stevepolymerdek@sbcglobal.net	Phone: (858) 442-8185 Cell: Fax: (858) 571-5043 http://www.kwikbondpolymers.com/	Kwik Bond PPC-HFST	For use in high friction surface treatments (HFST). BABA Compliant: unkn approved 9/21/2021
MAPEI Corporation Dave Sweetland 1144 E Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planiseal Traffic Coat	BABA Compliant: unkn approved 6/15/2022
Sika Corporation Mark Aument 201 Polito Ave. Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikadur 22 Low Mod Epoxy Traffic System	BABA Compliant: YES approved 6/8/2023
Sika Corporation Mark Aument 201 Polito Ave. Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikadur 22 Low Mod FS System	BABA Compliant: YES approved 6/8/2023

497.02.05 AGGREGATES FOR MULTILAYER OVERLAYS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Great Lakes Minerals, LLC Georgia Eusner 1200 Port Road Wurtland KY 41144 georgia@glmin.com	Phone: (703) 989-4861 Cell: Fax: (606) 834-1106 greatlakesminerals.com	GRIPgrain	Calcined bauxite. Company notes product is packaged in 4000# bulk bag and placed on a pallet with rain cap and shrink wrapping to ensure it stays dry. BABA Compliant: EXEMPT approved 9/20/2021
Kwik Bond Polymers Gregg Freeman 923 Teal Drive Benicia CA 94510 gregg@kwikbondpolymers.com	Phone: (720) 626-6643 Cell: (866) 434-1772 Fax: http://kwikbondpolymers.com	KBP Calcined Bauxite	calcined bauxite. BABA Compliant: EXEMPT approved 9/20/2021

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

497.02.05 AGGREGATES FOR MULTILAYER OVERLAYS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Newport Industries Ltd Head Office contact 20 Belmont Terrace, Chiswick W4 5UG London sales@newport-industries.com	Phone: (919) 522-8113 Cell: Fax: www.calcined-bauxite.com	Calcined Bauxite calcined bauxite. Tel: +44 208 742 0333, Fax: +44 208 742 0444. Awaiting updated contact info.	BABA Compliant: EXEMPT approved 9 /20/2021
Washington Rock Quarries Inc. Dale Mortensen P.O. Box 250 Orting WA 98360 dale@wa-rock.com	Phone: (801) 884-3510 Cell: (253) 262-1661 Fax: (253) 262-1664 wa-rock.com	Basalt by Armorstone epoxy overlay aggregate. Available in super sacks.	BABA Compliant: EXEMPT approved 9 /20/2021

502.02.04b CONCRETE PAINT

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
No Vendors at this time *** *** *** ** ***	Phone: *** Cell: Fax:	New acceptance criteria has been issued for category. Awaiting submission of laboratory testing from applicants to populate category.	BABA Compliant: unkn approved 9 /17/2019

502.03.13b PREFORMED JOINT FILLERS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Chase Corporation Ben Shterengarts 201 Zeta Dr. Pittsburg PA 15238 bshterengarts@chasecorp.com	Phone: (412) 302-7996 Cell: (781) 332-0700 Fax: www.chasecorp.com	Phyzite 380	BABA Compliant: unkn approved 1 /31/2023
DS Brown Company Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (419) 348-1520 Cell: (419) 257-3561 Fax: www.dsbrown.com	J Series Sealing System	BABA Compliant: YES approved 3 /15/2023
DS Brown Company Nolan Romans 300 East Cherry St North Baltimore OH 45872 nromans@dsbrown.com	Phone: (419) 465-8146 Cell: Fax: www.dsbrown.com	V-Seal Expansion Joint System	BABA Compliant: YES approved 9 /19/2024
FPT Infrastructure Stacey Cleary 401 Old US 52 South Mount Airy NC 27030 stacey.cleary@fptinfrastructure.com	Phone: (336) 466-9559 Cell: (336) 789-7259 Fax: www.fptinfrastructure.com	Mataspan OC2000	BABA Compliant: YES approved 9 /11/2025

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

502.03.13b PREFORMED JOINT FILLERS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
MasterSpec Materials, LLC Luisa Flores 806 Buchanan Blvd, Ste 115-294 Boulder City NV 89005 info@masterspecmaterials.com	Phone: (702) 997-8838 Cell: (505) 974-0421 Fax: www.masterspecmaterials.com	RiteSeal Preformed Joint Seal	BABA Compliant: YES approved 7 /22/2019
Polyset Company Bob Hart 65 Hudson Ave. Mechanicville NY 12118 b.hart@polyset.com	Phone: (518) 664-6000 Cell: (518) 478-3256 Fax: www.polyset.com	Ply-Seal® NV	BABA Compliant: YES approved 3 /20/2024
Polyset Company Incorporated Bob Hart P.O. Box 111 Mechanicville NY 12118 b.hart@polyset.com	Phone: (518) 664-6000 Cell: (518) 478-3256 Fax: (518) 664-6001 www.polyset.com	Ply-Seal	telephone ext. 332 BABA Compliant: YES approved 3 /28/2011
Polyset Company Incorporated Bob Hart P.O. Box 111 Mechanicville NY 12118 b.hart@polyset.com	Phone: (518) 664-6000 Cell: (518) 478-3256 Fax: (518) 664-6001 www.polyset.com	Ply-Seal XE Beige	telephone ext. 332 BABA Compliant: YES approved 3 /28/2011
RJ Watson Incorporated Kevin Ernst 11035 Walden Alden NY 14004 kernst@rjwatson.com	Phone: (716) 901-7020 Cell: (716) 432-6915 Fax: www.rjwatson.com	Silicoflex	BABA Compliant: YES approved 12/7 /2000
Sunshine Industrial, Inc. Mack Hahn P.O. Box 3734 Olathe KS 66063 mackh.sunshine@yahoo.com	Phone: (816) 820-0035 Cell: (816) 820-0035 Fax: (913) 362-6341 sunshineindustrial.com	Polytite N	BABA Compliant: unkn approved 5 /7 /2015
TechStar Incorporated Steve Brown 1219 West Main Cross Street Findlay OH 45840 steve@techstar-inc.com	Phone: (419) 424-0888 Cell: (419) 408-5469 Fax: (419) 424-5959 www.techstar-inc.com	W Seal	BABA Compliant: unkn approved 4 /19/1999
Watson Bowman Acme Julie Spatholt 95 Pineview Dr. Amherst NY 14228 spatholt.julie@us.sika.com	Phone: (716) 225-6291 Cell: (508) 836-0280 Fax: www.watsonbowmanacme.com	BEJS (Bridge Expansion Joint System)	BABA Compliant: unkn approved 7 /22/2019

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

502.03.13b PREFORMED JOINT FILLERS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Watson Bowman Acme Julie Spatholt 95 Pineview Dr. Amherst NY 14228 spatholt.julie@us.sika.com	Phone: (716) 225-6291 Cell: (508) 836-0280 Fax: www.watsonbowmanacme.com	EMV-Seal	BABA Compliant: unkn approved 9 /20/2021
Watson Bowman Acme Chris Smyth / Julie Spatholt 95 Pineview Drive Amherst NY 14228 smyth.christopher@us.sika.com	Phone: (716) 225-6291 Cell: (716) 817-5410 Fax: (716) 691-9239 www.watsonbowmanacme.com	JEENE Structural & Sealing Jt	additional contact Julie Spatholt: spatholt.julie@us.sika.com BABA Compliant: unkn approved 8 /2 /2006
Watson Bowman Acme Chris Smyth / Julie Spatholt 95 Pineview Drive Amherst NY 14228 smyth.christopher@us.sika.com	Phone: (716) 225-6291 Cell: (716) 817-5410 Fax: (716) 691-9239 www.watsonbowmanacme.com	Wabo Evazote UV	additional contact Julie Spatholt: spatholt.julie@us.sika.com BABA Compliant: unkn approved 8 /2 /2006
Watson Bowman Acme Chris Smyth / Julie Spatholt 95 Pineview Drive Amherst NY 14228 smyth.christopher@us.sika.com	Phone: (716) 544-4620 Cell: (716) 225-6291 Fax: (716) 691-9239 www.watsonbowmanacme.com	Wabo FS Bridge Seal	additional contact Julie Spatholt: spatholt.julie@us.sika.com BABA Compliant: unkn approved 12/31/2019
Watson Bowman Acme Chris Smyth / Julie Spatholt 95 Pineview Drive Amherst NY 14228 smyth.christopher@us.sika.com	Phone: (716) 544-4620 Cell: (716) 225-6291 Fax: (716) 691-9239 www.watsonbowmanacme.com	Wabo SPS Joint System	additional contact Julie Spatholt: spatholt.julie@us.sika.com BABA Compliant: unkn approved 7 /22/2019
Willseal/Schul International Company Nicholas Fiorilla 34 Executive Dr. Hudson NH 03051 nicholasfiorilla@schul.com	Phone: (800) 274-2813 Cell: (603) 889-6872 Fax: www.tremcosealants.com	Willseal 250-B	BABA Compliant: unkn approved 3 /20/2024

502.03.13c ASPHALTIC PLUG EXPANSION JOINTS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
DS Brown Company Larry Durain 300 East Cherry Street North Baltimore OH 45872 ldurain@dsbrown.com	Phone: (419) 348-1520 Cell: (419) 257-3561 Fax: (419) 257-2200 www.dsbrown.com	Matrix 502 DS Brown	BABA Compliant: YES approved 6 /5 /1997
Watson Bowman Acme Chris Smyth / Julie Spatholt 95 Pineview Drive Amherst NY 14228 smyth.christopher@us.sika.com	Phone: (716) 225-6291 Cell: Fax: (716) 691-9239 www.watsonbowmanacme.com	Wabo Expandex	additional contact Julie Spatholt: spatholt.julie@us.sika.com BABA Compliant: EXEMPT approved 12/5 /2011

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

502.03.13d EXPANSION JOINT SEALANT

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikasil 728 RCS	BABA Compliant: YES approved 10/15/2014
The Dow Chemical Company Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dow.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: www.dow.com	DOWSIL 890-SL Silicone Sealant	BABA Compliant: unkn approved 4 /22/2002
The Dow Chemical Company Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dow.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: www.dow.com	DOWSIL 902 RCS Joint Sealant	BABA Compliant: unkn approved 4 /22/2002
Watson Bowman Acme Chris Smyth / Julie Spatholt 95 Pineview Drive Amherst NY 14228 smyth.christopher@us.sika.com	Phone: (716) 225-6291 Cell: (716) 308-6799 Fax: (716) 691-9239 www.watsonbowmanacme.com	Wabo Silicone Seal	Two part sealant additional contact Julie Spatholt: spatholt.julie@us.sika.com BABA Compliant: unkn approved 8 /2 /2006

502.03.13e EXPANSION JOINT (SPECIAL)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Chase Corporation Ben Shterengarts 201 Zeta Dr. Pittsburg PA 15238 bshterengarts@chasecorp.com	Phone: (412) 302-7996 Cell: (781) 332-0700 Fax: www.chasecorp.com	CEVA Expansion Joint System	BABA Compliant: unkn approved 1 /31/2023
Silicone Specialties Incorporated Eric Larson PO Box 50009 Tulsa OK 74150 eric.larson@ssicm.com	Phone: (800) 888-8909 Cell: (713) 874-7017 Fax: (918) 582-7510 www.ssicm.com	Dow 902 XJS Joint System	This is a general QPL ONLY; systems on this list will be selected for use based on project specifics. This product is permitted ONLY when specified in the contract documents as an acceptable product. BABA Compliant: YES approved 4 /22/2002

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Tammscoat Fine	BABA Compliant: unkn approved 1 /1 /2006

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

502.03.19 FINE SURFACE FINISH (BONDED GROUT)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: www.texcote.com	TexCote 300 Bridge Cote	BABA Compliant: unkn approved 6 /16/2008
Textured Coatings of America Bill Borchert PO Box 9235 Santa Rosa CA 95405 specwestreps@aol.com	Phone: (510) 206-8030 Cell: Fax: www.texcote.com	TexCote XL70 Bridge Cote	BABA Compliant: unkn approved 6 /16/2008

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	Crafco Asphalt Rubber	Type 1, 2 or 4 depends on the climate zone BABA Compliant: EXEMPT approved 1 /7 /1998
Crafco, Inc. Angie Hoaglin 6165 W. Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 418-9902 Cell: Fax: (480) 961-0513 www.crafco.com	Deery 180	Type 1, 2 or 4 depends on the climate zone BABA Compliant: EXEMPT approved 6 /6 /2013
FPT Infrastructure Stacey Cleary 401 Old US 52 South Mount Airy NC 27030 stacey.cleary@FPTInfrastructure.com	Phone: (336) 466-9559 Cell: (336) 789-7259 Fax: https://www.fptinfrastructure.com/	Greyseal 6690	BABA Compliant: YES approved 3 /15/2023
Henry Company Luke Morgan 336 Coldstream Road Kimberton PA 19442 Lmorgan@henry.com	Phone: (317) 490-6920 Cell: (610) 933-8888 Fax: www.henry.com	Calseal	Type 1, 2 or 4 depends on the climate zone BABA Compliant: unkn approved 9 /8 /1998
Maxwell Products Incorporated Chris Robb 650 South Delong Street Salt Lake City UT 84104 chris.robb@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 803-9281 Fax: (801) 972-5536 www.maxwellproducts.com	Elastoflex 650	Type 1, 2 or 4 depends on the climate zone BABA Compliant: unkn approved 9 /30/1996
Maxwell Products Incorporated Chris Robb 650 South Delong Street Salt Lake City UT 84104 chris.robb@maxwellproducts.com	Phone: (801) 972-2090 Cell: (801) 803-9281 Fax: (801) 972-5536 www.maxwellproducts.com	Elastoflex 670	Type 1, 2 or 4 depends on the climate zone BABA Compliant: unkn approved 9 /30/1996

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

502.03.22 JOINT SEALER (ALONG EDGES OF CONCRETE BARRIER RAIL)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
P&T Products Julia Bitter 472 Industrial Pkwy Sandusky OH 44870 juliab@pntproducts.com	Phone: (419) 621-1966 Cell: Fax: www.pntproducts.com	Dura-Fill 320	BABA Compliant: YES approved 9/11/2025
P&T Products Julia Bitter 472 Industrial Pkwy Sandusky OH 44870 juliab@pntproducts.com	Phone: (419) 621-1966 Cell: Fax: www.pntproducts.com	Dura-Fill 320 HT	BABA Compliant: YES approved 9/11/2025
P&T Products Julia Bitter 472 Industrial Pkwy Sandusky OH 44870 juliab@pntproducts.com	Phone: (419) 621-1966 Cell: Fax: www.pntproducts.com	Dura-Fill 5078	BABA Compliant: YES approved 9/11/2025
Perma-Patch, LLC Tracey Charlson 6123 Oakleaf Ave Baltimore MD 21215 tcharlson@permapatch.com	Phone: (800) 847-5744 Cell: (903) 445-8684 Fax: www.permapatch.com	6690 ColdFuze	additional contacts: Ben Garcia (812)390-5640, bgarcia@permapatch.com & Jeff Sallus (602)622-7641, jsallus@permapatch.com BABA Compliant: EXEMPT approved 9/11/2025
The Quikrete Companies DBA QPR Susan Holder 7322 Bonnyshire Dr. Chattanooga TN 37416 susan.holder@quikrete.com	Phone: (423) 553-6877 Cell: (901) 317-5243 Fax: www.qprusa.com	NxGen	BABA Compliant: EXEMPT approved 12/31/2019

505.02.01 EPOXY COATINGS (FOR STEEL REINFORCING BARS)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Akzo Nobel Coatings, Inc Kathy Tsay 20 Culvert Street Nashville TN 37210 kathy.tsay@akzonobel.com	Phone: (615) 259-2430 Cell: (408) 796-9691 Fax: (615) 255-7903 www.akzonobel.com	Resicoat RB600 HKF30R	BABA Compliant: YES approved 4/30/2008
IFS Coatings, Inc. Robert R. Phillippi 3601 North I-35 Gainesville TX 76240 rphillippi@ifscoatings.com	Phone: (513) 448-2521 Cell: (940) 668-1062 Fax: (940) 668-1061 www.ifscoatings.com	PureFlex Green, ERSS33252	BABA Compliant: YES approved 9/24/2018
Sherwin-Williams Company Anthony Del Percio 1101 South 3rd Street Minneapolis MN 55415 anthony.delpercio@sherwin.com	Phone: (612) 375-7842 Cell: (612) 859-1151 Fax: www.sherwin-williams.com	Greenbar	BABA Compliant: YES approved 4/4/2000

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

600.02.01 TRENCH DRAINS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	A-67 Interceptor This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	MHD (8", 12", 18", and 24" Trench Drain Systems). This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	Polydrain This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 1 /17/2003
ABT Incorporated Brad Short 259 Murdock Road/PO Box 837 Troutman NC 28166 bshort@abtdrains.com	Phone: (800) 438-6057 Cell: (949) 633-6111 Fax: (704) 528-5478 www.abtdrains.com	XHD (8", 12", and 18"). This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 1 /17/2003
Multidrain Systems Incorporated Steve Born PO Box 7107 Statesville NC 28687 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	EconoDrain This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 4 /6 /2004
Multidrain Systems Incorporated Steve Born PO Box 7107 Statesville NC 28687 steve.born@multidrainsystems.com	Phone: (800) 433-1119 Cell: (704) 881-4064 Fax: (704) 508-1011 www.multidrainsystems.com	MultiDrain This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 4 /6 /2004
Zurn Elkay Water Solutions Nick Heschke 1801 Pittsburgh Ave Erie PA 16502 nicholas.heschke@zurn.com	Phone: (814) 873-7066 Cell: Fax: www.zurn.com	Perma-Trench DIN loading classification E & F. Only products: Z874-12, Z874-18, Z874-21, Z882-DI.	BABA Compliant: YES approved 4 /1 /2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Aquafin Audrey Chapman 505 Blue Ball Road, Suite 160 Elkton MD 21921 achapman@aquafin.net	Phone: (410) 392-2300 Cell: Fax: https://www.aquafin.net/us/en	Aquafin Pavemend SL The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all Districts.	BABA Compliant: YES approved 9 /20/2021

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Ardex LP Karen Marz 400 Ardex Park Drive Aliquippa PA 15001 karen.marz@ardexamericas.com	Phone: (724) 203-5000 Cell: (408) 425-3070 Fax: www.ardexamericas.com	Transportation Repair Mortar (TRM) The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 10/31/2013
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Pro-1 Patch The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 5/14/2009
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	Ulti Pave3 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 6/28/2010
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	UltiGrout The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 6/28/2010
Buzzi Unicem USA Incorporated William Krupa 100 Brodhead Road Suite 230 Bethlehem PA 18017 william.krupa@buzziunicemusa.com	Phone: (610) 882-4013 Cell: (610) 882-5013 Fax: (610) 868-8795 www.buzziunicemusa.com	Utility Fill One Step The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 6/28/2010
CTS Cement Manufacturing Corp Grant Kao 12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (714) 793-1040 Fax: (714) 379-8270 www.ctscement.com	Rapid Set Cement All The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: EXEMPT approved 1/27/1994
CTS Cement Manufacturing Corp Grant Kao 12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (714) 793-1040 Fax: (714) 379-8270 www.ctscement.com	Rapid Set Concrete Mix The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: EXEMPT approved 1/27/1994
CTS Cement Manufacturing Corp Grant Kao 12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (714) 793-1040 Fax: (714) 379-8270 www.ctscement.com	Rapid Set DOT Repair Mix The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: EXEMPT approved 1/27/1994

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
CTS Cement Manufacturing Corp Grant Kao 12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Rapid Set Motar Mix Phone: (800) 929-3030 Cell: (714) 793-1040 Fax: (714) 379-8270 www.ctscement.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: EXEMPT approved 1/27/1994
CTS Cement Manufacturing Corporation Grant Kao 12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Rapid Set Mortar Mix Plus Phone: (800) 929-3030 Cell: (714) 793-1040 Fax: www.ctscement.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: EXEMPT approved 9/25/2017
Dayton Superior Corporation Sarah Clark 1125 Byers Rd. Miamisburg OH 45342 sarahclark@daytonsuperior.com	Dayton Superior HD-50 Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Ext. 44376	BABA Compliant: YES approved 9/30/1996
Euclid Chemical Company Philip Owens 19215 Redwood Rd. Cleveland OH 44110 powens@euclidchemical.com	EucoRepair SCC Fast Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 513-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R2 Mortar. Approved for all Districts.	BABA Compliant: unkn approved 9/20/2021
Euclid Chemical Company Philip Owens 19215 Redwood Rd. Cleveland OH 44110 powens@euclidchemical.com	EucoRepair V100 Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 513-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R2 Mortar. Approved for all Districts.	BABA Compliant: unkn approved 9/20/2021
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	EucoSpeed Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/23/1998
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	EucoSpeed MP Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/23/1998
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Express Repair Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 3/16/2006

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Hi-Flow Grout The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 3/16/2006
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	VersaSpeed 100 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all Districts.	BABA Compliant: unkn approved 9/20/2021
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Versaspeed LS100 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R2 Mortar. Approved for all Districts.	BABA Compliant: unkn approved 9/20/2021
Five Star Products Inc. Ryan Taylor 60 Parrott Drive Shelton CT 06484 taylorr@fivestarprouducts.com	Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprouducts.com	Highway Patch The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/30/1996
Five Star Products Inc. Ryan Taylor 60 Parrott Drive Shelton CT 06484 taylorr@fivestarprouducts.com	Phone: (800) 243-2206 Cell: (203) 336-7900 Fax: (203) 336-7930 www.fivestarprouducts.com	Structural Concrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/30/1996
Henkel Loctite Matt Yetka 2735 Paint Drive Auburn CA 95603 matthew.yetka@henkel.com	Phone: Cell: (209) 482-4488 Fax: www.loctite.com	Loctite PC9410 MagnaCrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 10/17/2008
MAPEI Corporation Dave Sweetland 1144 E Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planigrout 712 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/25/2017
MAPEI Corporation Dave Sweetland 1144 E Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop 18 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 3/24/2017

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
MAPEI Corporation Dave Sweetland 1144 E Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop 18 ES The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/25/2017
MAPEI Corporation Dave Sweetland 1144 E Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop 18 TG The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/24/2018
MAPEI Corporation Dave Sweetland 1144 E Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop X The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/25/2017
MAPEI Corporation Dave Sweetland 1144 E. Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop XS The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: unkn approved 9/25/2017
MasterSpec Materials, LLC Luisa Flores 806 Buchanan Blvd, Ste 115-294 Boulder City NV 89005 info@masterspecmaterials.com	Phone: (702) 997-8838 Cell: (505) 974-0421 Fax: www.masterspecmaterials.com	RiteCrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 9/24/2018
Phoscrete Corporation Brian Mintz 792 Northeast 40th Court Oakland Park FL 33334 brian.mintz@phoscrete.com	Phone: (561) 420-0595 Cell: (727) 944-4368 Fax: (561) 420-0599 www.phoscrete.com	Phoscrete Formula 1-HC (F1-HC) The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Ext.719.	BABA Compliant: unkn approved 3/24/2017
Quikrete Companies Henri Johnson 11450 Technology Cir. Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: www.quikrete.com	QUIKRETE® Commercial Grade FastSet Concrete Mix 1004-51 Approved for all Districts	BABA Compliant: unkn approved 9/11/2025
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikacrete 321FS The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 12/28/2016

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Sika Corporation Mark Aument 201 Polito Ave. Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	SikaEmaco 1060 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 1/3/2002
Sika Corporation Mark Aument 201 Polito Ave. Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	SikaEmaco S 466 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 1/3/2002
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikaquick 2500 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 12/28/2016
Sika Corporation Mark Aument 201 Polito Ave Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	SikaQuick Set 45 DOT The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 1/3/2002
SpecChem Michael Lemark 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemllc.com	RepCon 928 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Additional contact number 913-713-2242	BABA Compliant: unkn approved 5/7/2013
TEC Specialty Dylan Bryant 1702 Kimberly Park Drive Dalton GA 30720 dylan.bryant@tecspecialty.com	Phone: (706) 280-7260 Cell: Fax: https://www.tecspecialty.com/	ProSpec Premium Patch 200 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all Districts.	BABA Compliant: YES approved 12/31/2019
TEC Specialty LLC Dylan Bryant 1702 Kimberly Park Drive Dalton GA 30720 dylan.bryant@tecspecialty.com	Phone: (706) 280-7260 Cell: Fax: https://www.tecspecialty.com/	ProSpec BlendCrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all Districts.	BABA Compliant: YES approved 12/31/2019
The QUIKRETE Companies, LLC Dave Wingard 11450 Technology Ciricle Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: (770) 237-2548 www.quikrete.com	QUIKRETE Comm. Grade FastSet Repair Mortar 1241 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R2 Mortar. Approved for all Districts.	BABA Compliant: YES approved 12/10/2020

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
The QUIKRETE Companies, LLC Dave Wingard 11450 Technology Circle Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: (770) 237-2548 www.quikrete.com	QUIKRETE Commercial Grade FastSet DOT Mix 1244-56 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all Districts.	BABA Compliant: YES approved 12/10/2020
US Concrete Products Thomas Brennan 16 Greenmeadow Drive Timonium MD 21093 tjbrennan@uscproducts.com	Phone: (866) 827-8727 Cell: (410) 561-8770 Fax: (410) 561-8771 www.uscproducts.com	HP Concrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 10/22/2004
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC Quickset The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 3/24/2017
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC SC Concrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Concrete. Approved for all Districts.	BABA Compliant: YES approved 9/20/2021
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC STR Mortar CI The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 9/24/2018
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC Transpatch The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 3/24/2017
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC Transpatch Concrete The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 9/3/2014
W.R. Meadows Taylor Wodzinski 300 Industrial Dr. Hampshire IL 60140 dot@wrmeadows.com	Phone: (847) 214-2100 Cell: Fax: www.wrmeadows.com	Futura-15-Very Rapid-Hardening Hztl. Repair Mortar The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications.	BABA Compliant: YES approved 8/21/2008

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

609.02.01 FAST SETTING CONCRETE PRODUCTS (NON STRUCTURAL)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Western Material & Design Emma Thompson 101 E Walnut Street Archie MO 64725 ethompson@ccmaterial.com	Phone: (816) 380-4747 Cell: Fax: fastracproducts.com	FasTrac 246 The use of products on this list are limited to concrete collars placed around manholes, valves, covers, etc., unless pre-approved through Materials Division for other applications. Class R3 Mortar. Approved for all Districts.	BABA Compliant: YES approved 3 /11/2021
Western Material & Design Emma Thompson 101 E. Walnut St. Archie MO 64725 ethompson@ccmaterial.com	Phone: (816) 430-5452 Cell: Fax: www.fastracproducts.com	FasTrac 400 Approved for all Districts	BABA Compliant: YES approved 8 /14/2025
White Cap Steve Morris 4350 W Teco Ave Las Vegas NV 89118 steve.morris@whitecap.com	Phone: (702) 303-9690 Cell: Fax: www.whitecap.com	Rapid Set Cement All Plus Approved for all Districts	BABA Compliant: unkn approved 6 /14/2024

610.03.06 ARTICULATED CONCRETE BLOCK

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Basalite Concrete Products, LLC James Motarex 335 Greg Street Sparks NV 89431-6295 james.motarex@basalite.com	Phone: (775) 358-1200 Cell: (775) 745-1286 Fax: (775) 359-5997 www.basalite.com	UltraFlex This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 11/18/2009
CONTECH Daniel Priest 9100 Centre Pointe Drive Suite 400 West Chester OH 43069 dpriest@conteches.com	Phone: (800) 338-1122 Cell: (513) 645-7000 Fax: www.conteches.com	Armorflex This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 10/23/2008
CONTECH Daniel Priest 9100 Centre Pointe Drive Suite 400 West Chester OH 43069 dpriest@conteches.com	Phone: (800) 338-1122 Cell: (513) 645-7000 Fax: www.conteches.com	Petraflex This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: YES approved 10/23/2008
Shoretac Cody Colvin 510 O'Neal Lane Ext Baton Rouge LA 70819 ccolvin@premier-concrete.com	Phone: (225) 273-9600 Cell: (225) 328-0545 Fax: (225) 273-0400 www.shoretac.com	Shoreblock This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: EXEMPT approved 3 /23/2009
Shoretac Cody Colvin 510 O'Neal Lane Ext Baton Rouge LA 70819 ccolvin@premier-concrete.com	Phone: (225) 273-9600 Cell: (225) 328-0545 Fax: (225) 273-0400 www.shoretac.com	Shoretac This is a general QPL ONLY; the unit will be selected based on the specific project requirements.	BABA Compliant: EXEMPT approved 3 /23/2009

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

610.03.06 ARTICULATED CONCRETE BLOCK

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Soil Retention Products, Inc. Darien Osborne 1265 Carlsbad Village Dr., Suite 100 Carlsbad CA 92008 dosborne@soilretention.com	Phone: (760) 966-6090 Cell: Fax: (760) 966-6099 www.soilretention.com	Enviroflex	This is a general QPL ONLY; the unit will be selected based on the specific project requirements. BABA Compliant: YES approved 8/23/2011

613.02.01 DETECTABLE WARNINGS (ADA TILE)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
ADA Solutions, a Surewerx Brand John Stieby 149 S. Cucumber St. Jefferson OH 44047 jstieby@surewerx.com	Phone: (800) 372-0519 Cell: (910) 695-5462 Fax: (978) 262-9125 adatile.com	Iron Dome Cast Iron Detectable Warning Plates	Approved for cast iron in Patina (natural). BABA Compliant: YES approved 3/14/2022
ADA Solutions, a Surewerx Brand Bill Galligar 149 S. Cucumber St. Jefferson OH 44047 bgalligar@surewerx.com	Phone: (800) 372-0519 Cell: Fax: www.adatile.com	Iron Dome Secure Flange	BABA Compliant: YES approved 9/19/2024
Advanced Roadway Manufacturing Inc. Ken Nutter 1025 Blanton St Titusville FL 32796 sales@roadwaymfg.com	Phone: (800) 966-4510 Cell: (857) 996-1117 Fax: www.equaltile.com	Equal Tile Cast Iron Detectable Warning Surface	BABA Compliant: unkn approved 3/20/2024
Detectable Warning Systes, a div. of Mar-Bal, Inc. Ryan West 10095 Queens Way Chagrin Falls OH 44023 rwest@detectable-warning.com	Phone: (866) 999-7452 Cell: (910) 431-0234 Fax: (904) 212-0022 www.detectable-warning.com	DWS Cast Iron	Approved for cast iron in Patina (natural). BABA Compliant: unkn approved 6/15/2022
MetaDome, LLC Duane Sippola P.O. Box 7534 Madison WI 53707 ds@metadome.com	Phone: (608) 249-8644 Cell: (608) 692-0837 Fax: (608) 249-8922 www.metadome.com	CAST-DWD Cast Iron	Approved for cast iron in Patina (natural). BABA Compliant: YES approved 9/20/2021
Neenah Foundry James Malloy 2121 Brooks Ave. #4700 Neenah WI 54957 james.malloy@neenahfoundry.com	Phone: (503) 545-9322 Cell: (800) 558-5075 Fax: neenahfoundry.com	Detectable Warning Plate	Approved for cast iron in Patina (natural). BABA Compliant: YES approved 6/22/2021
StrongGo, LLC Jennifer Rinn 3296 East Hemisphere Loop Tucson AZ 85706-5013 jrinn@stronggo.com	Phone: (866) 439-3216 Cell: (520) 547-3510 Fax: (520) 547-3515 www.stronggo.com	TekWay Dome Tiles	Approved for concrete panels in NV Red ONLY. BABA Compliant: YES approved 11/27/2006

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

613.02.01 DETECTABLE WARNINGS (ADA TILE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
TufTile, Inc. Don Kimble 1200 Flex Court Lake Zurich IL 60047 don@tuftile.com	Phone: (847) 307-3070 Cell: (425) 761-6525 Fax: (847) 550-8004 www.tuftile.com	TufTile Cast Iron Tile and Radius Wedge Tiles Approved for cast iron in Patina (natural).	BABA Compliant: YES approved 6 /22/2021

616.02.01 PLASTIC FENCE FABRIC

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Ferguson Waterworks Jacob Bottoms 2831 Cardwell Rd Richmond VA 23234 jacob.bottoms@ferguson.com	Phone: (804) 275-4109 Cell: Fax: www.fergusonwaterworks.com	ACF Safety Fence	BABA Compliant: YES approved 3 /20/2024
SWM AMS, LLC Customer Service 2810 Weeks Ave. SE Minneapolis MN 55414 customer.service@swmintl.com	Phone: (800) 426-6933 Cell: (612) 623-1700 Fax: (612) 623-2500 swmintl.com	Plastic Fence X05650 Series	BABA Compliant: unkn approved 10/10/1999

616.03.01 FENCE POST BAG MIX CONCRETE

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
CTS Cement Manufacturing Corp Grant Kao 12442 Knott Street Garden Grove CA 92841 gkao@ctscement.com	Phone: (800) 929-3030 Cell: (714) 793-1040 Fax: www.ctscement.com	CTS 24/6 Concrete Mix	BABA Compliant: EXEMPT approved 9 /20/2021
MAPEI Corporation Dave Sweetland 1144 E. Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop 18	BABA Compliant: unkn approved 6 /11/2020
MAPEI Corporation Dave Sweetland 1144 E. Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: (954) 246-8825 www.mapei.com	Planitop 18 TG	BABA Compliant: unkn approved 6 /11/2020
The QUIKRETE Companies, LLC Dave Wingard 11450 Technology Circle Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: (770) 237-2548 www.quikrete.com	Crack Resistant Concrete Mix	BABA Compliant: YES approved 6 /22/2021

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

616.03.01 FENCE POST BAG MIX CONCRETE

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
The QUIKRETE Companies, LLC Dave Wingard 11450 Technology Circle Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: (770) 237-2548 www.quikrete.com	Fiber Reinforced Deck Mix	BABA Compliant: YES approved 6 /22/2021
The QUIKRETE Companies, LLC Dave Wingard 11450 Technology Circle Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: (770) 237-2548 www.quikrete.com	Form and Pour Concrete Mix MS	BABA Compliant: YES approved 6 /22/2021
The QUIKRETE Companies, LLC Dave Wingard 11450 Technology Circle Johns Creek GA 30097 dot@quikrete.com	Phone: (404) 926-3115 Cell: (800) 282-5828 Fax: (770) 237-2548 www.quikrete.com	QUIKRETE 1101 CONCRETE MIX 80LB	BABA Compliant: YES approved 6 /22/2021

618.02.01 GUARDRAIL OFFSET BLOCKS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Arizona Structural Laminators Kayla Anzinger-Dillon 2000 W. Central Ave. Eagar AZ 85925 kdillon@azglulam.com	Phone: (928) 333-5501 Cell: Fax: (928) 333-4403 www.azglulam.com	Glue Laminated Wood	For use on w-beam and thrie-beam guardrails BABA Compliant: YES approved 3 /10/2004
Mondo Polymer Technologies, Inc. Philip Glorioso 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 qcmanager@mondopolymer.com	Phone: (888) 607-4790 Cell: (740) 376-9396 Fax: (740) 376-9960 www.mondopolymer.com	GB14SH1 Composite Guardrail Blockout	8". For use on Midwestern Guardrail installations. BABA Compliant: YES approved 12/17/2018
Mondo Polymer Technologies, Inc. Philip Gloriso 27620 State Route 7 / P.O. Box 250 Reno OH 45773 qcmanager@mondopolymer.com	Phone: (888) 607-4790 Cell: (740) 376-9396 Fax: (740) 376-9960 www.mondopolymer.com	GB14SH2 Composite Guardrail Block	8". For use on Midwestern Guardrail installations. BABA Compliant: YES approved 12/17/2018
Mondo Polymer Technologies, Inc. Philip Glorioso 27620 State Rt. 7 / P.O. Box 250 Reno OH 45773 qcmanager@mondopolymer.com	Phone: (888) 607-4790 Cell: (740) 376-9396 Fax: (740) 376-9960 www.mondopolymer.com	MGS14SH Composite Guardrail Blockout	12". For use on Midwestern Guardrail installations. BABA Compliant: YES approved 3 /27/2019
Mondo Polymer Technologies, Inc. Philip Glorioso 27620 State Rt. 7 / PO Box 250 Reno OH 45773 qcmanager@mondopolymer.com	Phone: (888) 607-4790 Cell: (740) 376-9396 Fax: (740) 376-9960 www.mondopolymer.com	TB21SH Composite Guardrail Blockout	Usage permitted only when creating MGS transition or repairing existing thrie-beam. BABA Compliant: YES approved 4 /1 /2020

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

618.02.01 GUARDRAIL OFFSET BLOCKS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	12in King MASH16 Composite Block 12". For use on Midwestern Guardrail installations.	BABA Compliant: unkn approved 12/20/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	8in King MASH16 Composite Block 8". For use on Midwestern Guardrail installations.	BABA Compliant: unkn approved 3/11/2021

618.02.01a GUARDRAIL TERMINAL

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Lindsay Transportation Solutions, LLC Larry Savage 18135 Burke Street, Ste 100 Omaha NE 68022 larry.savage@lindsay.com	Phone: (402) 829-6800 Cell: (916) 474-9644 Fax: (402) 829-6834 www.lindsay.com/infrastructure	MAX-Tension MEDIAN; MASH TL-3	BABA Compliant: unkn approved 3/27/2019
Lindsay Transportation Solutions, LLC Larry Savage 18135 Burke Street, Ste 100 Omaha NE 68022 larry.savage@lindsay.com	Phone: (402) 829-6800 Cell: (916) 474-9644 Fax: (402) 829-6834 www.lindsay.com/infrastructure	MAX-Tension TANGENTIAL; MASH TL-3	BABA Compliant: unkn approved 3/27/2019
NextGen Safety, LLC Neal Wise 2298 County Rd. 2202 Kosciusko MS 39090 neal@nextgensafety.net	Phone: (601) 260-3022 Cell: (662) 516-1900 Fax: www.nextgensafety.net	Next Generation Terminal	BABA Compliant: Yes approved 4/1/2026
Road Systems Incorporated David Reese 3616 Old Howard County Airport Road Big Spring TX 79720 darson@sbcglobal.net	Phone: (330) 799-9291 Cell: (330) 540-2349 Fax: (432) 267-4039 www.roadsystems.com	MSKT (MASH Sequentially Kinking Terminal) TANGENTIAL; MASH, TL-3 Compliant	BABA Compliant: yes approved 12/28/2016
Road Systems, Inc. David Reese 3616 Old Howard County Airport Road Big Spring TX 79720 darson@sbcglobal.net	Phone: (330) 779-9291 Cell: (330) 540-2349 Fax: (432) 267-4039 www.roadsystems.com	MFLEAT FLARED; MASH TL-3	BABA Compliant: yes approved 9/17/2019
Valtir, LLC Paul Kruse 15601 Dallas Pkwy., Ste. 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 356-2363 Fax: www.valtir.com	4F-T™	BABA Compliant: unkn approved 9/11/2025

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

618.02.01a GUARDRAIL TERMINAL

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	MATT Median Attenuating TREND Terminal MEDIAN; MASH TL-3	BABA Compliant: unkn approved 9 /19/2022
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SoftStop TANGENTIAL; MASH, TL-3 Compliant	BABA Compliant: unkn approved 7 /2 /2018

619.02.01a GUIDEPOSTS (FLEXIBLE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Carsonite Composites Cynthia Young 19845 US Highway 76 Newberry SC 29108 cindy.young@valmont.com	Phone: (800) 648-7916 Cell: (839) 219-1326 Fax: (803) 276-8940 www.carsonite.com	Flexguard Post System Type 2; standard surface and soil/ground mount options available	BABA Compliant: unkn approved 1 /17/2013
Impact Recovery Systems Tim Lang 4955 Stout Dr. San Antonio TX 78219 TLang@impactrecovery.com	Phone: (210) 736-4477 Cell: Fax: www.impactrecover.com	MP2POST	BABA Compliant: unkn approved 4 /1 /2026
Impact Recovery Systems Tim Lang 4955 Stout Dr. San Antonio TX 78219 TLang@impactrecovery.com	Phone: (210) 736-4477 Cell: Fax: www.impactrecovery.com	OMEGAPOST	BABA Compliant: unkn approved 4 /1 /2026
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb MASH TL-3; Type 2; standard surface and soil/ground mount options available	BABA Compliant: unkn approved 6 /19/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Model EFX Type 2; standard surface and soil/ground mount options available	BABA Compliant: unkn approved 6 /19/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Model PE Type 2; standard surface and soil/ground mount options available	BABA Compliant: unkn approved 10/15/1999

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

619.02.01a GUIDEPOSTS (FLEXIBLE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR Type 2; standard surface and soil/ground mount options available	BABA Compliant: unkn approved 10/15/1999
Pexco, LLC Craig Schulz 3110 70th Ave. East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com/traffic	Flexi-Guide FG 348 Ground Mount Type XI sheeting is required.	BABA Compliant: unkn approved 9/17/2020
Pexco, LLC Craig Schulz 3110 70th Ave East Tacoma WA 98424 hwysales@pexco.com	Phone: (877) 335-4638 Cell: (253) 284-8000 Fax: (253) 284-8080 www.pexco.com/traffic	Pexco Bike Bollard	BABA Compliant: unkn approved 12/12/2024
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	TSM Series	BABA Compliant: unkn approved 9/3/2014
Pexco, LLC, Davidson Traffic Control Products Craig Schulz 3110 70th Ave. East Tacoma WA 98424 hwysales@pexco.com	Phone: (253) 284-8000 Cell: Fax: (253) 284-8080 www.pexco.com/traffic	FG 500 Series	BABA Compliant: unkn approved 12/12/2024
Pexco, LLC, Davidson Traffic Control Products Craig Schulz 3110 70th Ave. East Tacoma WA 98424 hwysales@pexco.com	Phone: (253) 284-8000 Cell: Fax: (253) 284-8080 www.pexco.com/traffic	Flexi-Guide FG 400 Series	BABA Compliant: unkn approved 12/12/2024
SHUR-TITE Products Emily Krueger 5718 Transportation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Driveable Del Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 4/30/2009
SHUR-TITE Products Emily Krueger 5718 Transportation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Tite Cable Barrier Type 2; standard surface and soil/ground mount options available	BABA Compliant: unkn approved 4/30/2009

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

619.02.01a GUIDEPOSTS (FLEXIBLE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
SHUR-TITE Products Emily Krueger 5718 Transportaion Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (714) 743-2664 Cell: (512) 218-9500 Fax: www.shur-tite.com	Shur-Tite U-Flex Surface Mount Delineator	BABA Compliant: unkn approved 12/12/2024
SHUR-TITE Products Emily Krueger 5718 Transporation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Surface Mt Del Type 2; standard surface and surface/soil mount options and angled mounts	BABA Compliant: unkn approved 4/30/2009
Shur-Tite Products, Inc. Emily Krueger 5718 Transportation Blvd. Garfield Hights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: www.shur-tite.com	Shur-Curb Traffic Separator	BABA Compliant: yes approved 4/1/2026
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5500 Earthflex Del Type 2; soil mount only	BABA Compliant: unkn approved 12/3/2002
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	RT 360 HD BD Tub Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	BABA Compliant: unkn approved 10/5/2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	RT 360 HD Tub Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	BABA Compliant: unkn approved 10/5/2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH Barrier Replaceable Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	BABA Compliant: unkn approved 10/5/2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH Dura Post Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	BABA Compliant: unkn approved 10/5/2008

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

619.02.01a GUIDEPOSTS (FLEXIBLE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH K-Marker Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	BABA Compliant: unkn approved 10/5/2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH Tubular Type 2; minimum embedment depth: 430 mm (17 inches); standard surface and surface/soil mount options available	BABA Compliant: unkn approved 10/5/2008

619.02.01b OBJECT MARKERS (FLEXIBLE, TYPE 2)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Complete Curb MASH TL-3; Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 6/19/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Model PE Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 6/19/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Model UR Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 6/19/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	FG 300 Turn Pike Curb MASH TL-3; Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 6/19/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Type K Island Marker Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 9/13/2007
SHUR-TITE Products Emily Krueger 5718 Transportation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: (512) 388-0417 www.shur-tite.com	Shur-Flex Driveable Type 2; standard surface and surface/soil mount options available	BABA Compliant: unkn approved 2/2/2010

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

619.02.01b OBJECT MARKERS (FLEXIBLE, TYPE 2)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
SHUR-TITE Products Emily Krueger 5718 Transporation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (714) 743-2664 Cell: (512) 218-9500 Fax: www.shur-tite.com	Shur-Tite U-Flex Surface Mount Delineator	BABA Compliant: unkn approved 12/12/2024
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 5215 K Marker	Type 2; standard surface and surface/soil mount options available BABA Compliant: unkn approved 12/3 /2002
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	RT 360 HD Bolt Down	Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) BABA Compliant: unkn approved 10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	RT 360 HD Tubular	Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) BABA Compliant: unkn approved 10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH Dura Post 36"	Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) BABA Compliant: unkn approved 10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH K-Marker Series	Type 2; standard surface and soil/ground mount options available BABA Compliant: unkn approved 10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH Replaceable Barrier	Type 2; standard surface and surface/soil mount options available; minimum embedment depth: 430 mm (17 inches) BABA Compliant: unkn approved 10/5 /2008
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	SH Tubular	Type 2; standard surface and soil/ground mount options available BABA Compliant: unkn approved 10/5 /2008

623.02.08 SERVICE PEDESTALS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
--	---------------------	----------------	------------------------

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

623.02.08 SERVICE PEDESTALS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
QPL Category removed **** **** **** ** *****	Phone: **** Cell: Fax:	NDOT has transitioned to a performance-based specification for this category and will use the current product specification to review and evaluator future contract product material submittals.	BABA Compliant: approved 4 /1 /2026

623.02.12c HIGH MAST HEAD FRAME ASSEMBLY

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Carolina High Mast Daniel Thomas 700 East McLeroy Boulevard Suite A Saginaw TX 76179 dthomas@chmindustries.com	Phone: (682) 286-0046 Cell: (817) 586-9845 Fax: (682) 286-0086 www.chmindustries.com	Series 426 Ext. 2156. Bottom latching	BABA Compliant: unkn approved 12/30/2003
Holophane Corporation Michele Janson 1839 Dutchman Drive Sparks NV 89434 michele.janson@acuitybrands.com	Phone: (775) 431-4390 Cell: Fax: www.holophane.com	Series Holophane LD5 Lighting Lowering D Bottom latching	BABA Compliant: unkn approved 1 /2 /2004
Stratus Products Bill Shoemaker 3900 Lubbock Avenue Fort Worth TX 76110 bshoemaker@racerock.com	Phone: (817) 878-3141 Cell: (800) 782-5804 Fax: www.racerock.com	Model 2060 with a lowering device Bottom latching. Company is a division of Structural & Steel Products, Inc.	BABA Compliant: unkn approved 12/20/2021

623.02.16 DUCT SEALING COMPOUND

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Ideal Industries Incorporated Customer Service Becker Place Sycamore IL 60178 contactus@idealindustries.com	Phone: (800) 435-0705 Cell: Fax: (800) 533-4483 www.idealind.com	Duct Seal	BABA Compliant: unkn approved 10/7 /2009

623.02.30e LOOP DETECTOR SEALANT

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Automotive Aftermarket Division Kim Gayner 3M Center Bldg. 250-3E-02 St. Paul MN 55144 kgayner@mmm.com	Phone: (651) 736-5934 Cell: Fax: www.3mcollision.com	5000 Rubberized Loop Rubberized asphalt material	BABA Compliant: YES approved 6 /16/2000
Crafco, Inc. Angie Hoaglin 6165 W. Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	271 Loop Detector Rubberized asphalt material	BABA Compliant: EXEMPT approved 8 /5 /1998

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

623.02.30e LOOP DETECTOR SEALANT

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Crafco, Inc. Angie Hoaglin 6165 W. Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	272 Loop Detector	Rubberized asphalt material	BABA Compliant: EXEMPT approved 8 /5 /1998
Durant Performance Coating, Inc. Al Losanno 112 Railroad Street Revere MA 02151 alosanno@durantcorp.com	Stat-a-Flex Polyester Loop	Polyester material	BABA Compliant: unkn approved 11/19/1996
P&T Products Julia Bitter 472 Industrial Pkwy Standusky OH 44870 julab@pntproducts.com	Dura-Fill Loop Sealant		BABA Compliant: unkn approved 4 /1 /2026
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Perm Sealer 974 Nitrile	Nitrile rubber material	BABA Compliant: unkn approved 12/19/1996
RAI Products Incorporated John Rosenblatt Jr. PO Box 240772 Charlotte NC 28224 john@raiproducts.com	Pro Seal 6006 Polyester	Polyester material	BABA Compliant: unkn approved 12/19/1996
Reed & Graham Company Peter Fitzpatrick 690 Sunol Street San Jose CA 95126 peter@rginc.com	Overkote Loop Filler	Asphaltic emulsion material	BABA Compliant: unkn approved 8 /5 /1998

623.02.37 DYNAMIC MESSAGE SIGNS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Daktronics Incorporated Kyle Niemeyer 201 Daktronics Dr. Brookings SD 57006 kyle.niemeyer@daktronics.com	Dynamic Message Signs	Type 1 and Type 2	BABA Compliant: unkn approved 1 /7 /2004
SES America, Inc. Sean Mahoney 720 Washington St. Pembroke MA 02359 smahoney@sunrisesesatech.com	Dynamic Message Signs	Type 1 and Type 2	BABA Compliant: unkn approved 6 /11/2020

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

623.03.01 TRAFFIC SIGNALS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
QPL Category removed. **** **** ***** ** *****	Phone: ***** Cell: Fax:	NDOT has transitioned to a performance-based specification for this category and will use the current product specification to review and evaluator future contract product material submittals.	BABA Compliant: approved 4 /1 /2026

623.03.15 SIGN LIGHTING FIXTURES

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
QPL Category removed **** **** ***** ** *****	Phone: ***** Cell: Fax:	NDOT has transitioned to a performance-based specification for this category and will use the current product specification to review and evaluator future contract product material submittals.	BABA Compliant: approved 4 /1 /2026

623.03.22 LUMINAIRE RETRIEVAL SYSTEM

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
QPL Category removed **** **** ***** ** *****	Phone: ***** Cell: Fax:	NDOT has transitioned to a performance-based specification for this category and will use the current product specification to review and evaluator future contract product material submittals.	BABA Compliant: approved 4 /1 /2026

623.05.26 RED LIGHT DETECTORS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
McCain Incorporated Carol Jarvis-Murphy 2365 Oak Ridge Way Vista CA 92081 cmurphy@mccain-inc.com	Phone: (760) 734-5027 Cell: (750) 727-8100 Fax: (760) 597-7108 www.mccain-inc.com	Red Light Detector	BABA Compliant: unkn approved 7 /16/2003

625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154 https://artukinc.com	FB33	BABA Compliant: YES approved 2 /2 /1993
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154 https://artukinc.com	FB34	BABA Compliant: YES approved 12/28/2016

625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Artuk Gregg Schueler 1200 Abbott Drive Elgin IL 60123 sales@artukinc.com	Phone: (847) 841-7050 Cell: (847) 707-4698 Fax: (847) 488-9154 https://artukinc.com	FT - Flex Tab	BABA Compliant: unkn approved 12/28/2016
Custom Products Corporation Heidi McGee P.O. Box 54091 Jackson MS 39288 heidi@cpcsigns.com	Phone: (800) 367-1492 Cell: (601) 933-8276 Fax: (800) 206-3444 www.cpcsigns.com	Brite Max A Style Barrier	BABA Compliant: YES approved 12/12/2024
Custom Products Corporation Heidi McGee P.O. Box 54091 Jackson MS 39288 heidi@cpcsigns.com	Phone: (800) 367-1492 Cell: (601) 933-8276 Fax: (800) 206-3444 www.cpcsigns.com	Brite Max Barrier Mount Delineator	BABA Compliant: YES approved 12/12/2024
Irwin Hodson Company Gary Johnson 2838 SE 9th Ave Portland OR 97202 garyj@ihco.com	Phone: (503) 419-4624 Cell: (503) 709-6608 Fax: (503) 239-5304 www.irwinhodson.com	A-Shape Highway Traffic Reflector	Epoxy shall be used for fastening the reflective marker to the top of the concrete barrier rail when using tall versions of metal fastener is req. Alt contacts: Mark McDonald (503) 419-4629 markmc@ihco.com or Nick McDonald (503) 572-0012 nickmc@ihco.com. BABA Compliant: unkn approved 5/7/2015
Irwin Hodson Company Gary Johnson 2838 SE 9th Ave Portland OR 97202 garyj@ihco.com	Phone: (503) 419-4624 Cell: (503) 709-6608 Fax: (503) 239-5304 www.ihco.com	Barrier Traffic Reflector Series	Alt contacts: Mark McDonald (503) 419-4629 markmc@ihco.com or Nick McDonald (503) 572-0012 nickmc@ihco.com. BABA Compliant: unkn approved 9/3/2013
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	DAPCO Straight Guardrail Reflector Plates	Type II; standard surface and soil/ground mount options available BABA Compliant: unkn approved 1/9/1995
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	PCBM 12H High Impact	Type II; standard surface and soil/ground mount options available BABA Compliant: unkn approved 11/3/2009
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	PCBM T12H High Impact	Type II; standard surface and soil/ground mount options available BABA Compliant: unkn approved 11/3/2009

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.02.02 MARKERS (REFLECTIVE ON CONCRETE BARRIER RAILS)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
RetroFlex, LLC Terry Anest 5001 Super Moon Way Roseville CA 95747 tanest@retroflexllc.com	Phone: (916) 305-8687 Cell: (916) 305-8687 Fax: www.retroflexllc.com	RF3N1 RetroFlex Reflector	BABA Compliant: NO approved 6/11/2020
SHUR-TITE Products Emily Krueger 5718 Transportation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: www.shur-tite.com	Trafco CTB16 Concrete Barrier Wall Flex Delineator	Do not use Type III sheeting BABA Compliant: unkn approved 12/10/2020
SHUR-TITE Products Emily Krueger 5718 Transporation Blvd. Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (512) 218-9500 Cell: Fax: www.shur-tite.com	Trafco CTB3 Concrete Barrier Wall Flex Delineator	Do not use Type III sheeting BABA Compliant: unkn approved 12/10/2020
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 9300 Roadguide	BABA Compliant: unkn approved 12/3/2002
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 www.trafficwks.com	TD 9400 Roadguide	BABA Compliant: unkn approved 12/3/2002

625.02.03 CHANGEABLE MESSAGE SIGNS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
No Vendors at this time *** *** *** ** ***	Phone: *** Cell: Fax:	MASH-16 crash testing standards are in effect for this category on 12/31/19. Awaiting submission of qualifying products from Industry to repopulate category.	BABA Compliant: unkn approved 12/31/2019

625.02.04 IMPACT ATTENUATOR (TEMPORARY)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Hill & Smith, Inc. Alvaro Morales 987 Buckeye Park Road Columbus OH 43207 alvaro.morales@hillandsmith.com	Phone: (614) 340-6294 Cell: (707) 395-3544 Fax: www.hillandsmith.com	SCI100GM	MASH TL-3. Install per manufacture recommendations. BABA Compliant: EXEMPT approved 2/23/2007

625.02.04 IMPACT ATTENUATOR (TEMPORARY)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Lindsay Transportation Solutions, LLC Larry Savage 18135 Burke Street, Ste 100 Rio Vista CA 94571 larry.savage@lindsay.com	Phone: (707) 374-6800 Cell: (916) 474-9644 Fax: (707) 374-6801 www.barriersystemsinc.com	ABSORB-M Non-Redirective Crash Cushion MASH TL-3; water filled. Install per manufacture recommendations.	BABA Compliant: EXEMPT approved 9/17/2019
Lindsay Transportation Solutions, LLC Sean Brockhouse 18135 Burke St Omaha NE 68022 LTSPProductApprovals@lindsay.com	Phone: (402) 829-6800 Cell: Fax: www.lindsay.com	ABSORB-RZ Product MUST be used in conjunction with Lindsay Transportation Solutions' CRTS.	BABA Compliant: Yes approved 4/1/2026
Lindsay Transportation Solutions, LLC Larry Savage 18135 Burke Street, Ste 100 Rio Vista CA 94571 larry.savage@lindsay.com	Phone: (707) 374-6800 Cell: (916) 474-9644 Fax: (707) 374-6801 www.lindsay.com/transportation-solutions	Universal TAU-M MASH TL-3. Install per manufacture recommendations.	BABA Compliant: EXEMPT approved 7/22/2019
Traffix Devices, Inc. Ken Haley 160 Avenida La Pata San Clemente CA 92673 khaley@traffixdevices.com	Phone: (949) 361-5663 Cell: (760) 265-0226 Fax: see remarks	Delta Crash Cushion MASH TL-3; https://www.traffixdevices.com/products/attenuators/delta	BABA Compliant: EXEMPT approved 12/20/2021
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 CLeMonds@TraffixDevices.com	Phone: (801) 979-7099 Cell: (949) 361-5663 Fax: (949) 573-9290 www.TraffixDevices.com	Sentry Longitudinal Energy Dissipater (SLED) MASH TL-3; water-filled. Install per manufacture recommendations.	BABA Compliant: EXEMPT approved 4/9/2020
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	QuadGuard Elite M10 MASH TL-3; 24 and 69 inch widths approved; Install per manufacturer's recommendations.	BABA Compliant: EXEMPT approved 3/11/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	QuadGuard M Wide MASH TL-3; Install per manufacture recommendations.	BABA Compliant: EXEMPT approved 3/11/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	QuadGuard M10 MASH TL-3. Install per manufacture recommendations.	BABA Compliant: EXEMPT approved 3/27/2019

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
--	---------------------	----------------	------------------------

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.02.05 IMPACT ATTENUATOR (TRUCK MOUNTED)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Gregory Industries, Inc. Rick Mauer 4677 Applegrove St. NW Canton OH 44720 rmauer@gregoryhighway.com	TTMA-200 Trailer Truck Mounted Attenuator Phone: (330) 477-4800 Cell: Fax: www.gregoryhighway.com	MASH TL-3. Trailer Mounted - Min. support vehicle weight of 10,000lbs (4,535.9kg), Max. support vehicle weight: unlimited. Unit selected must have a manufacturer recommended installation for the design speed specified in the bid item.	BABA Compliant: EXEMPT approved 9 /17/2019
Interwest Safety Supply, LLC Rick Belanger 4475 Delancy Drive Las Vegas NV 89103 rbelanger@iwsafety.com	VORTEQ M Phone: (602) 754-6478 Cell: Fax: www.interwestsafety.com		BABA Compliant: EXEMPT approved 9 /11/2025
Traffix Devices, Inc. Cary W. LeMonds 160 Avenida La Pata San Clemente CA 92673 CLeMonds@TraffixDevices.com	Scorpion II TA Phone: (801) 979-7099 Cell: (949) 361-5663 Fax: (949) 573-9290 www.traffixdevices.com	MASH TL-3, trailer-mounted	BABA Compliant: YES approved 4 /1 /2020
Traffix Devices, Inc. Cary W. LeMonds 160 Avenida La Pata San Clemente CA 92673 CLeMonds@TraffixDevices.com	Scorpion II TMA Phone: (801) 979-7099 Cell: (949) 361-5663 Fax: (949) 573-9290 www.traffixdevices.com	MASH TL-3	BABA Compliant: YES approved 1 /27/2019
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison NV 75001 paul.kruse@valtir.com	SMT Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	MASH TL-3, trailer mounted	BABA Compliant: EXEMPT approved 9 /17/2020
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison NV 75001 paul.kruse@valtir.com	SS180M Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	MASH TL-3	BABA Compliant: EXEMPT approved 9 /17/2020
Verdegro USA, LLC Herman Harderwijk 1700 W. Irving Park Road, Suite 209A Chicago IL 60613 sales@verdegro.com	BLADE TMA Phone: (786) 408-5709 Cell: Fax: (786) 431-3097 www.BLADE-TMA.com and www.verdegro.	MASH TL-3. Alt# is +31615839389.	BABA Compliant: EXEMPT approved 7 /22/2019

625.02.06 ALTERNATIVE PORTABLE BARRIER RAIL

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Easi-Set Worldwide Chris Reese P.O. Box 400 Midland VA 22728 creese@easiset.com	J-J Hooks Portable Concrete Barrier Rail Phone: (540) 439-8911 Cell: (540) 272-7267 Fax: (540) 439-2541 www.easiset.com and www.jjhooks.com	MASH TL-3; Freestanding, Pinned, or Bolted.	BABA Compliant: unkn approved 4 /1 /2020

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.02.06 ALTERNATIVE PORTABLE BARRIER RAIL

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Hill and Smith, Inc. Alvaro Morales 987 Buckeye Park Road Columbus OH 43207 alavro.morales@hillandsmith.com	Phone: (614) 340-6294 Cell: (707) 398-3544 Fax: www.hillandsmith.com	Zoneguard Steel Barrier MASH TL-3; install per manufacturer's requirements.	BABA Compliant: EXEMPT approved 12/31/2019
Howe Precast Concrete Barrier, Inc Justin Franks P.O. Box 1249 Queens Creek AZ 85142 jfranks@howeprecast.com	Phone: (480) 226-4787 Cell: (480) 988-2073 Fax: www.howeprecast.com	MASH TL3 Portable Precast Barrier Rail	BABA Compliant: YES approved 9/11/2025
Lindsay Transportation Solutions, LLC Laura Huizinga 18135 Burke St., STE 100 Omaha NE 68022 LTSPRODUCTAPPROVALS@LINDSAY.COM	Phone: (402) 839-6800 Cell: Fax: www.lindsay.com	Concrete Reactive Tension System (CRTS)	BABA Compliant: Yes approved 4/1/2026
REBLOC Steve Weber 1000 N. West St., Ste., 1200 #5233 Wilmington DE 19801 s.weber@rebloc.com	Phone: (302) 844-2041 Cell: Fax: www.rebloc.com	80SAH-12 MASH TL-3 compliant. Install freestanding or pinned per manufactures requirements.	BABA Compliant: unkn approved 1/11/2022
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	HighwayGuard MASH TL-3; install per manufacturer's recommendations.	BABA Compliant: unkn approved 9/20/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	HighwayGuard MDS MASH TL-3	BABA Compliant: unkn approved 3/15/2023
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	HighwayGuard Soil MASH TL-3	BABA Compliant: unkn approved 3/15/2023

625.02.07 PORTABLE BEACON LIGHT SYSTEM

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
K&K Systems Incorporated Josh Smith 687 Palmetto Road Tupelo MS 38801 ali@k-systems.com	Phone: (888) 414-3003 Cell: (662) 891-8900 Fax: www.k-systems.com	Safety Beacon Light Toll Free #: 888-414-3003	BABA Compliant: yes approved 1/6/1998

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.03.03 SIGN SUPPORT SYSTEM

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Bone Safety Chris Goode 6450 Industrial Way Alpharetta GA 30004 govcontact.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: www.bonesafety.com	SZ-412 MASH, HSST-1/WZ-452	BABA Compliant: EXEMPT approved 4 /1 /2026
Bone Safety Chris Goode 6450 Industrial Way Alpharetta GA 30004 govcontact@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: www.bonesafety.com	SZ-412-S MASH; HSST-1/WZ-449	BABA Compliant: EXEMPT approved 4 /1 /2026
Bone Safety Chris Goode 6450 Industrial Way Alpharetta GA 30004 govcontact@bonesafety.com	Phone: (770) 333-1635 Cell: (352) 598-5308 Fax: www.bonesafety.com	SZ-484-2S MASH; HSST-1/WZ-461	BABA Compliant: EXEMPT approved 4 /1 /2026
Eastern Metal of Elmira, Inc. Christina Harrison 1430 Sullivan St. Elmira NY 14901 qpl@usa-sign.com	Phone: (607) 644-7232 Cell: Fax: http://easternmetalsignsandsafety.com	Apex Dual Recoil Max Sign Stand MASH TL-3, Roll-up Signs ONLY	BABA Compliant: YES approved 3 /13/2025
Eastern Metal of Elmira, Inc. Christina Harrison 1430 Sullivan St. Elmira NY 14901 qpl@usa-sign.com	Phone: (607) 734-2295 Cell: (607) 644-7232 Fax: (607) 734-8783 easternmetalsignsandsafety.com	Apex Recoil Sign Stand MASH TL-3, Roll-up Signs ONLY	BABA Compliant: YES approved 3 /13/2025
Eastern Metal of Elmira, Inc. Christina Harrison 1430 Sullivan St. Elmira NY 14901 qpl@usa-sign.com	Phone: (607) 734-2295 Cell: (607) 644-7232 Fax: (607) 734-8783 easternmetalsignsandsafety.com	Apex Sign Stand MASH TL-3, Roll-up Signs ONLY	BABA Compliant: YES approved 3 /13/2025
Eastern Metal of Elmira, Inc. Christina Harrison 1430 Sullivan St. Elmira NY 14901 qpl@usa-sign.com	Phone: (607) 734-2295 Cell: Fax: (607) 734-8783 www.easternmetalsignsandsafety.com	Apex Summit Sign Stand MASH TL-3, ALUMINUM	BABA Compliant: YES approved 3 /13/2025
Eastern Metal of Elmira, Inc. Christina Harrison 1430 Sullivan St. Elmira NY 14901 qpl@usa-sign.com	Phone: (607) 734-2295 Cell: Fax: (607) 734-8783 www.easternmetalsignsandsafety.com	Apex Tri-Pod Sign MASH TL-3, PLYWOOD SIGN	BABA Compliant: YES approved 3 /13/2025

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.03.03 SIGN SUPPORT SYSTEM

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Marketing Displays International Eric Larson 38271 W. 12 Mile Road Farmington Hills MI 48331 tcpsales@mdiworldwide.com	Phone: (800) 521-6776 Cell: Fax: (248) 488-5700 www.mditrafficcontrol.com	SOSM-NS MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9/17/2020
OrangeGear Bryan Marsh 226 W Tambay Ave Tampa FL 33611 admin@arangeegear.com	Phone: (863) 816-3402 Cell: Fax: www.orangeegear.com	OrangeGear® Compact Sign Stand-OGAL412 MASH 2016	BABA Compliant: EXEMPT approved 4/1/2026
OrangeGear Bryan Marsh 3115 W. Tambay Ave. Tampa FL 33611 admin@#orangeegear.com	Phone: (863) 816-3402 Cell: Fax: www.orangeegear.com	OrangeGear® Double Spring Sign Stand - OGDSFL157 MASH 2016	BABA Compliant: EXEMPT approved 4/1/2026
OrangeGear Bryan Marsh 3115 W. Tambay Ave. Tampa FL 33611 admin@orangeegear.com	Phone: (863) 816-3402 Cell: Fax: www.orangeegear.com	OrangeGear® Single Spring Compact Sign Stand - OGSSAL412 MASH 2016	BABA Compliant: EXEMPT approved 4/1/2026
Pacific Safety dba Dicke Safety Chad Clark 1845 Anunsen St. NE Salem OR 97301 chad@dicketool.com	Phone: (503) 364-5641 Cell: (800) 333-5641 Fax: (800) 695-6054 www.dicketool.com	UF2000W MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 12/10/2020
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS300 Compact Sign Stand MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9/17/2020
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS300A Compact Sign Stand MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9/17/2020
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS310 Sign Stand MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9/17/2020

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.03.03 SIGN SUPPORT SYSTEM

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS340A Double Spring Sign Stand MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9 /17/2020
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS410A Springless Sign Stand MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9 /17/2020
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS420A Double Spring Sign Stand MASH TL-3	BABA Compliant: EXEMPT approved 9 /17/2020
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade SS520 "Big Dog" Sign Stand MASH TL-3. Roll-up signs only.	BABA Compliant: EXEMPT approved 9 /17/2020
Traffix Devices, Inc. Cary LeMonds 160 Avenida La Pata San Clemente CA 92673 clemonds@traffixdevices.com	Phone: (801) 979-7099 Cell: (949) 361-5663 Fax: (949) 573-9290 www.traffixdevices.com	Zephyr Portable Stand MASH TL-3. Must conform to section 716. Dibond substrate is allowed only with stands specified by FHWA letters of acceptance.	BABA Compliant: EXEMPT approved 3 /22/2000

625.03.04 BARRICADES

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Crashworthy Traffic Control, LLC Juan Banuelos 1089 Spring Creek Dr Ripon CA 95366 juanbanuelos88@gmail.com	Phone: (626) 500-3800 Cell: (626) 390-3032 Fax: crashworthy.net	Crashworthy MASH Barricade MASH TL-3; Type I and Type II, with or without signs and/or light.	BABA Compliant: YES approved 6 /15/2022
Crashworthy Traffic Control, LLC Juan Banuelos 1089 Spring Creek Dr Ripon CA 95366 juanbanuelos88@gmail.com	Phone: (626) 500-3800 Cell: (626) 390-3032 Fax: www.crashworthy.net	Crashworthy MASH Barricade / Sign Support System MASH TL-3; Type III with or without signs and/or light.	BABA Compliant: YES approved 6 /15/2022
Eastern Metal of Elmira, Inc. Christina Harrison 1430 Sullivan St. Elmira NY 14901 qpl@usa-sign.com	Phone: (607) 734-2295 Cell: (607) 664-7232 Fax: (607) 734-8783 easternmetalsignsandsafety.com	BC 3000 Series Type III Barricade MASH TL-3	BABA Compliant: YES approved 6 /14/2024

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

625.03.04 BARRICADES

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Barricade Type 3B; with or without lights	BABA Compliant: unkn approved 11/5 /2009
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074 www.plasticade.com	Plasticade Angle Iron Type III Barricade Type 3	BABA Compliant: EXEMP approved 12/31/2012
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074 www.plasticade.com	Plasticade Telespar Type III Barricade Type 3	BABA Compliant: EXEMPT approved 12/31/2012
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: (847) 966-8074 www.plasticade.com	Sentinel Type 3	BABA Compliant: EXEMPT approved 2 /21/2007
PSS Benjamin Gascoigne 2444 Baldwin Road Cleveland OH 44104 bwg1@PSS-Innovations.com	Phone: (800) 662-6338 Cell: (216) 658-7556 Fax: (216) 231-2702 www.PSS-Innovations.com	Anchor Mast Barricade Type 3; with or without lights	BABA Compliant: unkn approved 5 /5 /2010
PSS Benjamin Gascoigne 2444 Baldwin Road Cleveland OH 44104 bwg1@pss-innovations.com	Phone: (800) 662-6338 Cell: (216) 658-7556 Fax: (216) 231-2702 pss-innovations.com	LaneGard 3 MASH TL-3; Type 3	BABA Compliant: unkn approved 6 /11/2020

627.02.01 THERMOPLASTIC SIGN PANELS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
No Vendors at this Time *** *** ***	Phone: Cell: Fax:	***	BABA Compliant: unkn approved 11/4 /2008

630.02.01 HEADLIGHT GLARE SCREENS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
--	---------------------	----------------	------------------------

630.02.01 HEADLIGHT GLARE SCREENS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Carsonite Composites Int'l Cynthia Young 19845 US Highway 76 Newberry SC 29108 cindy.young@valmont.com	Phone: (800) 648-7916 Cell: (839) 219-1326 Fax: (803) 276-8940 www.carsonite.com	Modular Guidance System	BABA Compliant: unkn approved 10/1 /2008
Flexstake Incorporated Robert K. Hughes, Jr. 2150 Andrea Lane Ft Meyers FL 33912 robert@flexstake.com	Phone: (800) 348-9839 Cell: (239) 481-3539 Fax: (239) 482-3539 www.flexstake.com	Glare Screen System	BABA Compliant: YES approved 7 /31/1996
Glare Systems Mallory Grant 522 W. Riverside Ave. Spokane WA 99201 mallory@glareystems.com	Phone: (509) 643-4236 Cell: (406) 354-9583 Fax: www.glareystems.com	Glare Gaard	BABA Compliant: Unkn approved 4 /1 /2026
Plasticade Henry Ross 100 Howard Avenue Des Plaines IL 60018 hross@plasticade.com	Phone: (800) 772-0355 Cell: (773) 294-4942 Fax: www.plasticade.com	Plasticade Modular Glare Screen	BABA Compliant: EXEMPT approved 6 /11/2020
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	Glare Screen System	BABA Compliant: unkn approved 7 /31/1996

632.03.05 RETROREFLECTOMETERS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Mirolux Products Incorporated William Kaiser 12571 S. Deer Canyon Lane Draper UT 84020-3105 sales@miroluxproducts.com	Phone: (801) 718-7089 Cell: Fax: (801) 571-3394 www.miroluxproducts.com	Mirolux Ultra 30	BABA Compliant: unkn approved 12/26/1999
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	LTL-2000 discontinuing	10/08 LTL 2000 Geometry Retroreflectometer was discontinued but still qualifies BABA Compliant: unkn approved 6 /1 /1999
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	LTL-X 30 Meter Geometry	BABA Compliant: unkn approved 6 /1 /1999

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

632.03.05 RETROREFLECTOMETERS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	LTL-X Mark II	BABA Compliant: unkn approved 9 /25/2017
RetroTekUSA, Inc. Joe Turley 8 The Green, Suite #13817 Dover DE 19901 jturley@retrotekusa.com	Phone: (469) 619-0899 Cell: Fax: www.retrotekusa.com	RetroTek-D	Alt phone +353 87 2555376. BABA Compliant: EXEMPT approved 3 /15/2023
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (800) 637-2758 Fax: (858) 576-9286 www.roadvista.com	LaserLux CEN 30 LaserLux CEN 30 Mobile	PRODUCT DISCONTINUED BABA Compliant: NA approved 12/5 /2016
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (800) 637-2758 Fax: (858) 576-9286 www.roadvista.com	LaserLux G7 Mobile	BABA Compliant: EXEMPT approved 9 /25/2017
RoadVista Chris Adkins 9925 Carroll Canyon Rd. San Diego CA 92131 cadkins@roadvista.com	Phone: (858) 279-6044 Cell: Fax: www.roadvista.com	SM3-RL-QD-C	BABA Compliant: EXEMPT approved 3 /20/2024
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (800) 637-2758 Fax: (858) 576-9286 www.roadvista.com	StripeMaster Series I	PRODUCT DISCONTINUED BABA Compliant: NA approved 5 /27/2010
RoadVista Eric Nelson 9925 Carroll Canyon Road San Diego CA 92131 enelson@roadvista.com	Phone: (858) 279-6044 Cell: (800) 637-2758 Fax: (858) 576-9286 www.roadvista.com	StripeMaster Series II	PRODUCT DISCONTINUED BABA Compliant: NA approved 5 /27/2010

633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Alpine Products Bart Farrar 550 3rd Street SW, Building C Auburn WA 98001 bart@alpinemarkings.com	Phone: (253) 351-9828 Cell: Fax: (253) 735-6303 www.alpinemarkings.com	DDOT ABS	100 mm (4") round BABA Compliant: unkn approved 6 /2 /1999

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

633.02.01 PAVEMENT MARKERS (NON-REFLECTIVE, PERMANENT)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com www.apexmarker.com	Phone: (562) 944-8878 Cell: (562) 879-6888 Fax: (562) 944-2298 929 ABS	100 mm (4") round	BABA Compliant: NA approved 6 /1 /1999
Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com www.apexmarker.com	Phone: (562) 944-8878 Cell: (562) 879-6888 Fax: (562) 944-2298 929 PP	100 mm (4") round	BABA Compliant: NA approved 6 /1 /1999
Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com www.apexmarker.com	Phone: (562) 944-8878 Cell: (562) 879-6888 Fax: (562) 944-2298 Ceramic	100 mm (4") round	BABA Compliant: NA approved 6 /1 /1999
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com www.ppg.com/traffic/en-UW	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 B10	100 mm (4") round	BABA Compliant: unkn approved 12/20/2017
Three D Traffic Works Frank Dvoracek 430 North Varney Street Burbank CA 91502 sales@trafficwks.com www.trafficwks.com	Phone: (877) 843-9757 Cell: (323) 849-1316 Fax: (818) 841-5096 TD 10500 Series	100 mm (4") round	BABA Compliant: unkn approved 12/4 /2002

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
3M Company Eric Dornak 3M Center, Bldg 223-3S-33 St. Paul MN 55144 ejdornak@mmm.com www.3M.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 3M™ Raised Pavement Marker Series 290	89 mm x 100 mm (3.6"X4") BABA valid for manufactured after 10/1/25	BABA Compliant: YES approved 6 /1 /1999
Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com www.apexmarker.com	Phone: (562) 944-8878 Cell: (562) 879-6888 Fax: (562) 944-2298 921 AR		BABA Compliant: NA approved 6 /1 /1999
Hersan USA, LLC Christian Franco 21734 Provincial Blvd. STE. 240 Katy TX 77450 sales@hersan.us www.hersan.us	Phone: (477) 579-9528 Cell: Fax: HERSAN RPM-H05-2W YELLOW Y/Y	2-Way Yellow RPM PHONE IS OUT OF COUNTRY (+52-477- 579-9528)	BABA Compliant: unkn approved 3 /13/2025

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

633.02.02 PAVEMENT MARKERS (REFLECTIVE, PERMANENT)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Hersan USA, LLC Christian Franco 21734 Provincial Blvd. STE 240 Katy TX 77450 sales@hersan.us	Phone: (477) 579-9528 Cell: Fax: www.hersan.us	HERSAN RPM-H05-2WHITE R/W 2-Way White/Red RPM PHONE IS OUT OF COUNTRY (+52-477-579-9528)	BABA Compliant: unkn approved 3 /13/2025
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	C80-FH Raised Pavement Marker	BABA Compliant: unkn approved 2 /6 /2002
Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad 5825 N. Sam Houston Parkway W, Ste. 220 Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	AA 100 mm x 100 mm (4"x4")	BABA Compliant: unkn approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad 5825 N. Sam Houston Parkway W, Ste. 220 Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	ARC 100 mm x 100 mm (4"x4")	BABA Compliant: unkn approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad 5825 N. Sam Houston Parkway W, Ste. 220 Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	Round Shoulder ARC 100 mm x 100 mm (4"x4")	BABA Compliant: unkn approved 6 /1 /1999

633.02.03 PAVEMENT MARKERS (REFLECTIVE, RECESSED)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad 5825 N. Sam Houston Parkway W, Ste. 220 Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	2002 58 mm x 19 mm (2.3"x4.6")	BABA Compliant: unkn approved 6 /1 /1999
Ray-O-Lite A Division of Pac-Tec Inc Mary Haddad 5825 N. Sam Houston Parkway W, Ste. 220 Houston TX 77086 customerservice@rayolite.com	Phone: (800) 848-7025 Cell: (281) 617-2240 Fax: (281) 583-1506 www.rayolite.com	2004 58 mm x 19 mm (2.3"x4.6")	BABA Compliant: unkn approved 6 /1 /1999

633.02.04 PAVEMENT MARKERS ADHESIVE

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
--	---------------------	----------------	------------------------

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

633.02.04 PAVEMENT MARKERS ADHESIVE

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Crafco, Inc. Angie Hoaglin 6165 W. Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 276-0406 Cell: (602) 418-9902 Fax: (480) 961-0513 www.crafco.com	34270 Hot Applied Flexible	BABA Compliant: EXEMPT approved 6 /16/1998
Martin Asphalt Company Juan Hermosillo 300 Christy Place South Houston TX 77587 juan.hermosillo@martinmlp.com	Phone: (713) 943-5210 Cell: (713) 941-4410 Fax: (713) 947-4908 www.martinasphalt.com	172542 Evergrip Bituminous	BABA Compliant: unkn approved 6 /15/1998
Martin Asphalt Company Juan Hermosillo 300 Christy Place South Houston TX 77587 juan.hermosillo@martinmlp.com	Phone: (713) 943-5210 Cell: (713) 941-4410 Fax: (713) 947-4908 www.martinasphalt.com	Evergrip Flexible GTR BMA	BABA Compliant: unkn approved 6 /15/2016
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	Bundy 12 cm X 12 cm Pad; (5" X 5") Pad	White color on plantmix and black color on PCCP BABA Compliant: unkn approved 5 /4 /1998
Seal Bond Kelly Iverson 1251 E. Mt. Garfield Road Norton Shores MI 49444 kiverson@seal-bond.com	Phone: (800) 252-4144 Cell: Fax: (616) 850-0530 www.seal-bond.com	SB 9113 Traffic Reflector Adhesive	BABA Compliant: unkn approved 9 /25/2017

633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Apex Universal Incorporated Janet Yang 11033 Forest Place Santa Fe Springs CA 90670 sales@apexmarker.com	Phone: (562) 944-8878 Cell: (562) 879-6888 Fax: (562) 944-2298 www.apexmarker.com	Apex Chip Seal / Overlay Marker	BABA Compliant: EXEMPT approved 1 /8 /2013
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 25	Work zone pavement markers BABA Compliant: unkn approved 11/29/2000
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	Halftrack Model 26	Work zone pavement markers BABA Compliant: unkn approved 11/29/2000

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

633.02.05 LANE LINE MARKERS (REFLECTIVE, TEMPORARY)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	TOM Work zone pavement markers	BABA Compliant: unkn approved 11/29/2000
Pexco, LLC Craig Schulz 3110 70th Avenue East Tacoma WA 98424 craig.schulz@pexco.com	Phone: (253) 284-8000 Cell: (253) 284-8005 Fax: (253) 284-8080 www.pexco.com	TRPM (Temporary Overlay) Work zone pavement markers	BABA Compliant: unkn approved 11/29/2000
Shur-Tite Products Emily Krueger 5718 Transportation Blvd Garfield Heights OH 44125 ekrueger@shur-tite.com	Phone: (714) 743-2664 Cell: (512) 218-9500 Fax: (512) 388-0417 www.shur-tite.com	Shur-Tite T-Tab Temporary Overlay Marker	BABA Compliant: unkn approved 12/12/2024

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Center, Bldg 223-3S-33 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M Stamark All Weather Removable Tape Series 710 Series WRR = Wet Reflective Removable white/yellow available	BABA Compliant: unkn approved 8/16/2006
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com/tcm	3M™ Stamark™ All Weather Removable Tape Series 710IR Wet Reflective Removable. Has netting in backing to aid in removal. White/yellow available	BABA Compliant: unkn approved 6/14/2024
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	200 Construction R R = Removable white/yellow available	BABA Compliant: unkn approved 9/24/2003
Brite Line Technologies Shea Durkin 10390 E. 48th Ave Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series 100R R = Removeable white/yellow available	BABA Compliant: unkn approved 6/15/1999
Brite Line Technologies Shea Durkin 10390 E. 48th Ave Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series 200R R = Removeable white/yellow available	BABA Compliant: unkn approved 6/15/1999

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

635.02.01 PAVEMENT STRIPING TAPE (TEMPORARY)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Brite Line Technologies Shea Durkin 10390 E. 48th Ave Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series Deltaline TWR TWR = Temporary Wet Removeable white/yellow available	BABA Compliant: unkn approved 6 /15/1999
Tape4 LLC Greg Gibson P.O. Box 300575 St Louis MO 63130 greg@tape4.com	Phone: (314) 968-2569 Cell: (314) 601-2017 Fax: www.tape-4.com	Aztec III R R = Removeable white/yellow available alt. contact is David Littleton (e): david@tape4.com	BABA Compliant: YES approved 6 /7 /2013

641.02.01 IMPACT ATTENUATORS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Hill & Smith, Inc. Alvaro Morales 987 Buckeye Park Road Columbus OH 43207 alvaro.morales@hillandsmith.com	Phone: (614) 340-6294 Cell: (707) 398-3544 Fax: www.hillandsmith.com	SCI100GM MASH approved, TL-3 Compliant; Approved at all speeds.	BABA Compliant: YES approved 2 /23/2007
Hill & Smith, Inc. Alvaro Morales 1375 Quilici Ranch Rd. Reno NV 89439 alvaro.morales@hillandsmith.com	Phone: (614) 340-6294 Cell: (707) 398-3544 Fax: www.hillandsmith.com	SmartPod Crash Cushion	BABA Compliant: YES approved 6 /17/2024
Lindsay Transportation Solutions Sean Brockhouse 18135 Burke Street, Ste 100 Omaha NE 68022 sean.brockhouse@lindsay.com	Phone: (402) 829-6800 Cell: Fax: www.lindsay.com	TAU-XR	BABA Compliant: unkn approved 6 /14/2024
Lindsay Transportation Solutions, LLC Sean Brockhouse 18135 Burke St, Ste. 100 Omaha NE 68022 Itsproductapprovals@lindsay.com	Phone: (402) 829-6800 Cell: Fax: www.lindsay.com	TAU Variable Width Transition	BABA Compliant: unkn approved 9 /11/2025
Lindsay Transportation Solutions, LLC Sean Brockhouse 18135 Burke St Omaha NE 68022 LTSPProductApprovals@lindsay.com	Phone: (402) 829-6800 Cell: Fax: www.lindsay.com	TAU-M™ Wide 72" * 72" wide	BABA Compliant: yes approved 4 /1 /2026
Lindsay Transportation Solutions, LLC Larry Savage 18135 Burke Street, Ste 100 Rio Vista CA 94571 larry.savage@lindsay.com	Phone: (707) 374-6800 Cell: (916) 474-9644 Fax: (707) 374-6801 www.lindsay.com/transportation-solutions	Universal TAU-M MASH TL-3	BABA Compliant: unkn approved 7 /22/2019

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

641.02.01 IMPACT ATTENUATORS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Traffix Devices, Inc. Ken Haley 160 Avenida La Pata San Clemente CA 92673 khaley@traffixdevices.com	Phone: (949) 361-5663 Cell: (760) 265-0226 Fax: see remarks	Delta Crash Cushion MASH TL-3; https://www.traffixdevices.com/products/attenuators/delta	BABA Compliant: YES approved 12/20/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	QuadGuard Elite M10 MASH TL-3; 24 and 69 inch widths approved	BABA Compliant: unkn approved 3/11/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	QuadGuard M Wide MASH TL-3	BABA Compliant: unkn approved 3/11/2021
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	QuadGuard M10 MASH TL-3	BABA Compliant: unkn approved 3/27/2019
Valtir, LLC Paul Kruse 15601 Dallas Parkway, Suite 525 Addison TX 75001 paul.kruse@valtir.com	Phone: (916) 644-9102 Cell: (888) 323-6374 Fax: www.valtir.com	REACT M MASH TL-3	BABA Compliant: unkn approved 12/20/2021

641.02.01a IMPACT ATTENUATOR (LOW MAINTENANCE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Currently seeking applications **** **** **** ** *****	Phone: Cell: Fax:	**** NDOT is currently seeking applications for this category. The requirements and QPL application can be found on NDOT's Product Evaluation website: https://www.dot.nv.gov/doing-business/about-ndot/ndot-divisions/planning/research/product-evaluation .	BABA Compliant: approved 4/1/2026

642.02.02 CONCRETE PANEL WALL SYSTEMS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Geoquest USA, Inc Manuel Bernal 45610 Woodland Rd., Ste. 200 Sterling VA 20166 manuel.bernal@geoquest-group.com	Phone: (703) 547-8797 Cell: (949) 817-2957 Fax: www.geoquest-group.us	GeoMega MSE Wall System MANDATORY consultation with NDOT Structures and Geotechnical BEFORE submitting on a bid--contact coordinator to get contact info for this well in advance. Approved with Omega connection ONLY. Height restricted to 50 ft maximum.	BABA Compliant: YES approved 3/27/2019

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

642.02.02 CONCRETE PANEL WALL SYSTEMS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Geoquest USA, Inc Manuel Bernal 45610 Woodland Rd., Ste. 200 Sterling VA 2016 manuel.bernal@geoquest-group.com	Phone: (703) 547-8797 Cell: (949) 817-2957 Fax: www.geoquest-group.us	Reinforced Earth Lrg Wall	BABA Compliant: YES approved 2/7/2001
Geoquest USA, Inc Manual Bernal 45610 Woodland Rd, Ste. 200 Sterling VA 20166 Manuel.bernal@geoquest-group.com	Phone: (703) 547-8797 Cell: (949) 817-2957 Fax: www.geoquest-group.us	Retained Earth	BABA Compliant: YES approved 2/7/2001
Structured Soil Nicole Maldonado 1603 Capitol Ave., STE 413D170 Cheyenne WY 82001 info@structuredsoil.com / nicole@structured	Phone: (307) 316-5545 Cell: (707) 443-5093 Fax: www.structuredsoil.com	Reinforced Soil Embankment Wall	BABA Compliant: YES approved 9/8/1998
Tensar International Corporation Robert Johnson 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009 rjohnson@tensarcorp.com	Phone: (770) 344-2090 Cell: (770) 557-5015 Fax: (770) 344-2084 www.tensarcorp.com	Ares Retaining Precast Wall	BABA Compliant: unkn approved 6/11/1998

642.02.03 SEGMENTAL BLOCK WALL SYSTEMS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Geoquest USA, Inc Manual Bernal 45610 Woodland Rd., Ste 200 Sterling VA 20166 manuel.bernal@geoquest-group.com	Phone: (703) 547-8797 Cell: (949) 817-2957 Fax: www.geoquest-group.us	Pyramid	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 642.02.03 NDOT specifications BABA Compliant: YES approved 9/30/1994
Jensen Precast George Kehagias 9895 Double R Blvd. Reno NV 89521 gkehagias@jensenprecast.com	Phone: (775) 352-2700 Cell: (775) 352-6334 Fax: (775) 359-6364 www.jensenprecast.com	Redi-Rock	Permitted on a project-by-project basis with approvals from NDOT bridge and NDOT geotechnical and in accordance with 642.02.03 NDOT specifications BABA Compliant: YES approved 7/23/2009
KeyStone Retaining Walls Keith Miller 4444 W 78th Street Minneapolis MN 55435 keith.miller@keystonewalls.com	Phone: (612) 513-8560 Cell: (952) 897-1040 Fax: www.keystonewalls.com	KeySystem III	BABA Compliant: YES approved 9/11/2025
Tensar International Corporation Robert Johnson 2500 Northwinds Parkway, Suite 500 Alpharetta GA 30009 rjohnson@tensarcorp.com	Phone: (770) 344-2090 Cell: (770) 557-5015 Fax: (770) 344-2084 www.tensarcorp.com	MESA	Permitted only when specified in the contract documents as an acceptable product. BABA Compliant: unkn approved 1/1/2012

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

646.02.02 CRACK SEALANTS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd. Pompano Beach FL 33064 rthomas@meridianadhesives.com	Phone: (800) 892-1880 Cell: (954) 789-4764 Fax: (954) 782-2499 www.atcepoxy.com	CRACKBOND V65 HI-MOD Type I, II, IV and V; Grade 1; Class B and C.	BABA Compliant: YES approved 12/17/2018
E-Chem, LLC Renee Thomas 4102 El Rey Road SE Albuquerque NM 87105 rthomas@meridianadhesives.com	Phone: (505) 217-2121 Cell: (954) 789-4764 Fax: https://meridianadhesives.com/echem/	EP100-SEAL HM ASTM C881 Type I, II, IV, and V; Grade 1; Class B and C	BABA Compliant: YES approved 7/22/2019
E-Chem, LLC Renee Thomas 4102 El Rey Road SE Albuquerque NM 87105 rthomas@meridianadhesives.com	Phone: (505) 217-2121 Cell: (954) 789-4764 Fax: https://meridianadhesives.com/echem/	EP-SLV ASTM C881 Type I, II, IV, and V; Grade 1; Class B and C	BABA Compliant: YES approved 7/22/2019
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (800) 321-7628 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Dural 335 ASTM C881 Type I and IV; Grade 1; Class C	BABA Compliant: unkn approved 6/22/2021
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikadur 55 SLV Type I and II; Grade 1; Class C	BABA Compliant: YES approved 6/15/2016
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA 92509 dbartlett@strongtie.com	Phone: (480) 450-5321 Cell: (702) 524-5524 Fax: strongtie.com	CI-LPL ASTM C881 Type I and IV; Grade 1; Class C	BABA Compliant: unkn approved 9/19/2022
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA 92509 dbartlett@strongtie.com	Phone: (480) 450-5321 Cell: (702) 524-5524 Fax: strongtie.com	CI-LV ASTM C881 Type I, II, IV and V; Grade 1; Class B and C	BABA Compliant: unkn approved 9/19/2022
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA 92509 dbartlett@strongtie.com	Phone: (480) 450-5321 Cell: (702) 524-5524 Fax: strongtie.com	CI-LV FS ASTM C881 Type I, II, IV and V; Grade 1; Class B and C	BABA Compliant: unkn approved 9/19/2022

646.02.04 SHEET MEMBRANE

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
--	---------------------	----------------	------------------------

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

646.02.04 SHEET MEMBRANE

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Protecto Wrap Company Mitch Stadt 1955 S. Cherokee St. Denver CO 80223 mitch@protectowrap.com	Phone: (310) 926-2028 Cell: Fax: (303) 777-9273 www.protectowrap.com	M-400A(R)	BABA Compliant: YES approved 9/19/2024
W.R. Meadows, Inc. Taylor Wodinzinski 300 Industrial Drive Hampshire IL 60140 DOT@wrmeadows.com	Phone: (847) 214-2110 Cell: Fax: www.wrmeadows.com	MEL-DEK	BABA Compliant: YES approved 10/3/2022

646.02.05 LIQUID MEMBRANE

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
PPG Rafal Trojniak One PPG Place Pittsburgh PA 15272 rtrojniak@ppg.com	Phone: (913) 912-3305 Cell: Fax: www.bridgepreservation.com	Bridge Deck Membrane (BDM)	Ext. 125 BABA Compliant: unkn approved 9/25/2017

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Res-Cure	ASTM C309 Type 1D BABA Compliant: YES approved 9/2/2008
ChemMasters John Kirk 300 Edwards St. Madison OH 44057 johnkirk@chemmasters.net	Phone: (440) 428-2105 Cell: (800) 486-7866 Fax: www.chemmasters.net	Safe-Cure 1200 Clear	"ASTM C309 Type 1D variant only" BABA Compliant: unkn approved 6/14/2024
ChemMasters, Inc. John Kirk 300 Edwards St. Madison OH 44057 johnkirk@chemmasters.net	Phone: (800) 486-7866 Cell: (440) 428-2105 Fax: (440) 428-7091 www.chemmasters.net	Safe-Cure 1000 Clear w/Dye	ASTM C309 Type 1D Variant On ly BABA Compliant: unkn approved 3/11/2021
Dayton Superior Corporation Sarah Clark 1125 Byers Rd. Miamisburg OH 45342 sarahclark@daytonsuperior.com	Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	Resin Cure w/Dye J11WD	ASTM C309 Type 1D. Ext. 44376. BABA Compliant: YES approved 1/8/2010

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

702.03.01c CURING COMPOUND (LIQUID MEMBRANE FORMING FOR CURING CONCRETE)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com www.euclidchemical.com	KUREZ DR VOX	ASTM C309 Type 1D	BABA Compliant: unkn approved 3 /15/2023
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com www.euclidchemical.com	Tammsecure WB	ASTM C309 Type 1D	BABA Compliant: unkn approved 3 /15/2023
Kaufman Products, Inc. Alex S. Kaufman 3811 Curtis Ave. Baltimore MD 21226 akaufman@kaufmanproducts.net www.kaufmanproducts.net	Thinfilm 420	"ASTM C309 Type 1D variant only"	BABA Compliant: YES approved 3 /20/2024
Mapei Luis Falaschi 1144 E. Newport Center Dr. Deerfield Beach FL 33144 lfalaschi@mapei.com www.mapei.us	Mapecure DR 1D		BABA Compliant: unkn approved 3 /13/2025
SpecChem Michael Lemark 1511 Baltimore Ave. Kansas City MO 64108 mlemark@specchemllc.com www.specchem.com	SpecRez	Type 1D Additional contact number 913-713-2242	BABA Compliant: unkn approved 3 /26/2018
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com www.usspec.com	US SPEC MaxCure Resin Clear	ASTM C309 Type 1D	BABA Compliant: YES approved 2 /6 /2006
W.R. Meadows Taylor Wodzinski 300 Industrial Dr. Hampshire IL 60140 dot@wrmeadows.com www.wrmeadows.com	1100 Clear	ASTM C309 Type 1D Variant Only	BABA Compliant: YES approved 8 /21/2019
W.R. Meadows Taylor Wodinski 300 Industrial Dr. Hampshire IL 60140 dot@wrmeadows.com www.wrmeadows.com	1300 Clear	ASTM C309 Type 1D Variant Only	BABA Compliant: YES approved 8 /21/2019

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
--	---------------------	----------------	------------------------

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Pro-Cure White	BABA Compliant: YES approved 9 /2 /2008
ChemMasters, Inc. John Kirk 300 Edwards St. Madison OH 44057 johnkirk@chemmasters.net	Phone: (800) 486-7866 Cell: (440) 428-2105 Fax: (440) 428-7091 www.chemmasters.net	Safe-Cure 800	BABA Compliant: unkn approved 3 /11/2021
Crafco, Inc. Angie Hoaglin 6165 W. Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	Phone: (602) 414-9902 Cell: Fax: www.crafco.com	White Water Wax 309	BABA Compliant: EXEMPT approved 3 /14/2022
Dayton Superior Corporation Sarah Clark 1125 Byers Rd. Miamisburg OH 45342 sarahclark@daytonsuperior.com	Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	White Wax Cure J9A Ext. 44376.	BABA Compliant: YES approved 8 /29/2008
Kaufman Products, Inc. Alex S. Kaufman 3811 Curtis Ave. Baltimore MD 21226 akaufman@kaufmanproducts.net	Phone: (410) 354-8600 Cell: (800) 637-6372 Fax: (410) 354-1122 www.kaufmanproducts.net	Thinfilm 445	BABA Compliant: YES approved 3 /20/2024
SpecChem Michael Lemark 1511 Baltimore Ave Ste 600 Kansas City MO 64108 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemllc.com	Atlas Pro-Cure White	Additional contact phone number 913-713-2242 BABA Compliant: unkn approved 1 /22/2014
SpecChem Michael Lemark 1511 Baltimore Ave., Suite 600 Kansas City KS 64108 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemllc.com	PaveCure WW	Additional contact number 913-713-2242 BABA Compliant: unkn approved 2 /18/2008
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC MaxCure Wax White	BABA Compliant: YES approved 7 /2 /2008

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

702.03.01d CURING COMPOUND (WHITE PIGMENTED, WAX BASE)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
W.R. Meadows Taylor Wodzinski 300 Industrial Dr. Hampshire IL 60140 dot@wrmeadows.com	Phone: (847) 214-2100 Cell: Fax: www.wrmeadows.com	1600 White	BABA Compliant: YES approved 5 /2 /2019

702.03.04 CURING COMPOUND (BRIDGE DECK)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Atlas Tech Products Ryan Quinn 680 West Lake Mead Parkway Henderson NV 89015 ryanquinn@atlasform.com	Phone: (702) 227-6800 Cell: (858) 277-2100 Fax: (702) 222-0488 www.atlasform.com	Atlas Pro-Cure AMS White 1315	Bridge Decks ASTM C309, Type 2, Class B BABA Compliant: YES approved 9 /2 /2008
ChemMasters, Inc. John Kirk 300 Edwards St. Madison OH 44057 johnkirk@chemmasters.net	Phone: (800) 486-7866 Cell: (440) 428-2105 Fax: (440) 428-7091 www.chemmasters.net	Certi-Vex Envio Cure White 1315	BABA Compliant: unkn approved 12/31/2019
Kaufman Products, Inc. Alex S. Kaufman 3811 Curtis Ave. Baltimore MD 21226 akaufman@kaufmanproducts.net	Phone: (410) 354-8600 Cell: (800) 637-6372 Fax: (410) 354-1122 www.kaufmanproducts.net	Thinfilm 454	BABA Compliant: YES approved 3 /20/2024
SpecChem Michael Lemark 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemllc.com	Atlas Pro-Cure AMS	Additional contact phone number 913-713-2242 BABA Compliant: unkn approved 1 /22/2014
SpecChem Michael Lemark 1511 Baltimore Ave., Suite 600 Kansas City MO 64108 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemllc.com	Pave Cure AMS	Additional contact number 913-713-2242 BABA Compliant: unkn approved 5 /7 /2013
US Mix Company Chris Courtney 112 South Santa Fe Drive Denver CO 80223 chris.courtney@oldcastle.com	Phone: (303) 778-7227 Cell: (303) 489-1083 Fax: (303) 722-8426 www.usspec.com	US SPEC AMS 3754 White	Bridge Decks ASTM C309, Type 2, Class B BABA Compliant: YES approved 6 /17/2008
W.R. Meadows, Inc. Taylor Wodzinski 300 Industrial Drive Hampshire IL 60140 DOT@wrmeadows.com	Phone: (847) 214-2100 Cell: Fax: www.wrmeadows.com	2250-WHITE	BABA Compliant: YES approved 9 /19/2022

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

702.03.05 POZZOLANS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Gokul Venkitachalam 18750 Minnesota Road Corona CA 92881-4313 gvenkitachalam@mmm.com	NP200C Phone: (951) 520-4639 Cell: (405) 245-3643 Fax:	Class N	BABA Compliant: EXEMPT approved 9 /17/2020
Charah Solutions Bill Eggleston 12601 Plantside Drive Louisville KY 40299 beggleston@charah.com	Miami Fort Phone: (502) 631-0043 Cell: Fax:	Class F	BABA Compliant: EXEMPT approved 6 /22/2021
Drake Cement, LLC Teresa Coleman 5001 E. Drake Rd. Paulden AZ 86334 tcoleman@drakeus.com	Natural Pozzolan Phone: (480) 219-7558 Cell: (480) 341-1260 Fax:	Class N	BABA Compliant: EXEMPT approved 12/11/2025
EM Resources Craig Wallace 1616 Cape Coral Pkwy. W. Ste 102 PMB 258 Cape Coral FL 33914 cwallace@ecomaterial.com	PozzoSlag P Phone: (239) 565-2338 Cell: Fax:	Class N	BABA Compliant: EXEMPT approved 12/11/2025
EM Resources, LLC Craig Wallace 1216 Cape Coral Pkwy W., STE 102 PMB 258 Cape Coral FL 33914 cwallace@ecomaterial.com	Coal Creek Class F Fly Ash Phone: (239) 565-2338 Cell: Fax: (866) 449-8108	Class F	BABA Compliant: EXEMPT approved 4 /1 /2020
EM Resources, LLC Craig Wallace 1216 Cape Coral Pkwy W., STE 102 PMB 258 Cape Coral FL 33914 cwallace@ecomaterial.com	Craig Class F Fly Ash Phone: (239) 565-2338 Cell: Fax: (866) 449-8108	Class F	BABA Compliant: EXEMPT approved 4 /1 /2020
EM Resources, LLC Craig Wallace 1216 Cape Coral Pkwy W., STE 102 PMB 258 Cape Coral FL 33914 cwallace@ecomaterial.com	Oak Grove Coal Ash Class F Phone: (239) 565-2338 Cell: Fax:	Class F	BABA Compliant: EXEMPT approved 3 /20/2024

702.03.05 POZZOLANS

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
EM Resources, LLC Craig Wallace 1216 Cape Coral Pkwy W., STE 102 PMB 258 Cape Coral FL 33914 cwallace@ecomaterial.com	Prairie State	Class F Phone: (239) 565-2338 Cell: Fax: (866) 449-8108 https://flyash.com	BABA Compliant: EXEMPT approved 6/22/2021
Geofortis Utah, LLC Craig Wallace 30 S Tooele Blvd Tooele UT 84074 cwallace@ecomaterial.com	Geofortis Utah Natural Pozzolan	Class N Phone: (239) 565-2338 Cell: Fax: www.ecomaterial.com	BABA Compliant: EXEMPT approved 9/17/2020
Golden State Pozzolan Ben Inkster 5980 Outfall Circle Sacramento CA 95828 ben@goldenstatecrushing.com	GSP Class N	Class N Phone: (916) 381-4100 Cell: (209) 552-5550 Fax: www.goldenstatecrushing.com	BABA Compliant: EXEMPT approved 3/14/2022
MIC Global Solutions, LLC Amer Masri 500 Winderley Place, Suite 200 Maitland FL 32751 a.masri@manaseer-ic.com	ManaseerCrete	Class N Phone: (689) 240-6500 Cell: (727) 335-9331 Fax: https://manaseergroup.com	BABA Compliant: EXEMPT approved
Nevada Cement Company, LLC Scott Murphy 1290 West Main Street Fernley NV 89408 smurphy@nevadacement.com	Pozzolan Class "N"	Class N Phone: (775) 575-2281 Cell: (775) 232-4508 Fax: (775) 575-4387 www.nevadacement.com	BABA Compliant: EXEMPT approved 4/8/2011
Salt River Materials Group - Phoenix Cement Co Hunter Garrison 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606 hgarrison@srmaterials.com	Apache Class F Fly Ash	Phone: (480) 850-5757 Cell: (480) 910-4381 Fax: www.srmaterials.com	BABA Compliant: EXEMPT approved 4/16/2020
Salt River Materials Group - Phoenix Cement Co Hunter Garrison 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606 hgarrison@srmaterials.com	Bonanza Class F Fly Ash	Phone: (480) 850-5757 Cell: (480) 910-4381 Fax: www.srmaterials.com	BABA Compliant: EXEMPT approved 9/25/2017
Salt River Materials Group - Phoenix Cement Co Hunter Garrison 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606 hgarrison@srmaterials.com	Four Corners Class F Fly Ash	Class F Plant: Four Corners Plant, Fruitland, NM Phone: (480) 850-5757 Cell: (480) 910-4381 Fax: www.srmaterials.com	BABA Compliant: EXEMPT approved 2/4/2011

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

702.03.05 POZZOLANS

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Salt River Materials Group - Phoenix Cement Co Hunter Garrison 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250-2606 hgarrison@srmaterials.com	Huntington Class F Fly Ash	Class F	BABA Compliant: EXEMPT approved 3 /14/2022
Salt River Materials Group - Phoenix Cement Co. Hunter Garrison 8800 East Chaparral Road, Suite 155 Scottsdale AZ 85250 hgarrison@srmaterials.com	Bridger Class F Fly Ash	Class F	BABA Compliant: EXEMPT approved 2 /9 /2023
Salt River Materials Group - Phoenix Cement Co. Jeff Hearne 8800 E. Chaparral Rd., Ste. 155 Scottsdale AZ 85250 jhearne@srmaterials.com	Coronado Harvested Class F Fly Ash	Class F Fly Ash	BABA Compliant: Exempt approved 4 /1 /2026
Whitemud Resources Incorporated Thomas O'Neill 6713 Fairmount Drive SE Calgary, Alberta, T2H 0X6 Canada info@whitemudresources.com	Metakaolin	Class N. Mobile# (403) 801-4125.	BABA Compliant: EXEMPT approved 2 /4 /2011

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Crafco, Inc. Angie Hoaglin 6165 W, Detroit St. Chandler AZ 85226 angie.hoaglin@crafco.com	Roadsaver Silicone SL		BABA Compliant: EXEMPT approved 6 /20/2006
DS Brown Company Ryan Sypherd 300 East Cherry Street North Baltimore OH 45872 rsypherd@dsbrown.com	DSB 900 SL Silicone	SL = Self Leveling	BABA Compliant: YES approved 4 /5 /2005
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Pecora 300SL		BABA Compliant: YES approved 9 /15/2001

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

707.03.04 JOINT SEALER (FOR WEAKENED PLANE JOINTS IN PCCP)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikasil 728 SL	BABA Compliant: YES approved 8 /5 /2005
The Dow Chemical Company Jason Sika 12081 West Alameda Parkway #421 Lakewood CO 80228 jason.sika@dow.com	Phone: (989) 496-3833 Cell: (303) 880-9614 Fax: www.dow.com	DOWSIL 890-SL Silicone Sealant	BABA Compliant: unkn approved 3 /20/1997
Tremco CPG, Inc. Technical Services 3735 Green Road Beachwood OH 44122 techresources@tremcoinc.com	Phone: (866) 209-2404 Cell: (216) 292-5000 Fax: (216) 766-5535 www.tremcosealants.com	Spectrem 900 SL Formula 974831 w/ 333 Cartridges	SL = Self Leveling BABA Compliant: unkn approved 5 /31/2002

714.03.01b COATING SYSTEMS FOR BRIDGES

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Carboline Global Inc Agatha McFarland 2150 Schuetz Road Maryland Heights MO 63146 amcfarland@carboline.com	Phone: (314) 644-1000 Cell: (770) 846-1318 Fax: (314) 587-2693 www.carboline.com	Use the System in Remarks	Shop Coat: Carbozinc 11, Part A: Base Part B: Zinc Filler.1st Field Coat: Carboguard 893 Cycloaliphatic Amine Epoxy-Part A: Resin Part B: Catalyst. Top Coat: Carbothane 134 HS Aliphatic Acrylic Polyurethane-Part A: Resin Part B: Urethane Converter 811 BABA Compliant: YES approved 12/30/1998
PPG Protective and Marine Coatings Tom Higginbotham One PPG Place Pittsburg PA 15272 twhigginbotham@ppg.com	Phone: (205) 619-8390 Cell: Fax: www.ppgmc.com	Amerlock 600 DOT / Pitthane Ultra DOT	BABA Compliant: yes approved 12/11/2025
Sherwin Williams Company Matt Sandlin 101 Prospect Avenue NW Cleveland OH 44115 matthew.g.sandlin@sherwin.com	Phone: (216) 566-1733 Cell: (602) 692-0335 Fax: (216) 830-7721 www.sherwinwilliams.com	Use the System in Remarks	Shop Coat: Zinc Clad II, Part E: B69V3 Part F: B69D11 1st Field Coat: Recoatable Epoxy Primer - Part G: B67R5 Part H: B67V5 Top Coat: Sherthane® 2K Urethane - Part A: B65-150 Series Part B: B65V150 BABA Compliant: unkn approved 12/30/1998

716.03.01a REFLECTIVE SHEETING (TYPE IV)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
3M Eric Dornak 3M Center, 235-3W-053 St. Paul MN 55144 ejdornak@mmm.com	Phone: (702) 743-0012 Cell: Fax: www.3m.com	Flexible Prismatic Retroreflective Sheeting Series 3300i	For work zone barrels, drums, and other channelizers BABA Compliant: unkn approved 6 /14/2024

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

716.03.01a REFLECTIVE SHEETING (TYPE IV)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Center, Bldg 233-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M Diamond Grade Flexible Work Zone Sheeting 3910 White	Type IV Available in @hit, Flurescent Yellow, & Flurescent Orange for work zone drums and delineators BABA Compliant: EXEMPT approved 8 /16/2000
3M Company Eric Dornak 3M Center, Bldg 233-3S-33 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ Flexible Work Zone Sheeting 3911 Fluorescent Yellow	Type IV for work zone drums and delineators BABA Compliant: EXEMPT approved 8 /16/2000
3M Company Eric Dornak 3M Center, Bldg 223-3S-33 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ Flexible Work Zone Sheeting 3914 Fluorescent Orange	Type IV for work zone drums and delineators BABA Compliant: EXEMPT approved 8 /16/2000
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ Fluorescent Work Zone Sheeting Series 3924S	Type IV for Work Zone Traffic Signs ONLY BABA Compliant: EXEMPT approved 12/1 /2004
3M Company Eric Dornak 3M Center, Bldg 223-3S-33 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ High Intensity Prismatic Reflective Sheeting Series 3930	Type IV for Barricades ONLY and Permanent Traffic BABA Compliant: unkn approved 12/1 /2004
Avery Dennison Jon Adams 7542 North Natchez Ave. Niles IL 60714 jon.adams@averydennison.com	Phone: (773) 255-3739 Cell: (847) 588-7688 Fax: www.reflective.averydennison.com	WR-7100M Metalized Reboundable Retroreflective Series	BABA Compliant: unkn approved 12/12/2024
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	T6500 P HI	Type IV for temporary traffic control devices, delineators and permanent signs ONLY BABA Compliant: unkn approved 7 /10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	W6000 P	Type IV for temporary traffic control devices, delineators, and work zone barricade ONLY BABA Compliant: unkn approved 7 /10/2001

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

716.03.01a REFLECTIVE SHEETING (TYPE IV)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	W7514 F Type IV for temporary traffic control devices, delineators, and work zone signs ONLY	BABA Compliant: unkn approved 7/10/2001
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	WR-7100 White R Type IV F= Fluorescent; R= Reboundable	BABA Compliant: unkn approved 3/31/2011
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	WR-7114 Orange FR Type IV F= Fluorescent; R= Reboundable	BABA Compliant: unkn approved 3/31/2011
Avery Dennison Reflective Solutions Nipa Joshi 7542 North Natchez Ave. Niles IL 60174 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	Avery Dennison WC-4100 Cone Collar Sheeting	BABA Compliant: unkn approved 6/11/2020
Nippon Carbide Industries (USA), Inc. Andy Kato 13856 Bettencourt St. Cerritos CA 90703 akato@nikkalite.com	Phone: (800) 821-4264 Cell: (562) 777-1810 Fax: (562) 777-1811 www.nikkalite.com	Nikkalite CRG 94000	BABA Compliant: unkn approved 6/11/2020
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE 5900 High Intensity Prismatic All Colors Type IV	BABA Compliant: YES approved 2/5/2013
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE 5900 White and Yellow Intensity Prismatic Type IV	BABA Compliant: YES approved 2/5/2013
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE 5934 Super Bright Reboundable Sheeting	BABA Compliant: YES approved 9/17/2020

716.03.01b REFLECTIVE SHEETING (TYPE V)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
--	---------------------	----------------	------------------------

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

716.03.01b REFLECTIVE SHEETING (TYPE V)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE AP 1000 Type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.	BABA Compliant: YES approved 4 /8 /1999
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE AR 1000 Type V For use in work zones on barrier and guardrail delineation and roadside delineation posts.	BABA Compliant: YES approved 4 /8 /1999

716.03.01c REFLECTIVE SHEETING (TYPE VI)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Center, Bldg 223-3S-33 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M Flexible Prismatic Cone Sheeting 3340 Type VI for traffic PVC cones ONLY	BABA Compliant: unkn approved 8 /16/2000
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ Roll-Up Sign Sheeting Series RS24 Type VI for work zone traffic Roll-up Signs ONLY	BABA Compliant: YES approved 8 /16/2000
Avery Dennison Reflective Solutions Nipa Joshi 7542 North Natchez Ave. Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	Avery Dennison OmniBrite WU-7000 Roll-Up Series	BABA Compliant: unkn approved 6 /11/2020
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE 5934 Super Bright Reboundable Sheeting	BABA Compliant: YES approved 9 /17/2020
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE Marathon Roll-Up Type VI for use in emergency traffic control construction work zones and utility work areas	BABA Compliant: YES approved 4 /8 /1999
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE Super Bright Roll-Up Type VI for use in emergency traffic control construction work zones and utility work areas	BABA Compliant: YES approved 4 /8 /1999

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

716.03.01c REFLECTIVE SHEETING (TYPE VI)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	Reflective Flag* Type VI *for flagger poles ONLY	BABA Compliant: YES approved 4 /6 /2011

716.03.01d REFLECTIVE SHEETING (TYPE IX)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Company St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ VIP Reflective Sheeting 3990 Series Type IX Available in Fluorescent and Standard Traffic colors DG=Diamond Grade	BABA Compliant: unkn approved 9 /10/2010
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7181 Cell: Fax: (860) 676-7199 www.orafol.com	ORALITE 5930 Fluorescent Orange Work Zone Rigid Type IX	BABA Compliant: YES approved 2 /5 /2013

716.03.01e REFLECTIVE SHEETING (TYPE XI)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M Diamond Grade DG Type XI For Work Zone Barricade Signs ONLY	BABA Compliant: EXEMPT approved 8 /16/2000
3M Company Eric Dornak 3M Center, Bldg 233-3S-33 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ DG³ Fluorescent Reflective Sheeting Series 4080 Type XI B=Barricade; WZ=Work Zones	BABA Compliant: YES approved 8 /16/2000
3M Company Eric Dornak 3M Center, Bldg 233-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Diamond Grade™ DG³ Reflective Sheeting Series 4000 Type XI B=Barricade; WZ=Work Zones; Sheeting Type XI, available in Fluorescent and standard traffic colors	BABA Compliant: YES approved 8 /16/2000
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	OC T11500 Type XI OC=OmniCube	BABA Compliant: unkn approved 7 /29/2010

716.03.01e REFLECTIVE SHEETING (TYPE XI)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	OC T11511 Type XI OC=OmniCube, Fluorescent Yellow	BABA Compliant: unkn approved 7/29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	OC T11513 Type XI OC=OmniCube, Fluorescent Yellow Green	BABA Compliant: unkn approved 7/29/2010
Avery Dennison Corporation Nipa Joshi 7542 North Natchez Avenue Niles IL 60714 nipa.joshi@averydennison.com	Phone: (847) 627-3111 Cell: (773) 255-3739 Fax: (847) 588-7925 www.reflectives.averydennison.com	OC T11514 Type XI OC=OmniCube, Fluorescent Orange	BABA Compliant: unkn approved 7/29/2010
ORAFOL Americas, Inc. Chris Gaudette 120 Darling Drive Avon CT 06001 chris.gaudette@orafol.com	Phone: (860) 676-7100 Cell: (860) 676-7181 Fax: (860) 676-7199 www.orafol.com	ORALITE 9900 Brilliant Grade Premium Type XI	BABA Compliant: YES approved 12/15/2023

728.03.02 EPOXY RESIN ADHESIVE FOR BONDING

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd. Pompano Beach FL 33064 rthomas@meridianadhesives.com	Phone: (800) 892-1880 Cell: (954) 789-4764 Fax: (954) 782-2499 www.atcepoxy.com	CRACKBOND 2100 MV Type II; Grade 2; Class B and C	BABA Compliant: YES approved 6/11/2020
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd. Pompano Beach FL 33064 rthomas@meridianadhesives.com	Phone: (800) 892-1880 Cell: (954) 789-4764 Fax: (954) 782-2499 www.atcepoxy.com	CRACKBOND LR-321LPL Type I, II, IV and V; Grade I; Class C	BABA Compliant: YES approved 6/11/2020
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd. Ponpano Beach FL 33064 rthomas@meridianadhesives.com	Phone: (754) 399-1684 Cell: (954) 789-4764 Fax: (800) 362-3320 www.atcepoxy.com	ULTRABOND 1 Type I, II, IV and V; Grade 3; Class A, B and C	BABA Compliant: YES approved 11/21/2005
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd Ponpano Beach FL 33064 rthomas@meridianadhesives.com	Phone: (800) 892-1880 Cell: (954) 789-4764 Fax: (954) 782-2499 www.atcepoxy.com	ULTRABOND 1300 Type I, II, IV and V; Grade 3; Class B and C	BABA Compliant: YES approved 11/21/2005

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

728.03.02 EPOXY RESIN ADHESIVE FOR BONDING

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd. Pompano Beach FL 33064 rthomas@meridianadhesives.com	ULTRABOND HS-1CC	Type II, IV and V; Grade 3; Class A, B and C Phone: (800) 892-1880 Cell: (954) 782-2499 Fax: (954) 782-2499 www.atcepoxy.com	BABA Compliant: YES approved 3 /26/2018
Adhesives Technology Corporation Renee Thomas 450 E. Copans Rd. Pomano Beach FL 33064 rthomas@meridianadhesives.com	ULTRABOND HS-200	Type I, II, IV and V; Grade 3; Class A, B and C Phone: (754) 399-1684 Cell: (954) 352-3320 Fax: (954) 782-2499 www.atcepoxy.com	BABA Compliant: YES approved 11/21/2005
ChemCo Systems Sara Geary 2800 Bay Rd Redwood City CA 94063 sara@chemcosystems.com	ProGuard Bonder Paste LP	Type I, II, IV and V; Grade 3; Class C Phone: (562) 378-7407 Cell: (650) 261-3790 Fax: https://www.chemcosystems.com/	BABA Compliant: unkn approved 3 /15/2023
Cornerstone Construction Materials Emma Thompson 1150 SE Hamblen Rd Lee's Summit MO 64081 ethompson@ccmaterial.com	Fastrac CE110 Injection Resin	Phone: (816) 380-1082 Cell: Fax: www.fastracproducts.com	BABA Compliant: YES approved 12/12/2024
Cornerstone Construction Materials Emma Thompson 1150 SE Hamblen Rd Lee's Summit MO 64081 ethompson@ccmaterial.com	Fastrac CE308 Epoxy Anchor Gel	Phone: (816) 380-1082 Cell: Fax: www.fastracproducts.com	BABA Compliant: YES approved 12/12/2024
Dayton Superior Corporation Sarah Clark 1125 Byers Road Miamisburg OH 45342 sarahclark@daytonsuperior.com	ProAnchor Elite	Type I, II, IV and V; Grade 3; Class A and B. Ext. 44376. Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	BABA Compliant: YES approved 3 /11/2021
Dayton Superior Corporation Sarah Clark 1125 Byers Rd. Miamisburg OH 45342 sarahclark@daytonsuperior.com	Sure Anchor I J51	Type I, II, IV and V; Grade 3; Class B and C. Ext. 44376. Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	BABA Compliant: YES approved 12/15/2023
Dayton Superior Corporation Sarah Clark 1125 Byers Road Miamisburg OH 45342 sarahclark@daytonsuperior.com	Sure Bond J58	Type II; Grade 2; Class B and C. Ext. 44376. Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	BABA Compliant: YES approved 6 /22/2021

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

728.03.02 EPOXY RESIN ADHESIVE FOR BONDING

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
DEWALT Robert Antoinette 2 Powers Lane Brewster NY 10509 robert.antoINETte@sbdinc.com	Phone: (800) 524-3244 Cell: Fax: (914) 576-6483 anchors.dewalt.com	DEWALT Pure 110+ Type I, II, IV and V; Grade 3; Class B and C	BABA Compliant: YES approved 12/1 /2016
DEWALT Robert Antoinette 2 Powers Lane Brewster NY 10509 robert.antoINETte@sbdinc.com	Phone: (800) 524-3244 Cell: Fax: (914) 576-6483 anchors.dewalt.com	DEWALT Pure50+ Type I, II, IV and V; Grade 3; Class B and C	BABA Compliant: YES approved 12/1 /2016
DEWALT Robert Antoinette 2 Powers Lane Brewster NY 10509 robert.antoINETte@sbdinc.com	Phone: (800) 524-3244 Cell: Fax: anchors.dewalt.com	Pure220+ ASTM C881 Types I, II, IV, and V; Grade 3; Class B and C	BABA Compliant: YES approved 3 /20/2024
E-Chem, LLC Renee Thomas 4102 El Rey Road SE Albuquerque NM 87105 rthomas@meridianadhesives.com	Phone: (505) 217-2121 Cell: (954) 789-4764 Fax: (505) 217-3721 https://meridianadhesives.com/echem/	EP-GEL FAST Type I, II, IV and V; Grade 3; Class B and C	BABA Compliant: YES approved 8 /30/2017
E-Chem, LLC Renee Thomas 4102 El Rey Road SE Albuquerque NM 87105 rthomas@meridianadhesives.com	Phone: (505) 217-2121 Cell: (954) 789-4764 Fax: https://meridianadhesives.com/echem/	EP-MV ASTM C881 Type I and II; Grade 2; Class B and C	BABA Compliant: YES approved 7 /22/2019
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (800) 321-7628 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Dural 452 Gel Type I, II, IV and V; Grade 3; Class C.	BABA Compliant: unkn approved 9 /20/2021
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (216) 692-8342 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Dural 452 LV Type I and IV; Grade 1; Class C.	BABA Compliant: unkn approved 9 /20/2021
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com	Phone: (800) 321-7628 Cell: (440) 429-8309 Fax: (216) 531-9399 www.euclidchemical.com	Dural 452 MV Type I, II, IV and V; Grade 2; Class C	BABA Compliant: unkn approved 11/29/2012

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

728.03.02 EPOXY RESIN ADHESIVE FOR BONDING

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Euclid Chemical Company Philip Owens 19215 Redwood Road Cleveland OH 44110 powens@euclidchemical.com www.euclidchemical.com	Dural Fast Set Gel	Type I and IV; Grade 3; Class C.	BABA Compliant: unkn approved 9/20/2021
Hilti, Inc. Chris Gamache 7250 Dallas Parkway, Suite 1000 Plano TX 75024 us-sales@hilti.com www.us.hilti.com	HIT-RE 100	Type I, II, IV and V; Grade 3; Class A, B and C additional contact: christopher.gamache@hilti.com	BABA Compliant: unkn approved 12/17/2018
Hilti, Inc. Chris Gamache 7250 Dallas Parkway, Suite 1000 Plano TX 75024 christopher.gamache@hilti.com www.us.hilti.com	HIT-RE 500v3	Type I, II, IV, and V; Grade 3; Class A, B, and C Additional contact: us-sales@hilti.com	BABA Compliant: unkn approved 9/25/2017
ITW Commercial Construction North America David Jablonski 155 Harlem Ave. Glenview IL 60025 Adhesive-Anchors@itwccna.com www.itwredhead.com	Red Head C6+	Type I, II, IV and V; Grade 3; Class B and C. Alt. company email is Adhesive-Anchors@itwccna.com	BABA Compliant: yes approved 9/24/2018
Kaufman Products, Inc. Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net www.kaufmanproducts.net	SurePoxy 117	ASTM C881 Types I, II, IV, and V; Grade 3; Class C	BABA Compliant: YES approved 3/20/2024
Kaufman Products, Inc. Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net www.kaufmanproducts.net	SurePoxy HM Gel	ASTM C881 Types I, II, IV, and V; Grade 3; Class C	BABA Compliant: YES approved 3/20/2024
Kaufman Products, Inc. Alex Kaufman 3811 Curtis Avenue Baltimore MD 21226 akaufman@kaufmanproducts.net www.kaufmanproducts.net	SurePoxy HMLV	ASTM C881 Types I, II, IV, and V; Grade 3; Class B and C	BABA Compliant: YES approved 3/20/2024
MAPEI Corporation Dave Sweetland 1144 East Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com www.mapei.com	Planibond AE	Type I, II, IV and V; Grade 3; Class B and C	BABA Compliant: unkn approved 8/3/2011

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

728.03.02 EPOXY RESIN ADHESIVE FOR BONDING

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
MAPEI Corporation Dave Sweetland 1144 E. Newport Center Drive Deerfield Beach FL 33442 dsweetland@mapei.com	Phone: (954) 246-8573 Cell: Fax: www.mapei.com	Planibond Hi-Mod Gel ASTM C881 Types I, II, IV, and V; Grade 3; Class B and C	BABA Compliant: unkn approved 3 /20/2024
MasterSpec Materials, LLC Luisa Flores 806 Buchanan Blvd, Ste 115-294 Boulder City NV 89005 info@masterspecmaterials.com	Phone: (702) 997-8838 Cell: (505) 974-0421 Fax: www.masterspecmaterials.com	RiteBond Type I, II, IV and V; Grade 2; Class B and C	BABA Compliant: EXEMPT approved 9 /24/2018
MKT Fastening, LLC Louis Peyron 1 Gunnebo Drive Lonoke AR 72086 louis@mktfastening.com	Phone: (501) 676-2222 Cell: Fax: (501) 676-7266 www.mktfastening.com	Liquid Roc 500+ Type IV; Grade 3; Class B and C	BABA Compliant: unkn approved 9 /25/2017
Pecora Corporation Glen Murphy 165 Wambold Road Harleysville PA 19438 murphyg@pecora.com	Phone: (214) 723-6051 Cell: (267) 816-7720 Fax: www.pecora.com	Dynapoxy Low Mod Epoxy Type III; Grade 2; Class B and C	BABA Compliant: YES approved 6 /7 /2010
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sika AnchorFix 3001 ASTM C881 Type IV; Grade 3; Class C. Automatic proportioning, mixing, and dispensing equipment must be used.	BABA Compliant: NA approved 7 /22/2019
Sika Corporation Mark Aument 201 Polito Avenue Lyndhurst NJ 07071 aument.mark@us.sika.com	Phone: (952) 403-6547 Cell: (952) 250-1787 Fax: usa.sika.com	Sikadur 35 Hi Mod Type I, II and IV; Grade 1; Class C	BABA Compliant: YES approved 4 /10/2006
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA 92509 dbartlett@strongtie.com	Phone: (480) 450-5621 Cell: (800) 999-5099 Fax: www.strongtie.com	ET-3G ASTM C881 Types I, II, IV, and V; Grade 3; Class A, B, and D.	BABA Compliant: unk approved 12/11/2025
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA 92509 dbartlett@strongtie.com	Phone: (480) 450-5321 Cell: (702) 524-5524 Fax: strongtie.com	RPS-752 ASTM C881 Type II; Grade 2; Class B	BABA Compliant: unkn approved 9 /19/2022

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

728.03.02 EPOXY RESIN ADHESIVE FOR BONDING

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Simpson Strong-Tie Daniel Bartlett 12246 Holly St. N Riverside CA 92509 dbartlett@strongtie.com	Phone: (480) 450-5321 Cell: (702) 524-5524 Fax: strongtie.com	SET-3G ASTM C881 Type I, II, IV and V; Grade 3; Class B and C	BABA Compliant: unkn approved 9 /19/2022
SpecChem Michael LeMark 1511 Baltimore Ave. Kansas City MO 64108 mlemark@specchemllc.com	Phone: (816) 968-5600 Cell: (562) 489-9607 Fax: www.specchemllc.com	SpecPoxy 3000 Type I, II, IV and V; Grade 3; Class B and C Additional contact number 913-713-2242	BABA Compliant: unkn approved 3 /27/2019
Unitex Chemicals / Dayton Superior Sarah Clark 1125 Byers Road Miamisburg OH 45342 sarahclark@daytonsuperior.com	Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	Pro-Poxy 200 Type II; Grade 2; Class B and C. Ext. 44376.	BABA Compliant: YES approved 6 /22/2021
Unitex Chemicals / Dayton Superior Sarah Clark 1125 Byers Rd. Miamisburg OH 45342 sarahclark@daytonsuperior.com	Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	Pro-Poxy 300 Type I, II, IV and V; Grade 3; Class B and C. Ext. 44376.	BABA Compliant: YES approved 1 /14/2003
Unitex Chemicals / Dayton Superior Sarah Clark 1125 Byers Rd. Miamisburg OH 45342 sarahclark@daytonsuperior.com	Phone: (937) 866-0711 Cell: (937) 479-5164 Fax: (937) 847-8473 www.daytonsuperior.com	Pro-Poxy 300 FAST Type I, II, IV and V; Grade 3; Class B and C. Ext. 44376.	BABA Compliant: YES approved 12/15/2023
W.R. Meadows Incorporated Taylor Wodzinski 300 Industrial Dr. Hampshire IL 60140 dot@wrmeadows.com	Phone: (847) 214-2100 Cell: Fax: www.wrmeadows.com	Rezi Weld Gel Paste State	BABA Compliant: YES approved 12/12/2024

729.03.03 PAINT MARKING MATERIAL - EPOXY

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Epoplex Chris Beadle 1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com	Phone: (800) 822-6920 Cell: (302) 893-0009 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS50 White: LS50 Part A Yellow: LS50 Part A Hardener: LS50 Part B "Lead Free Yellow" contains organic yellow pigment.	BABA Compliant: YES approved 2 /6 /2003
Epoplex Chris Beadle 1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com	Phone: (800) 822-6920 Cell: (302) 893-0009 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS60 White: LS60 Part A Yellow: LS60 Part A Hardener: LS60 Part B "Lead Free Yellow" contains organic yellow pigment.	BABA Compliant: YES approved 2 /6 /2003

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

729.03.03 PAINT MARKING MATERIAL - EPOXY

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Olin Poly-Carb Ryan Supan 125 GNS Ct. Roberta GA 31078 ryan2@olin.com	Phone: (440) 223-5261 Cell: (478) 836-3011 Fax: https://olinpolycarb.com/	Mark 55.3 White: Mark 55.3 Part A Yellow: Mark 55.3 Part A Hardener: Mark 55.3 Part B "Lead Free Yellow" contains organic yellow pigment.	BABA Compliant: EXEMPT approved 5/11/2004
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	HPS-3 White: HPS-3 Part A Yellow: HPS-3 Part A Black: HPS-3 Part A Hardener: HPS-3 Part B "Lead Free Yellow" contains organic yellow pigment.	BABA Compliant: unkn approved 7/25/2002
Swarco Colorado Paint Marilou Bruce 2851 N. Walden Street Aurora CO 80011 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881 www.swarco.com/scp	1180 White: 1180 Part A Yellow: 1186 Part A Hardener: 1185 Part B "Lead Free Yellow" contains organic yellow pigment.	BABA Compliant: YES approved 3/23/2000

729.03.04a PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (ACRYLIC EMULSION)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Arkema Incorporated no contact information	Phone: Cell: Fax:	ENCOR DT 250 Type I	BABA Compliant: unkn approved 7/19/2002
Arkema Incorporated no contact information provided OR required	Phone: Cell: Fax:	ENCOR DT 400 Type II	BABA Compliant: unkn approved 7/19/2002
Dow Chemical/Rohm & Haas LLC no contact information available OR required	Phone: Cell: Fax:	Fastrack 3427 Type I; prev Rhoplex Fastrack 3427; Bulk #10081323; Substance #101051012	BABA Compliant: unkn approved 5/20/1999
Dow Chemical/Rohm & Haas LLC no contact information available OR required	Phone: Cell: Fax:	Fastrack HD-21A Type II; prev Rhoplex Fastrack HD21A; Bulk #10076070; Substance #101084604	BABA Compliant: unkn approved 5/20/1999

729.03.04b PAINT MARKING MATERIAL - RAPID DRY WATERBORNE PAINT (TYPE I, TEMPORARY STRIPING FORMULATIONS)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
--	---------------------	----------------	------------------------

729.03.04b PAINT MARKING MATERIAL - RAPID DRY WATERBORNE PAINT (TYPE I, TEMPORARY STRIPING FORMULATIONS)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Ingevity Derron Henderson 591 Glendale Ave. Greenville AL 36037 derron.henderson@ingevity.com	Phone: (334) 213-2995 Cell: Fax: (334) 371-2302 www.ingevity.com	Waterborne Standard Paint (white and yellow) Fastrack 3427	BABA Compliant: YES approved 3/27/2019
International Coatings Company, Inc. Lin Lin 13929 166th Street Cerritos CA 90703 lilin@iccink.com	Phone: (562) 926-1010 Cell: Fax: (562) 926-9486 www.iccink.com	W: Line-Pro 5630 Y: Line-Pro 5640 Fastrack HD-21A W = White; Y = Yellow	BABA Compliant: EXEMPT approved 7/24/2013
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	W: Pervo Plastics 6000 Y: Pervo Plastics 6003 Fastrack 3427 W = White; Y = Yellow	BABA Compliant: unkn approved 7/30/2002
Svevia USA, Inc. Jason Martyn 14567 Rancho Vista Dr. Fontana CA 92335 jason@roadmaxproducts.com	Phone: (909) 559-4134 Cell: (909) 957-4204 Fax: https://www.roadmaxproducts.com/	Roadmax Fastdry NDOT Series Fastrack 3427 White = RMP-1000NV-1 Yellow = RMP-1000NV-2	BABA Compliant: unkn approved 6/22/2021
Swarco Colorado Paint Marilou Bruce 2851 N Walden Street Aurora CO 80011 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881 www.swarco.com/scp	W: 1160-NV Waterborne Y: 1166-NV Waterborne Fastrack 3427 W = White; Y = Yellow	BABA Compliant: YES approved 12/16/2011
Vista Paint Corporation Blanca Lopez 2020 East Orangethorpe Ave. Fullerton CA 92831 blopez@vistapaint.com	Phone: (818) 940-7307 Cell: (714) 680-3800 Fax: (714) 680-3809 www.vistapaint.com	On-Line Fast Dry 6900 Series: white/yellow/black Fastrack 3427	BABA Compliant: unkn approved 7/22/2019

729.03.04c PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (TYPE II, PERMANENT STRIPING FORMULATION)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Ingevity Derron Henderson 591 Glendale Ave. Greenville AL 36037 derron.henderson@ingevity.com	Phone: (334) 213-2995 Cell: Fax: (334) 371-2302 www.ingevity.com	Waterborne Durable Paint Type II High Build (white and yellow) Fastrack HD-21A	BABA Compliant: YES approved 12/17/2018
International Coatings Company, Inc. Lin Lin 13929 166th Street Cerritos CA 90703 lilin@iccink.com	Phone: (562) 926-1010 Cell: Fax: (562) 926-9486 www.iccink.com	Line-Pro 5610 White Line-Pro 5620 Yellow Fastrack HD-21A Company contact: (562) 926-1010 ext 371	BABA Compliant: EXEMPT approved 11/19/2013

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

729.03.04c PAINT MARKING MATERIAL - RAPID DRY WATERBORNE (TYPE II, PERMANENT STRIPING FORMULATION)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	W: 982831 NVW-HD-M-1 Y: 982832 NVY-HD-M-1 Fastrack HD-21A W = White; Y = Yellow	BABA Compliant: unkn approved 12/11/2002
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	W: 982851 Y: 982852 Fastrack HD-21A W = White; Y = Yellow Product previously known as W: Pervo Plastics 6050 & Y: Pervo Plastics 6053	BABA Compliant: unkn approved 7/30/2002
Sherwin Williams Company Matt Sandlin 101 Prospect Avenue NW Cleveland OH 44115 matthew.g.sandlin@sherwin.com	Phone: (216) 566-1733 Cell: (602) 692-0335 Fax: (216) 830-7721 www.sherwinwilliams.com	W: TM2398 Y: TM2399 Fastrack HD-21A W = White; Y = Yellow	BABA Compliant: YES approved 7/9/2003
Svevia USA, Inc. Jason Martyn 14567 Rancho Vista Dr. Fontana CA 92335 jason@roadmaxproducts.com	Phone: (909) 559-4134 Cell: (909) 957-4204 Fax: https://www.roadmaxproducts.com/	Roadmax HI-BUILD Fastdry NDOT Series Fastrack HD-21A White = RMP-1100NV-1 Yellow = RMP-1100NV-2	BABA Compliant: unkn approved 9/17/2020
Swarco Colorado Paint Marilou Bruce 2851 N. Walden Street Aurora CO 80011 marilou.bruce@swarco.com	Phone: (303) 388-9265 Cell: (303) 332-9216 Fax: (303) 388-0881 www.swarco.com/scp	W: 1110-NV Ultra High Y: 1116-NV Ultra High Fastrack HD-21A W = White; Y = Yellow	BABA Compliant: YES approved 12/16/2011

729.03.05 PAINT MARKING MATERIAL - POLYUREA

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Center Bldg 223-3N-30 St Paul MN 55144 ejdornak@mmm.com	Phone: (651) 733-1110 Cell: (702) 743-0012 Fax: www.3m.com	3M Liquid Pavement Marking Series 5000 Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied w/Glass Sphere statewide. Available in Whit & Yellow	BABA Compliant: YES approved 3/25/2016
Epoplex Chris Beadle 1000 East Park Avenue Maple Shade NJ 08052 cbeadle@epoplex.com	Phone: (800) 822-6920 Cell: (302) 893-0009 Fax: (856) 779-2963 www.epoplex.com	Epoplex LS90 White: Part A Yellow: Part A Cross Linker: Part B Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark Co w/elevation ≤ 4,000 feet. Reflective media applied by Double Drop w/Glass Spheres statewide.	BABA Compliant: YES approved 2/6/2003
Swarco Colorado Paint Company Ling Tan 2851 N. Walden Street Aurora CO 80011 ling.tan@swarco.com	Phone: (303) 388-9265 Cell: (919) 208-3360 Fax: (303) 388-0881 www.swarco.com/cpc	MFUA 12 6180 White: Part A 6185 Crosslinker: Part B 6186 Yellow: Part A 6187 Black: Part A Reflective media applied by Double Drop w/Reflective Element Method is restricted to Clark County w/elevation ≤ 4,000 feet. Double Drop applied w/Glass Sphere	BABA Compliant: unkn approved 6/7/2013

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

732.03.01 PAVEMENT MARKING TAPE (TYPE I)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Stamark™ Pavement Marking Tape Series 270 ES Type I white/yellow available	BABA Compliant: YES approved 5/6/2011
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	Series 300 Type I white/yellow available	BABA Compliant: unkn approved 4/29/2008
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	Series 400 Type I white/yellow available	BABA Compliant: unkn approved 4/29/2008
Brite Line Technologies Shea Durkin 10390 E. 48th Ave. Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series 100 Type I white/yellow available	BABA Compliant: unkn approved 10/10/2007
Brite Line Technologies Shea Durkin 10390 E. 48th Ave. Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series 200 Type I white/yellow available	BABA Compliant: unkn approved 10/10/2007
Brite Line Technologies Shea Durkin 10390 E. 48th Ave. Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series Deltaline TWR Type I white/yellow available	BABA Compliant: unkn approved 10/10/2007

732.03.02 PAVEMENT MARKING TAPE (TYPE II)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	Series 300 Type II white/yellow available	BABA Compliant: unkn approved 5/2/2008
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	Series 400 Type II white/yellow available	BABA Compliant: unkn approved 4/29/2008

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

732.03.02 PAVEMENT MARKING TAPE (TYPE II)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
Brite Line Technologies Shea Durkin 10390 E. 48th Ave. Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series 900 Type II white/yellow available	BABA Compliant: unkn approved 2 /2 /2010
Brite Line Technologies Shea Durkin 10390 E. 48th Ave. Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series Deltaline XRP Type II white/yellow available	BABA Compliant: unkn approved 2 /2 /2010

732.03.03 PAVEMENT MARKING TAPE (TYPE IV)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Stamark™ High Performance Tape Series 380IES and 3M™ Stamark™ All Weather Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics	BABA Compliant: YES approved 5 /6 /2011
3M Company Eric Dornak 3M Center, Bldg 223-3N-30 St. Paul MN 55144 ejdornak@mmm.com	Phone: (800) 553-1380 Cell: (702) 743-0012 Fax: (651) 732-8435 www.3M.com	3M™ Stamark™ Pavement Marking Tape Series 270 ES Type IV IES is a standard high performance optic WR ES is a standard high performance, wet reflective optics	BABA Compliant: YES approved 5 /6 /2011
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	Series 300 Type IV white/yellow available	BABA Compliant: unkn approved 10/19/2012
Advance Traffic Markings Raeleen Lucas 100 Patch Rubber Road Weldon NC 27890 lucasco@ralucasco.com	Phone: (252) 536-2574 Cell: (714) 397-4428 Fax: (252) 536-4940 www.trafficmarkings.com	Series 400 Type IV	BABA Compliant: unkn approved 4 /29/2008
Brite Line Technologies Shea Durkin 10390 E. 48th Ave. Denver CO 80238 sdurkin@brite-line.com	Phone: (303) 375-1293 Cell: (720) 217-1747 Fax: (303) 375-8557 www.brite-line.com	Series Deltaline XRP Type IV	BABA Compliant: unkn approved 2 /2 /2010

732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)

<i>Vendor Name / Address / Phone / Email / Website</i>	<i>Product Name</i>	<i>Remarks</i>	<i>BABA Compliance</i>
--	---------------------	----------------	------------------------

732.03.04a PAVEMENT MARKINGS (HOT APPLIED THERMOPLASTIC)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Crown USA, Inc. Emily Coker 35 Industrial Park Drive Woodbury GA 30293 ecoker@crownsusa.com	Phone: (706) 553-9500 Cell: Fax: (866) 553-9501 www.crownsusa.com	Ecotherm Yellow Alkyd Yellow Lead free	BABA Compliant: YES approved 10/23/2013
Crown USA, Inc. Emily Coker 35 Industrial Park Drive Woodbury GA 30293 ecoker@crownsusa.com	Phone: (706) 553-9500 Cell: (706) 553-9500 Fax: (706) 553-9501 www.crownsusa.com	TuffLine Alkyd White	BABA Compliant: YES approved 10/14/2004
Ingevity Derron Henderson 591 Glendale Ave. Greenville AL 36037 derron.henderson@ingevity.com	Phone: (334) 213-2995 Cell: Fax: (334) 371-2302 www.ingevity.com	ThermoAccel Thermoplastic White and yellow. Product previously known as Accel Thermoplastic.	BABA Compliant: YES approved 3/27/2019
Ingevity Derron Henderson 591 Glendale Ave. Greenville AL 36037 derron.henderson@ingevity.com	Phone: (334) 213-2995 Cell: Fax: (334) 371-2302 www.ingevity.com	Thermoplastic White and yellow.	BABA Compliant: YES approved 3/27/2019
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	W: 885555 Alkyd Thermoplastic Y: 884685 Alkyd Lead free W = White; Y = Yellow	BABA Compliant: unkn approved 9/30/2009

732.03.04b PAVEMENT MARKINGS (PREFORMED THERMOPLASTIC)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
Crown USA, Inc. Emily Coker 600 Poplar Drive Thomaston GA 30286 ecoker@crownsusa.com	Phone: (706) 553-9500 Cell: Fax: (706) 553-9501 www.crownsusa.com	Tuff-Mark select 0.125" / 125 mil thick product	BABA Compliant: YEX approved 7/22/2019
Geveko Markings, Inc. Joseph Thompson 1883 New Harvest Road Gainesville GA 30507 jthompson@gevekomarkings.com	Phone: (770) 847-9410 Cell: (678) 997-8830 Fax: www.geveko-markings.us	OPTAMARK select 0.125" / 125 mil thick product Joseph Thompson : 678-997-8830	BABA Compliant: YES approved 12/20/2017
Ingevity Derron Henderson 591 Glendale Ave. Greenville AL 36037 derron.henderson@ingevity.com	Phone: (334) 213-2995 Cell: Fax: (334) 371-2302 www.ingevity.com	CHOICE Preformed Thermoplastic select 0.125" / 125 mil thick product	BABA Compliant: YES approved 12/17/2018

Listing on the QPL does not guarantee that the product meets "Buy America" standards

Thursday, April 2, 2026

732.03.04b PAVEMENT MARKINGS (PERFORMED THERMOPLASTIC)

Vendor Name / Address / Phone / Email / Website	Product Name	Remarks	BABA Compliance
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	HotTape select 0.125" / 125 mil thick product	BABA Compliant: unkn approved 5 /3 /2001
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (800) 331-8118 Cell: (336) 477-8363 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	PreMark select 0.125" / 125 mil thick product	BABA Compliant: unkn approved 5 /3 /2001
PPG / Ennis-Flint, Inc. QPL Administrator 4161 Piedmont Pkwy, Ste. 370 Greensboro NC 27410 dl-QPLAdmin@ppg.com	Phone: (336) 477-8363 Cell: (800) 311-8118 Fax: (336) 475-7900 www.ppg.com/traffic/en-US	PreMarkXF select 0.125" / 125 mil thick product	BABA Compliant: unkn approved 9 /17 /2019
Preform, LLC Alex Cady 3845 Deerpark Blvd. Elkton FL 32033 acady@preform.us	Phone: (888) 826-5161 Cell: (336) 471-7158 Fax: www.preform.us	PREFORM select 0.125" / 125 mil thick product. Alternate contact is Roxanne Brown (rox@preform.us), direct# 512-736-5282.	BABA Compliant: unkn approved 6 /22 /2021
Swarco Industries, LLC Jonathan Knutson 270 Rutherford Ln / PO Box 89 Columbia TN 38401 jonathan.knutson@swarco.com	Phone: (503) 421-5227 Cell: (503) 421-5227 Fax: (503) 208-2785 www.swarco.com/americas	Preformed Thermoplastic select 0.125" / 125 mil thick product	BABA Compliant: YES approved 7 /2 /2018

QPL NOTES

If specified in a contract's Special Provisions under the "Notice to Contractors," contractors must use the Qualified Products List (QPL). This dated QPL is distributed to the contractors along with contract documentation.

The NDOT Research Section maintains the QPL. Products will remain on the QPL as long as their performance is satisfactory, and the product vendor/manufacturer complies with NDOT requirements. Poor performance in the field will result in suspension and/or removal at any time from the QPL, as per established NDOT product evaluation procedures. The NDOT Product Evaluation Coordinator must be notified of any modification of material, composition, or configuration of a product or change in the manufacturer's name and address promptly (defined as within 30 days). Failure to disclose this information may result in suspension of approval and/or removal from the QPL.

The evaluation of a product listed on the QPL does not constitute an endorsement by the Department or imply a commitment to purchase, recommend, or specify the product in the future.

If you have any questions regarding QPL and/or the product evaluation process, contact Amber Landrith, Product Evaluation Coordinator, via e-mail at alandrith@dot.nv.gov or ProductEval@dot.nv.gov or by telephone at (775) 888-7894.